

## **MAXIMUM STRENGTH LIDOCAINE PATCH- lidocaine patch**

**Velocity Pharma LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Rite Aid Lidocaine Patch 6ct**

#### **Active Ingredient**

Lidocaine 4%

#### **Purpose**

Topical Anesthetic

#### **Uses**

Temporarily relieves minor pain

#### **Warnings**

**For external use only**

#### **Do Not Use**

- more than 1 patch on your body at a time or on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

#### **When Using This Product**

- use only as directed. Read and follow all directions and warnings on this label.
- do not allow contact with the eyes
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- do not use at the same time as other topical analgesics
- dispose of used patch in manner that always keeps product away from children or pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

#### **Stop Use and Ask a Doctor if**

- condition worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

#### **If Pregnant or Breast Feeding**

ask a health professional before use.

## Keep Out of Reach of Children and Pets

If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

### Adults and children over 12 years:

- clean and dry affected area
- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area
- use 1 patch for up to 12 hours

**children 12 years or younger:** ask a doctor

## Inactive Ingredients

Aluminium silicate, Butylated hydroxytoluene, Colloidal silicon dioxide, liquid paraffin, modified gum rosin, polyisobutylene, styrene-isoprene-styrene, block copolymer, Titanium dioxide, tocopherol acetate

## Package/Label Principal Display Panel



**MAXIMUM STRENGTH LIDOCAINE PATCH**

lidocaine patch

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:76 168 -308
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg

### Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
SODIUM ALUMINIUM SILICATE (UNII: 058TS43PSM)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
MINERAL OIL (UNII: T5L8T28FGP)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
POLYISOBUTYLENE (1000 MW) (UNII: 5XB3A63Y52)	
STYRENE (UNII: 44LJ2U959V)	
POLYBUTESTER (UNII: A68634Y1LL)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76 168 -308 -13	6 in 1 CARTON	05/26/2017	
1		1 in 1 POUCH; Type 0: Not a Combination Product		

### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph not final	part348	05/26/2017	

**Labeler** - Velocity Pharma LLC (962198409)

Revised: 7/2018

Velocity Pharma LLC