

GOOD NEIGHBOR PHARMACY PAIN RELIEF- acetaminophen tablet
Amerisource Bergen

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Amerisource Bergen Pain Relief Drug Facts

Active ingredient (in each caplet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see overdose warning)

adults and children 12 years and over	<ul style="list-style-type: none">• take 2 caplets every 6 hours while symptoms last• do not take more than 6 caplets in 24 hours, unless directed by a doctor• do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients

carnauba wax, corn starch*, croscarmellose sodium*, hypromellose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate*, stearic acid

*may contain one or more of these ingredients

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to Extra Strength Tylenol® Caplets active ingredient

See New Warnings

FOR ADULTS

Pain Relief

Extra Strength

THIS PACKAGE FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN – (NCRC ONLY)

acetaminophen – pain reliever/fever reducer

Actual Size

50 Caplets – 500 mg Each



Drug Facts

Active Ingredient (in each caplet) Acetaminophen 500 mg... Pain reliever/fever reducer

Purpose

Uses ■ temporarily relieves minor aches and pains due to:
 ■ the common cold ■ headache
 ■ minor pain of arthritis ■ backache
 ■ muscular aches ■ toothache
 ■ premenstrual and menstrual cramps
 ■ temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take
 ■ more than 4,000 mg of acetaminophen in 24 hours
 ■ with other drugs containing acetaminophen
 ■ 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:
 ■ skin redness ■ blisters ■ rash
 If a skin reaction occurs, stop use and seek medical help right away.

Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 ■ if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have liver disease
Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

5
 0 8770166332
 ABC#: 10042958

LOT NO.
 EXP.
 : 48473 29 C7

Drug Facts (continued)

Stop use and ask a doctor if
 ■ pain gets worse or lasts more than 10 days
 ■ fever gets worse or lasts more than 3 days
 ■ new symptoms occur
 ■ redness or swelling is present
 These could be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions ■ do not take more than directed (see overdose warning)
 adults and children
 ■ take 2 caplets every 6 hours while symptoms last
 12 years ■ do not take more than 6 caplets in 24 hours, unless directed by a doctor
 ■ do not use for more than 10 days unless directed by a doctor
 children under 12 years ask a doctor

Other information
 ■ store at 20-25°C (68-77°F)

Inactive ingredients carnauba wax, corn starch*, croscarmellose sodium*, hypromellose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate*, stearic acid *may contain one or more of these ingredients

Drug Facts (continued)
Questions or comments?
 1-800-719-9260

*Good Neighbor Pharmacy® Pain Relief is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Extra Strength Tylenol® Caplets.
 DO NOT USE IF PRINTED SEAL UNDER CAP IS BROKEN OR MISSING
GLUTEN FREE
 Distributed By
 Amersourcebergen
 1300 Morris Drive
 Chesterbrook, PA 19087
 Visit us at
 www.goodneighborpharmacy.com

Compare to Extra Strength Tylenol® Caplets active ingredient*

GOOD NEIGHBOR PHARMACY® NDC 24385-484-71
 See New Warnings

Pain Relief Extra Strength FOR ADULTS
 acetaminophen • pain reliever/fever reducer
 Actual Size
 50 Caplets | 500 mg Each



Compare to Extra Strength Tylenol® Caplets active ingredient*

GOOD NEIGHBOR PHARMACY® NDC 24385-484-71
 See New Warnings

Pain Relief Extra Strength FOR ADULTS
 acetaminophen • pain reliever/fever reducer
 Actual Size
 50 Caplets | 500 mg Each



GOOD NEIGHBOR PHARMACY PAIN RELIEF			
acetaminophen tablet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:24385-484
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	

Product Characteristics

Color	WHITE	Score	no score
Shape	CAPSULE (caplet)	Size	16mm
Flavor		Imprint Code	L484
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:24385-484-71	1 in 1 CARTON	12/15/1989	
1		50 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:24385-484-78	1 in 1 CARTON	12/15/1989	
2		100 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:24385-484-90	500 in 1 BOTTLE; Type 0: Not a Combination Product	12/15/1989	
4	NDC:24385-484-76	1 in 1 CARTON	12/15/1989	
4		120 in 1 BOTTLE; Type 0: Not a Combination Product		
5	NDC:24385-484-14	550 in 1 BOTTLE; Type 0: Not a Combination Product	12/15/1989	
6	NDC:24385-484-47	1 in 1 CARTON	12/15/1989	
6		150 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	12/15/1989	

Labeler - Amerisource Bergen (007914906)