

**GOOD NEIGHBOR PHARMACY PAIN RELIEF- acetaminophen tablet**  
**Amerisource Bergen**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Amerisource Bergen Pain Relief Drug Facts**

**Active ingredient (in each caplet)**

Acetaminophen 500 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

liver disease

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not take more than directed (see overdose warning)

adults and children 12 years and over	<ul style="list-style-type: none"><li>• take 2 caplets every 6 hours while symptoms last</li><li>• do not take more than 6 caplets in 24 hours, unless directed by a doctor</li><li>• do not use for more than 10 days unless directed by a doctor</li></ul>
children under 12 years	ask a doctor

**Other information**

- store at 20-25°C (68-77°F)

**Inactive ingredients**

carnauba wax, corn starch\*, croscarmellose sodium\*, hypromellose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate\*, stearic acid

\*may contain one or more of these ingredients

**Questions or comments?**

1-800-719-9260

**Principal Display Panel**

Compare to Extra Strength Tylenol® Caplets active ingredient

See New Warnings

FOR ADULTS

Pain Relief

Extra Strength

THIS PACKAGE FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN – (NCRC ONLY)

acetaminophen – pain reliever/fever reducer

Actual Size

50 Caplets – 500 mg Each



**Drug Facts**

**Active Ingredient (in each caplet)** Acetaminophen 500 mg... Pain reliever/fever reducer

**Purpose**

**Uses** ■ temporarily relieves minor aches and pains due to:  
 ■ the common cold ■ headache  
 ■ minor pain of arthritis ■ backache  
 ■ muscular aches ■ toothache  
 ■ premenstrual and menstrual cramps  
 ■ temporarily reduces fever


**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:  
 ■ more than 4,000 mg of acetaminophen in 24 hours  
 ■ with other drugs containing acetaminophen  
 ■ 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:  
 ■ skin redness ■ blisters ■ rash  
 If a skin reaction occurs, stop use and seek medical help right away.

**Do not use** ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
 ■ if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have liver disease**  
**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin**



ABC#: 10042958

5 2664332 0

LOT NO.

EXP.

: 48471 29 C7

**Drug Facts (continued)**

**Stop use and ask a doctor if**  
 ■ pain gets worse or lasts more than 10 days  
 ■ fever gets worse or lasts more than 3 days  
 ■ new symptoms occur  
 ■ redness or swelling is present  
 These could be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use.  
**Keep out of reach of children. Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions** ■ do not take more than directed (see overdose warning)

**adults and children 12 years and over**  
 ■ take 2 caplets every 6 hours while symptoms last  
 ■ do not take more than 6 caplets in 24 hours, unless directed by a doctor  
 ■ do not use for more than 10 days unless directed by a doctor

**children under 12 years**  
 ask a doctor

**Other information**  
 ■ store at 20-25°C (68-77°F)

**Inactive ingredients** carnauba wax, corn starch\*, croscarmellose sodium\*, hypromellose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate\*, stearic acid \*may contain one or more of these ingredients

**Drug Facts (continued)**  
**Questions or comments?**  
 1-800-719-9260

\*Good Neighbor Pharmacy® Pain Relief is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Extra Strength Tylenol® Caplets.  
 DO NOT USE IF PRINTED SEAL UNDER CAP IS BROKEN OR MISSING  
**GLUTEN FREE**  
 Distributed By  
 Amersourcebergen  
 1300 Morris Drive  
 Chesterbrook, PA 19087  
 Visit us at  
 www.goodneighborpharmacy.com

Compare to Extra Strength Tylenol® Caplets active ingredient\*



NDC 24385-484-71

See New Warnings

**Pain Relief** **Extra Strength**

acetaminophen • pain reliever/fever reducer

50 Caplets | 500 mg Each



Compare to Extra Strength Tylenol® Caplets active ingredient\*





NDC 24385-484-71

See New Warnings

**Pain Relief** **Extra Strength**

acetaminophen • pain reliever/fever reducer

50 Caplets | 500 mg Each



**GOOD NEIGHBOR PHARMACY PAIN RELIEF**

acetaminophen tablet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:24385-484
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

**Inactive Ingredients**

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOLS (UNII: 3WJQ0SDW1A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POVIDONES (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	

**Product Characteristics**

Color	WHITE	Score	no score
Shape	CAPSULE (caplet)	Size	16mm
Flavor		Imprint Code	L484
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:24385-484-71	1 in 1 CARTON		
1		50 in 1 BOTTLE		
2	NDC:24385-484-78	1 in 1 CARTON		
2		100 in 1 BOTTLE		
3	NDC:24385-484-90	500 in 1 BOTTLE		
4	NDC:24385-484-76	1 in 1 CARTON		
4		120 in 1 BOTTLE		
5	NDC:24385-484-14	550 in 1 BOTTLE		
6	NDC:24385-484-47	1 in 1 CARTON		
6		150 in 1 BOTTLE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	12/15/1989	

**Labeler** - Amerisource Bergen (007914906)