

CAREALL ACETAMINOPHEN EXTRA STRENGTH- acetaminophen tablet
New World Imports, Inc

Drug Facts

Active Ingredient

Acetaminophen 500 mg

Purpose

Pain reliever / Fever reducer

Keep out of reach of Children

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you don't notice any signs or symptoms.

Uses

For the temporary of minor aches and pains associated with: common cold, headache, toothache, muscular aches, backache, arthritis, premenstrual and menstrual cramps

Temporarily reduces fever.

Warnings

Liver Warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- Adults take more than 4,000mg of Acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy Alert: Acetaminophen may cause severe skin reactions. Symptoms may include: skin reddening, blisters, rash. If a skin reaction occurs, stop use and seek medical help right away.

Do not use:

- If you are allergic to Acetaminophen
- With other products containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if:

- Symptoms do not improve
- Pain gets worse or lasts for more than 10 days
- Fever gets worse or lasts for more than 3 days
- New symptoms occur
- Redness or swelling is present
- A rare sensitivity reaction occurs

If pregnant or breast-feeding, ask a health professional before use.

Do not use more than directed (see overdose warning)

Adults and children 12 years of age and older: Take 2 tablets every 6 hours as needed. Do not take more than 6 tablets in 24 hours, unless directed by a doctor.

Do not take for more than 10 days unless directed by a doctor.

Children under 12 years of age: consult a doctor

corn starch, povidone, pregelatinized starch, sodium starch glycolate, stearic acid

NDC 51824-060-01

CAREALL
Acetaminophen
 For Adults

Extra Strength

► Pain Reliever
 ► Fever Reducer

*Compare to the active ingredient of Extra Strength Tylenol®

100 500mg Tablets



DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts

Active ingredient (in each Tablet) Purpose
 Acetaminophen 500mg.....Pain reliever/fever reducer

Uses For the temporary relief of minor aches and pains associated with: ■ the common cold ■ headache ■ backache ■ minor pain from arthritis ■ toothache ■ muscular aches ■ premenstrual and menstrual cramps ■ temporarily reduces fever

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 4,000mg of acetaminophen in 24 hours ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist

Drug Facts (continued on inside)

*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc. owner of the registered trademark Extra Strength Tylenol®.

Distributed By:
 CareALL Products, 160 Athens Way, Nashville, TN 37228
 www.careallproducts.com



Lot: _____
 Exp: _____

UNVARNISHED



Drug Facts (continued)

■ if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if ■ pain gets worse or lasts more than 10 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present. These could be signs of a serious condition

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions ■ do not take more than directed (see overdose warning)

Adults and children 12 years and over
 ■ take 2 tablets every 6 hours while symptoms last ■ do not take more than 6 tablets in 24 hours, unless directed by a doctor ■ do not take for more than 10 days unless directed by a doctor

Children under 12 years of age
 Consult a doctor

Other information ■ store between 20°-25°C (68°-77°F)

Inactive ingredients corn starch, povidone, pregelatinized starch, sodium starch glycolate, stearic acid

Questions or Comments?
 Call 1-888-952-0050 Monday to Friday 9am-5pm EST

CAREALL ACETAMINOPHEN EXTRA STRENGTH

acetaminophen tablet

| Product Information | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:51824-060 |
| Route of Administration | ORAL | | |

| Active Ingredient/Active Moiety | | |
|--|-------------------|----------|
| Ingredient Name | Basis of Strength | Strength |
| Acetaminophen (UNII: 362O9ITL9D) (Acetaminophen - UNII:362O9ITL9D) | Acetaminophen | 500 mg |

| Inactive Ingredients | |
|--|----------|
| Ingredient Name | Strength |
| Starch, Corn (UNII: O8232NY3SJ) | |
| Stearic Acid (UNII: 4ELV7Z65AP) | |
| Povidone (UNII: FZ989GH94E) | |
| Sodium starch glycolate Type A potato (UNII: 5856J3G2A2) | |

Product Characteristics

| | | | |
|-----------------|---------------|---------------------|----------|
| Color | white (White) | Score | no score |
| Shape | ROUND (round) | Size | 12mm |
| Flavor | | Imprint Code | AZ;011 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:51824-060-02 | 24 in 1 CASE | 04/15/2016 | |
| 1 | NDC:51824-060-01 | 100 in 1 BOTTLE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M013 | 04/15/2016 | |

Labeler - New World Imports, Inc (075372276)

Revised: 12/2023

New World Imports, Inc