

**FEAR PHOBIA - aconitum nap., anacardium orientale, arg. nit., arsenicum alb., cypridium, gelsemium, ignatia, kali carb., lycopodium, nat. mur., phosphorus, sambucus nig., sepia, staphysag., stramonium, tarentula hispana, theridion, passiflora, valeriana pellet
Newton Laboratories, Inc.**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Fear Phobia

INDICATIONS & USAGE SECTION

Fear~Phobia Formulated for symptoms associated with fears and phobias such as agoraphobia, acrophobia, aviophobia, claustrophobia and stage fright.

DOSAGE & ADMINISTRATION SECTION

Ages 12 and up, take 6 pellets orally (ages 0 to 11, give 3 pellets) as needed or as directed by a healthcare professional. Under age 2, crush or dissolve pellets in purified water.

ACTIVE INGREDIENT SECTION

Aconitum nap. 20x, Anacardium orientale 20x, Arg. nit. 20x, Arsenicum alb. 20x, Cypridium 20x, Gelsemium 20x, Ignatia 20x, Kali carb. 20x, Lycopodium 20x, Nat.mur. 20x, Phosphorus 20x, Sambucus nig. 20x, Sepia 20x, Staphysag. 20x, Stramonium 20x, Tarentula hispana 20x, Theridion 20x, Passiflora 8x, Valeriana 8x, Passiflora 3x, Valeriana 3x.

PURPOSE SECTION

Formulated for symptoms associated with fears and phobias such as agoraphobia, acrophobia, aviophobia, claustrophobia and stage fright.

INACTIVE INGREDIENT SECTION

Inactive Ingredients: Gluten-free, non-GMO, beet-derived sucrose pellets.

QUESTIONS? SECTION

www.newtonlabs.net Newton Laboratories, Inc. FDA Est # 1051203 - Conyers, GA 30012
Questions? 1.800.448.7256

WARNINGS SECTION

Warning: Do not use if tamper - evident seal is broken or missing. Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days. Keep out of reach of children.

PREGNANCY OR BREAST FEEDING SECTION

Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days.

KEEP OUT OF REACH OF CHILDREN SECTION

Keep out of reach of children.

PACKAGE LABEL

www.newtonlabs.net
Newton Laboratories, Inc. FDA Est# 1051203 • Conyers, GA 30012
Questions? 1.800.448.7256
Warnings: Do not use if tamper-evident seal is broken or missing. Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days. Keep out of reach of children.

NEWTON
homeopathics **PRO**
NDC# 55714-4409-1 *Nurturing Naturally Since 1987™*

Fear~ Phobia

Formulated for symptoms associated with fears and phobias such as agoraphobia, acrophobia, aviophobia, claustrophobia and stage fright.

1 oz (28.35 g)

Dispensed by healthcare professionals only.
Not for over-the-counter sale.

Directions: Ages 12 and up, take 6 pellets orally (ages 0 to 11, give 3 pellets) as needed or as directed by a healthcare professional. Under age 2, crush or dissolve pellets in purified water.

Active Ingredients: Aconitum nap. 20x, Anacardium orientale 20x, Arg. nit. 20x, Arsenicum alb. 20x, Cypripedium 20x, Gelsemium 20x, Ignatia 20x, Kali carb. 20x, Lycopodium 20x, Nat. mur. 20x, Phosphorus 20x, Sambucus nig. 20x, Sepia 20x, Staphysag. 20x, Stramonium 20x, Tarentula hispana 20x, Theridion 20x, Passiflora 8x, Valeriana 8x, Passiflora 3x, Valeriana 3x.

Inactive Ingredients: Gluten-free, non-GMO, beet-derived sucrose pellets.

Stock# R119 Lot#

FEAR PHOBIA

aconitum nap., anacardium orientale, arg. nit., arsenicum alb., cypripedium, gelsemium, ignatia, kali carb., lycopodium, nat. mur., phosphorus, sambucus nig., sepia, staphysag., stramonium, tarentula hispana, theridion, passiflora, valeriana pellet

Product Information

| | | | |
|--------------------------------|-------------------------|---------------------------|----------------|
| Product Type | HUMAN PRESCRIPTION DRUG | Item Code (Source) | NDC:55714-4409 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|------------------------------|------------------|
| Aconitum Napellus (UNII: U0NQ8555JD) (Aconitum Napellus - UNII:U0NQ8555JD) | Aconitum Napellus | 20 [hp_X] in 1 g |
| Semecarpus Anacardium Juice (UNII: Y0F0BU8RDU) (Semecarpus Anacardium Juice - UNII:Y0F0BU8RDU) | Semecarpus Anacardium Juice | 20 [hp_X] in 1 g |
| Silver Nitrate (UNII: 95IT3W8JZE) (Silver Cation - UNII:57N7B0K90A) | Silver Nitrate | 20 [hp_X] in 1 g |
| Arsenic Trioxide (UNII: S7V92P67HO) (Arsenic Cation (3+) - UNII:C96613F5AV) | Arsenic Trioxide | 20 [hp_X] in 1 g |
| Cypripedium Parvifolium Root (UNII: 21Y9GZ1LZA) (Cypripedium Parvifolium Root - UNII:21Y9GZ1LZA) | Cypripedium Parvifolium Root | 20 [hp_X] in 1 g |
| Gelsemium Sempervirens Root (UNII: 639KR60Q1Q) (Gelsemium Sempervirens Root - | Gelsemium Sempervirens | 20 [hp_X] |

| | | |
|---|------------------------------------|---------------------|
| UNII:639KR60Q1Q) | Root | in 1 g |
| Strychnos Ignatii Seed (UNII: 1NM3M2487K) (Strychnos Ignatii Seed - UNII:1NM3M2487K) | Strychnos Ignatii Seed | 20 [hp_X] in 1 g |
| Potassium Carbonate (UNII: BQN1B9B9HA) (Carbonate Ion - UNII:7UJQ5OPE7D) | Potassium Carbonate | 20 [hp_X] in 1 g |
| Lycopodium Clavatum Spore (UNII: C88X29Y479) (Lycopodium Clavatum Spore - UNII:C88X29Y479) | Lycopodium Clavatum Spore | 20 [hp_X] in 1 g |
| Sodium Chloride (UNII: 451W47IQ8X) (Chloride Ion - UNII:Q32ZN48698) | Sodium Chloride | 20 [hp_X] in 1 g |
| Phosphorus (UNII: 27YLU75U4W) (Phosphorus - UNII:27YLU75U4W) | Phosphorus | 20 [hp_X] in 1 g |
| Sambucus Nigra Flowering Top (UNII: CT03BSA18U) (Sambucus Nigra Flowering Top - UNII:CT03BSA18U) | Sambucus Nigra Flowering Top | 20 [hp_X] in 1 g |
| Sepia Officinalis Juice (UNII: QDL83WN8C2) (Sepia Officinalis Juice - UNII:QDL83WN8C2) | Sepia Officinalis Juice | 20 [hp_X] in 1 g |
| Delphinium Staphisagria Seed (UNII: 00543APIJV) (Delphinium Staphisagria Seed - UNII:00543APIJV) | Delphinium Staphisagria Seed | 20 [hp_X] in 1 g |
| Datura Stramonium (UNII: G6W4F0V8Z3) (Datura Stramonium - UNII:G6W4F0V8Z3) | Datura Stramonium | 20 [hp_X] in 1 g |
| Lycosa Tarantula (UNII: 86M454L2TT) (Lycosa Tarantula - UNII:86M454L2TT) | Lycosa Tarantula | 20 [hp_X] in 1 g |
| Theridion Curassavicum (UNII: 9Z8D3HEM8L) (Theridion Curassavicum - UNII:9Z8D3HEM8L) | Theridion Curassavicum | 20 [hp_X] in 1 g |
| Passiflora Incarnata Flowering Top (UNII: CLF5YFS11O) (Passiflora Incarnata Flowering Top - UNII:CLF5YFS11O) | Passiflora Incarnata Flowering Top | 8 [hp_X] in 1 g |
| Valerian (UNII: JWF5YAW3QW) (Valerian - UNII:JWF5YAW3QW) | Valerian | 8 [hp_X] in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|-----------------------------------|----------|
| Sucrose (UNII: C151H8M554) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|----------------------------|----------------------|--------------------|
| 1 | NDC:55714-4409-1 | 28.35 g in 1 BOTTLE, GLASS | | |
| 2 | NDC:55714-4409-2 | 56.7 g in 1 BOTTLE, GLASS | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic | | 06/01/2011 | |

Labeler - Newton Laboratories, Inc. (788793610)

Registrant - Newton Laboratories, Inc. (788793610)

Establishment

| Name | Address | ID/FEI | Business Operations |
|------|---------|--------|---------------------|
|------|---------|--------|---------------------|

Revised: 6/2011

Newton Laboratories, Inc.