

**SEVERE SINUS CONGESTION RELIEF MAXIMUM STRENGTH- acetaminophen,  
guaifenesin, phenylephrine hcl tablet, film coated  
Rite Aid Corporation**

-----  
**Rite Aid 44-615-SMR**

***Active ingredients (in each caplet)***

Acetaminophen 325 mg  
Guaifenesin 200 mg  
Phenylephrine HCl 5 mg

***Purpose***

Pain reliever  
Expectorant  
Nasal decongestant

***Uses***

- temporarily relieves:
  - nasal congestion
  - headache
  - sinus congestion and pressure
  - minor aches and pains
- temporarily promotes nasal and/or sinus drainage
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- with other drugs containing acetaminophen
- more than 4,000 mg of acetaminophen in 24 hours
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If

you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

### **Ask a doctor before use if you have**

- liver disease
- thyroid disease
- diabetes
- heart disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

### **Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

### **When using this product**

**do not exceed recommended dosage.**

### **Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- fever gets worse or lasts more than 3 days
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Directions**

- **do not take more than directed**
- do not take more than 12 caplets in any 24-hour period
- adults and children 12 years and over: take 2 caplets every 4 hours

- children under 12 years: do not use

### ***Other information***

- **each caplet contains:** sodium 3 mg
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

### ***Inactive ingredients***

corn starch, crospovidone, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, talc, titanium dioxide

### ***Questions or comments?***

**1-800-426-9391**

### **Principal Display Panel**

Compare to the active ingredients in **Maximum Strength Mucinex<sup>®</sup> SINUS-MAX<sup>®</sup> Severe Congestion & Pain<sup>†</sup>**

**NDC 11822-5160-9**

MAXIMUM STRENGTH  
**SEVERE SINUS  
CONGESTION RELIEF**

**ACETAMINOPHEN**  
GUAIFENESIN  
PHENYLEPHRINE HCl

PAIN RELIEVER • EXPECTORANT  
NASAL DECONGESTANT

Relieves headache & sinus congestion  
Thins & loosens mucus  
For ages 12 & over

ACTUAL SIZE

**20**  
CAPLETS

**TAMPER EVIDENT: DO NOT USE IF  
PACKAGE IS OPENED OR IF BLISTER  
UNIT IS TORN, BROKEN OR SHOWS  
ANY SIGNS OF TAMPERING**

†This product is not manufactured or distributed by Reckitt Benckiser LLC, owner of the registered trademark Maximum Strength Mucinex<sup>®</sup> SINUS-MAX<sup>®</sup> Severe Congestion & Pain.

50844 REV0623D61509

**DISTRIBUTED BY:** RITE AID,  
200 NEWBERRY COMMONS  
ETTERS, PA 17319 [www.riteaid.com](http://www.riteaid.com)

**SATISFACTION**

**GUARANTEE**

If you're not satisfied, we'll  
happily refund your money.

Compare to the active ingredients in Maximum Strength Mucinex® SINUS-MAX® Severe Congestion & Pain<sup>1</sup>

**NDC 11822-5160-9**

**MAXIMUM STRENGTH**

# SEVERE SINUS CONGESTION RELIEF

**ACETAMINOPHEN  
GUAIFENESIN  
PHENYLEPHRINE HCl**

PAIN RELIEVER • EXPECTORANT  
NASAL DECONGESTANT

Relieves headache & sinus congestion  
Thins & loosens mucus  
For ages 12 & over

**ACTUAL SIZE**

## 20 CAPLETS

**Drug Facts (continued)**

**Warnings** ■ This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 4,000 mg of acetaminophen in 24 hours ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product ■ Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin redness ■ blisters ■ rash ■ If a skin reaction occurs, stop use and seek medical help right away.

**Do not use** ■ with any other drug containing acetaminophen (prescription or nonprescription); ■ if you are not sure whether a drug contains acetaminophen; ■ ask a doctor or pharmacist. ■ If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. ■ If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. ■ If you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have** ■ liver disease ■ thyroid disease ■ diabetes ■ heart disease ■ high blood pressure ■ difficulty in urination due to enlargement of the prostate gland ■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema ■ cough that occurs with too much phlegm (mucus)

**Drug Facts (continued)**

**Inactive ingredients** ■ corn starch, croscollon, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, portons, silicon dioxide, sodium starch glycolate, stearic acid, talc, titanium dioxide

**Drug Facts (continued)**

**Questions or comments?** 1-800-426-9391

This product is not manufactured or distributed by RB Health (US), LLC, owner of the registered trademark Maximum Strength Mucinex® SINUS-MAX® Severe Congestion & Pain. 50844 REV0623061509

**Drug Facts (continued)**

**Directions** ■ do not take more than directed ■ do not take more than 12 caplets in any 24-hour period ■ adults and children 12 years and over: take 2 caplets every 4 hours ■ children under 12 years: do not use

**Other information** ■ each caplet contains sodium 3 mg ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGING IS OPENED OR BLISTERS IS TORN OR BROKEN ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ see end flap for expiration date and lot number

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical if pregnant or breast-feeding, ask a health professional before use. ■ If signs of a serious condition ■ cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition. ■ new symptoms occur ■ redness or swelling is present ■ pain, nasal congestion, or cough gets worse or lasts more than 7 days ■ fever gets worse or lasts more than 3 days ■ nervousness, dizziness, or sleeplessness occur ■ Stop use and ask a doctor if ■ When using this product do not exceed recommended dosage. ■ Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

**Drug Facts (continued)**

**Uses** ■ temporarily relieves: ■ nasal congestion ■ headache ■ sinus congestion and pressure ■ minor aches and pains ■ temporarily promotes nasal and/or sinus drainage ■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

**Drug Facts (continued)**

**Purpose** ■ Pain reliever ■ Acetaminophen 325 mg ■ Expectorant ■ Guaifenesin 200 mg ■ Nasal decongestant ■ Phenylephrine HCl 5 mg

**Active ingredients (in each caplet)**

**Drug Facts**

**KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION**

B-1702-615-009-SMB33  
REV0623061509

**DISTRIBUTED BY: RITE AID,  
200 NEWBERRY COMMONS  
LETTERS, PA 17319 www.riteaid.com**

**SATISFACTION GUARANTEE**  
If you're not satisfied, we'll happily refund your money.

0 11822 55570 8

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTERS UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

**No print/No varnish Lot & Exp date**

Rite Aid 44-615

**SEVERE SINUS CONGESTION RELIEF MAXIMUM STRENGTH**  
acetaminophen, guaifenesin, phenylephrine hcl tablet, film coated

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11822-5160
<b>Route of Administration</b>	ORAL		

<b>Active Ingredient/Active Moiety</b>			
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
	<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
	<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg
	<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

<b>Inactive Ingredients</b>	
<b>Ingredient Name</b>	<b>Strength</b>
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>CROSPVIDONE, UNSPECIFIED</b> (UNII: 2S7830E561)	
<b>FD&amp;C RED NO. 40 ALUMINUM LAKE</b> (UNII: 6T47AS764T)	
<b>FD&amp;C YELLOW NO. 6 ALUMINUM LAKE</b> (UNII: GYP6Z2JR6Q)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

<b>Product Characteristics</b>			
<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	19mm
<b>Flavor</b>		<b>Imprint Code</b>	44;615
<b>Contains</b>			

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-5160-9	2 in 1 CARTON	06/30/2013	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing	Application Number or Monograph	Marketing Start	Marketing End

Category	Citation	Date	Date
OTC Monograph Drug	M012	06/30/2013	

**Labeler** - Rite Aid Corporation (014578892)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(11822-5160)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(11822-5160) , pack(11822-5160)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(11822-5160)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(11822-5160)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(11822-5160)

Revised: 6/2024

Rite Aid Corporation