

**GLUCOREG- ascorbicum acidum, pyridoxinum hydrochloricum, riboflavinum, sarcolacticum acidum, thiaminum hydrochloricum, dhea (dehydroepiandrosterone), phloridzinum, adenosinum triphosphoricum dinatrium, alpha-lipoicum acidum, citricum acidum, fumaricum acidum, nadidum, pantothenic acid, acetaldehyde, insulinum (suis), insulinum (human), hepar suis, pancreas suis, phloridzinum, baryta oxalica, alloxanum, berberis vulgaris, carcinosin, lycopodium clavatum, momordica balsamina, phosphoricum acidum, phosphorus, liquid**  
**Deseret Biologicals, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

## **Drug Facts:**

### **ACTIVE INGREDIENTS:**

Ascorbic Acid 6X, Pyridoxinum Hydrochloricum 6X, Riboflavinum 6X, Sarcolacticum Acidum 6X, Thiaminum Hydrochloricum 6X, DHEA (Dehydroepiandrosterone) 6X, 12X, 30X, 200X, 12C, 30C, 60C, 200C, Adenosinum Triphosphoricum Dinatrium 8X, alpha-Lipoicum Acidum 8X, Citricum Acidum 8X, Fumaricum Acidum 8X, Nadidum 8X, Pantothenic Acid 8X, Acetaldehyde 8X, 12X, 30X, 200X, 12C, 30C, 60C, 200C, Insulinum (Suis) 8X, 12X, 30X, 200X, 12C, 30C, 60C, 200C, Insulinum (Human) 12C, 30C, 60C, 200C, Hepar Suis 10X, Pancreas Suis 10X, Phloridzinum 16X, 24X, 30X, 200X, 12C, 30C, 60C, 200C, Baryta Oxalica 6C, Alloxanum 6C, 30C, Berberis Vulgaris 6C, 30C, Carcinosin 6C, 30C, Lycopodium Clavatum 6C, 30C, Momordica Balsamina 6C, 30C, Phosphoricum Acidum 6C, 30C, Phosphorus 6C, 30C, Syzygium Jambolanum 6C, 30C, Gaertner Bacillus (Bach) 30C, Gymnema Sylvestre 30C, Trigonella Foenum-Graecum 30C.

### **HOMEOPATHIC INDICATIONS:**

For temporary relief of symptoms related to high blood sugar including dry mouth, thirst, night sweats, sugar and carb cravings.\*\*

\*\*These statements are based upon traditional homeopathic principles. They have not been reviewed by the Food and Drug Administration.

### **WARNINGS:**

**Keep out of reach of children.** In case of overdose, contact physician or a Poison Control Center right away.

**If pregnant or breast-feeding,** ask a health professional before use.

Tamper seal: "Sealed for Your Protection." Do not use if seal is broken or missing.

**KEEP OUT OF REACH OF CHILDREN:**

**Keep out of reach of children.** In case of overdose, contact physician or a Poison Control Center right away.

**DIRECTIONS:**

1-10 drops under the tongue, 3 times a day or as directed by a health professional. Consult a physician for use in children under 12 years of age.

**HOMEOPATHIC INDICATIONS:**

For temporary relief of symptoms related to high blood sugar including dry mouth, thirst, night sweats, sugar and carb cravings.\*\*

\*\*These statements are based upon traditional homeopathic principles. They have not been reviewed by the Food and Drug Administration.

**INACTIVE INGREDIENTS:**

Demineralized Water, 25% Ethanol

**QUESTIONS:**

Dist. By: Deseret Biologicals, Inc.  
469 W. Parkland Drive  
Sandy, UT 84070 [www.desbio.com](http://www.desbio.com)

**PACKAGE LABEL DISPLAY:**

**DESBIO**  
**NDC 43742-1566-1**  
**HOMEOPATHIC**  
**GLUCOREG**  
**1 FL OZ (30 ml)**

**WARNINGS:**

**Keep out of reach of children.** In case of overdose, contact a physician or Poison Control Center right away. **If pregnant or breast-feeding, ask a health professional before use.** Tamper seal: "Sealed for Your Protection." Do not use if seal is broken or missing.

**DIRECTIONS:**

1-10 drops under the tongue, 3 times a day or as directed by a health professional. Consult a physician for use in children under 12 years of age.

**HOMEOPATHIC INDICATIONS:**

For temporary relief of symptoms related to high blood sugar including dry mouth, thirst, night sweats, sugar and carb cravings.\*\*

Dist. By: Deseret Biologicals, Inc.  
469 W. Parkland Drive  
Sandy, UT 84070 [www.desbio.com](http://www.desbio.com)



NDC 43742-1566-1

HOMEOPATHIC

**GLUCOREG**

1 FL OZ (30 ml)

**INACTIVE INGREDIENTS:**

Deminerlized Water, 25% Ethanol

**ACTIVE INGREDIENTS:**

Ascorbic Ac 6X, Pyridoxinum Hydrochloricum 6X, Riboflavinum 6X, Sarcosolacticum Ac 6X, Thiaminum Hydrochloricum 6X, DHEA 6X, 12X, 30X, 200X, 12C, 30C, 60C, 200C, alpha-Lipoic Ac 8X, ATP 8X, Citricum Ac 8X, Fumaricum Ac 8X, Nadidum 8X, Pantothenic Acid 8X, Acetaldehyde 8X, 12X, 30X, 200X, 12C, 30C, 60C, 200C, Insulinum 8X, 12X, 30X, 200X, 12C, 30C, 60C, 200C, Hepar Suis 10X, Pancreas 10X, 12X, 30X, 200X, 12C, 30C, 60C, 200C, Phloridzinum 16X, 24X, 30X, 200X, 12C, 30C, 60C, 200C, Baryta Oxalica 6C, Alloxanum 6C, 30C, Berber Vulg 6C, 30C, Carcinosis 6C, 30C, Lycopodium 6C, 30C, Momordica 6C, 30C, Phos 6C, 30C, Phosphoricum Ac 6C, 30C, Syzygium 6C, 30C, Gaertner Bacillus 30C, Gymnema Sylvestre 30C, Trigonella Foenum-Graecum 30C.

\*\*These statements are based upon homeopathic principles. They have not been reviewed by the Food and Drug Administration.

LOT:

**GLUCOREG**

ascorbicum acidum, pyridoxinum hydrochloricum, riboflavinum, sarcosolacticum acidum, thiaminum hydrochloricum, dhea (dehydroepiandrosterone), phloridzinum, adenosinum triphosphoricum dinatrium, alpha-lipoicum acidum, citricum acidum, fumaricum acidum, nadidum, pantothenic acid, acetaldehyde, insulinum (suis), insulinum (human), hepar suis, pancreas suis, phloridzinum, baryta oxalica, alloxanum, berberis vulgaris, carcinosis, lycopodium clavatum, momordica balsamina, phosphoricum acidum, phosphorus, liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:43742-1566
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	6 [hp_X] in 1 mL
<b>PYRIDOXINE HYDROCHLORIDE</b> (UNII: 68Y4CF58BV) (PYRIDOXINE - UNII:KV2JZ1BI6Z)	PYRIDOXINE	6 [hp_X] in 1 mL
<b>RIBOFLAVIN</b> (UNII: TLM2976OFR) (RIBOFLAVIN - UNII:TLM2976OFR)	RIBOFLAVIN	6 [hp_X] in 1 mL
<b>LACTIC ACID, L-</b> (UNII: F9S9FFU82N) (LACTIC ACID, L- - UNII:F9S9FFU82N)	LACTIC ACID, L-	6 [hp_X] in 1 mL
<b>THIAMINE HYDROCHLORIDE</b> (UNII: M572600E5P) (THIAMINE ION - UNII:4ABT0J945J)	THIAMINE	6 [hp_X] in 1 mL
<b>PRASTERONE</b> (UNII: 459AG36T1B) (PRASTERONE - UNII:459AG36T1B)	PRASTERONE	6 [hp_X] in 1 mL
<b>ADENOSINE TRIPHOSPHATE DISODIUM</b> (UNII: 5L51B4DR1G) (ADENOSINE TRIPHOSPHATE - UNII:8L70Q75FXE)	ADENOSINE TRIPHOSPHATE DISODIUM	8 [hp_X] in 1 mL
<b>THIOCTIC ACID</b> (UNII: 73Y7P0K73Y) (.ALPHA.-LIPOIC ACID - UNII:73Y7P0K73Y)	THIOCTIC ACID	8 [hp_X] in 1 mL
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL) (ANHYDROUS CITRIC ACID -	ANHYDROUS CITRIC ACID	8 [hp_X]

UNII:XF417D3PSL)	ANHYDROUS CITRIC ACID	in 1 mL
<b>FUMARIC ACID</b> (UNII: 88XHZ13131) (FUMARIC ACID - UNII:88XHZ13131)	FUMARIC ACID	8 [hp_X] in 1 mL
<b>NADIDE</b> (UNII: 0U46U6E8UK) (NADIDE - UNII:0U46U6E8UK)	NADIDE	8 [hp_X] in 1 mL
<b>PANTOTHENIC ACID</b> (UNII: 19F5HK2737) (PANTOTHENIC ACID - UNII:19F5HK2737)	PANTOTHENIC ACID	8 [hp_X] in 1 mL
<b>ACETALDEHYDE</b> (UNII: GO1N1ZPR3B) (ACETALDEHYDE - UNII:GO1N1ZPR3B)	ACETALDEHYDE	8 [hp_X] in 1 mL
<b>INSULIN PORK</b> (UNII: AVT680JB39) (INSULIN PORK - UNII:AVT680JB39)	INSULIN PORK	8 [hp_X] in 1 mL
<b>PORK LIVER</b> (UNII: 6EC706HI7F) (PORK LIVER - UNII:6EC706HI7F)	PORK LIVER	10 [hp_X] in 1 mL
<b>SUS SCROFA PANCREAS</b> (UNII: 9Y3J3362RY) (SUS SCROFA PANCREAS - UNII:9Y3J3362RY)	SUS SCROFA PANCREAS	10 [hp_X] in 1 mL
<b>PHLORIZIN</b> (UNII: CU9S17279X) (PHLORIZIN - UNII:CU9S17279X)	PHLORIZIN	16 [hp_X] in 1 mL
<b>BARIUM OXALATE</b> (UNII: 54R8VWF8ZK) (BARIUM CATION - UNII:V645272HLN)	BARIUM OXALATE	6 [hp_C] in 1 mL
<b>ALLOXAN</b> (UNII: 6SW5YHA5NG) (ALLOXAN - UNII:6SW5YHA5NG)	ALLOXAN	6 [hp_C] in 1 mL
<b>BERBERIS VULGARIS ROOT BARK</b> (UNII: 1TH8Q20J0U) (BERBERIS VULGARIS ROOT BARK - UNII:1TH8Q20J0U)	BERBERIS VULGARIS ROOT BARK	6 [hp_C] in 1 mL
<b>HUMAN BREAST TUMOR CELL</b> (UNII: C620O7VD9K) (HUMAN BREAST TUMOR CELL - UNII:C620O7VD9K)	HUMAN BREAST TUMOR CELL	6 [hp_C] in 1 mL
<b>LYCOPODIUM CLAVATUM SPORE</b> (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	6 [hp_C] in 1 mL
<b>MOMORDICA BALSAMINA IMMATURE FRUIT</b> (UNII: WJW1665V10) (MOMORDICA BALSAMINA IMMATURE FRUIT - UNII:WJW1665V10)	MOMORDICA BALSAMINA IMMATURE FRUIT	6 [hp_C] in 1 mL
<b>PHOSPHORIC ACID</b> (UNII: E4GA8884NN) (PHOSPHORIC ACID - UNII:E4GA8884NN)	PHOSPHORIC ACID	6 [hp_C] in 1 mL
<b>PHOSPHORUS</b> (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	6 [hp_C] in 1 mL
<b>SYZYGIUM CUMINI SEED</b> (UNII: 820LSF646I) (SYZYGIUM CUMINI SEED - UNII:820LSF646I)	SYZYGIUM CUMINI SEED	6 [hp_C] in 1 mL
<b>INSULIN HUMAN</b> (UNII: 1Y17CTI5SR) (INSULIN HUMAN - UNII:1Y17CTI5SR)	INSULIN HUMAN	12 [hp_C] in 1 mL
<b>SALMONELLA ENTERICA SUBSP. ENTERICA SEROVAR ENTERITIDIS</b> (UNII: Y3V16D4PV4) (SALMONELLA ENTERICA ENTERICA SEROVAR ENTERITIDIS - UNII:Y3V16D4PV4)	SALMONELLA ENTERICA SUBSP. ENTERICA SEROVAR ENTERITIDIS	30 [hp_C] in 1 mL
<b>GYMNEMA SYLVESTRE LEAF</b> (UNII: 2ZK6ZS8392) (GYMNEMA SYLVESTRE LEAF - UNII:2ZK6ZS8392)	GYMNEMA SYLVESTRE LEAF	30 [hp_C] in 1 mL
<b>TRIGONELLA FOENUM-GRAECUM WHOLE</b> (UNII: 5610HF69OB) (TRIGONELLA FOENUM-GRAECUM WHOLE - UNII:5610HF69OB)	TRIGONELLA FOENUM-GRAECUM WHOLE	30 [hp_C] in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43742-1566-1	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	09/24/2019	07/12/2027

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/24/2019	07/12/2027

**Labeler** - Deseret Biologicals, Inc. (940741853)

**Registrant** - Apotheca Company (844330915)

## Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(43742-1566) , api manufacture(43742-1566) , label(43742-1566) , pack(43742-1566)

Revised: 12/2022

Deseret Biologicals, Inc.