

LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE ANTHELIOS BROAD SPECTRUM SPF 100 BODY AND FACE MELT IN MILK SUNSCREEN WATER RESISTANT 80 MINUTES- avobenzone, homosalate, octisalate and octocrylene lotion
L'Oreal USA Products Inc

Drug Facts

Active ingredients

Avobenzone 3%

Homosalate 15%

Octisalate 5%

Octocrylene 10%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply generously 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, polymethylsilsesquioxane, glycerin, dimethicone, poly c10-30 alkyl acrylate, styrene/acrylates copolymer, silica, caprylyl methicone, acrylates/dimethicone copolymer, diethylhexyl syringyldenemalonate, PEG-100 stearate, glyceryl stearate, phenoxyethanol, potassium cetyl phosphate, tocopherol, caprylyl glycol, panthenol, acrylates/c10-30 alkyl acrylate crosspolymer, triethanolamine, PEG-8 laurate, inulin lauryl carbamate, chlorphenesin, p-anisic acid, caprylic/capric triglyceride, xanthan gum, disodium EDTA, cassia alata leaf extract, maltodextrine, sodium dodecylbenzenesulfonate

Questions or comments?

1-888-LRP-LAB0 1-888-577-5226

Monday - Friday (9 a.m. - 5 p.m. EST)

SPF
100

A PIONEER IN SUN PROTECTION RESEARCH FOR OVER 30 YEARS.

La Roche-Posay, with ANTHELIOS, is trusted and recognized by dermatologists worldwide for its advanced formulations in UVA/UVB protection.

Every day, dermatologists observe skin damage caused by UVA and UVB rays.

UVB rays mainly cause **Burning**. They cause tanning and are mainly responsible for sunburn. SPF or "Sun Protection Factor" is the degree of protection a sunscreen offers against UVB rays.

UVA rays mainly cause **Skin Aging** or **Sun Allergies**. UVA rays directly contribute to skin aging (wrinkles, sagging, dark spots) and are the #1 cause of sun intolerances (allergies).

Both UVA and UVB rays have been proven to cause damage to skin cells, including DNA, and can weaken the immune system. This damage can potentially lead to the development of skin cancer.

La Roche-Posay is dedicated to providing photostable, broad-spectrum protection through the use of **CELL-OX SHIELD**, a synergistic combination of UVA/UVB filters combined with antioxidants.

Anthelios Melt-In Milk SPF 100 can be used on adults and children and on areas of the face and body that are prone to burning.



LA ROCHE-POSAY
LABORATOIRE DERMATOLOGIQUE

100

Body & Face

BROAD SPECTRUM
SPF 100

ANTHELIOS
MELT-IN MILK SUNSCREEN

Helps protect skin that burns easily
Suitable for children and adults

with **CELL-OX SHIELD®**
UVA/UVB Protection + Antioxidants

Tested on sun sensitive skin. Fragrance-free
WATER RESISTANT (80 MINUTES)

3.0 FL.OZ. - 90 ml

ANTHELIOS MELT-IN MILK 100

Package:



Skin Type:

Prone to Burning

Texture:

Lightweight Lotion

Applications:

Face and Body

PROPERTIES.

1. For Sun Sensitive Skin

Our highest SPF sunscreen. Ideal for sun-sensitive skin and for those who are prone to burning. For use on sun exposed areas such as the ears, nose, chest, arms, scalp. Suitable for children and adults.

2. Lightweight, Fast-Absorbing

A gentle, oil-free sunscreen that melts into skin without leaving a white cast behind. Its non-greasy texture leaves skin feeling hydrated and smooth with a velvety finish.

3. CELL-OX SHIELD TECHNOLOGY UVA/UVB Protection + Antioxidants

Broad Spectrum UV Filters

Combines photostable UVA/UVB filters chosen for their synergistic effect to deliver broad-spectrum protection. Effective up to 80 minutes in water.

Powerful Antioxidant Protection

With Senna Alata, a tropical leaf extract known to defend skin cells¹ against damaging free radicals caused by the sun that can accelerate skin aging.

RESULTS.

Helps prevent sunburn. Decreases the risk of skin cancer and early skin aging caused by the sun if used as directed with other sun protection measures (see **Directions**).

Dermatologist Tested for Safety.

Anthelios Melt-In Milk 100 Sunscreen has been rigorously tested on sensitive skin and formulated for optimal skin tolerance.

¹upper layers of skin

WATER RESISTANT (80 MINUTES)

OIL-FREE

FRAGRANCE-FREE

PARABEN-FREE

ALLERGY TESTED

TESTED ON SUN SENSITIVE SKIN

SUITABLE FOR CHILDREN AND ADULTS

Drug Facts

Active ingredients

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 15%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 10%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply generously 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age. Ask a doctor

Other information

• protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, polymethylsiloxane, glycerin, dimethicone, poly C10-30 alkyl acrylate, styrene/acrylate copolymer, silica, caprylyl methicone, acrylates/dimethicone copolymer, diethylhexyl synglycidemalonate, PEG-100 stearate, glyceryl stearate, phenoxethanol, potassium cetyl phosphate, tocopherol, caprylyl glycol, panthenol, acrylates/C10-30 alkyl acrylate crosspolymer, triethanolamine, PEG-9 laurate, inulin lauryl carbamate, chlorphenesin, p-anisic acid, caprylic/capric triglyceride, xanthan gum, disodium EDTA, cassia alata leaf extract, maltodextrin, sodium dodecylbenzenesulfonate

Questions or comments?

1-888-LRP-LABO 1-888-577-5226

Monday - Friday (9 a.m. - 5 p.m. EST)

89270 15

Code F.I.L.: 0236113/1

Made in USA with US and/or Imported Ingredients.

2639703

Distribution reserved to La Roche-Posay

agreed distributors.

La Roche-Posay LLC,

10 Hudson Yards, New York, NY 10001.

La Roche-Posay Laboratoire Dermatologique

CAI 86280 La Roche-Posay, France

TSA 75000 93584 ST OZEN CEDEX FR

www.laroche-posay.us



SPF 100

A PIONEER IN SUN PROTECTION RESEARCH FOR OVER 30 YEARS.

La Roche-Posay, with ANTHELIOS, is trusted and recognized by dermatologists worldwide for its advanced formulations in UVA/UVB protection.

Every day, dermatologists observe skin damage caused by UVA and UVB rays.

UVB rays mainly cause **Burning**. They cause tanning and are mainly responsible for sunburn. SPF or "Sun Protection Factor" is the degree of protection a sunscreen offers against UVB rays.

UVA rays mainly cause **Skin Aging** or Sun Allergies. UVA rays directly contribute to skin aging (wrinkles, sagging, dark spots) and are the #1 cause of sun intolerances (allergies).

Both UVA and UVB rays have been proven to cause damage to skin cells, including DNA, and can weaken the immune system. This damage can potentially lead to the development of skin cancer.

La Roche-Posay is dedicated to providing photostable, broad-spectrum protection through the use of **CELL-OX SHIELD**, a synergistic combination of UVA/UVB filters combined with antioxidants.

Anthelios Melt-in Milk SPF 100 can be used on adults and children and on areas of the face and body that are prone to burning.


ADULTS


KIDS


FACE + EARS


NOSE


SCALP + HAIRLINE


ARMS + HANDS


FULL BODY


NECK + CHEST

LA ROCHE-POSAY
LABORATOIRE DERMATOLOGIQUE

100

BROAD SPECTRUM SPF 100

ANTHELIOS
MELT-IN MILK SUNSCREEN

Helps protect skin that burns easily
Suitable for children and adults

with **CELL-OX SHIELD®**
UVA/UVB Protection + Antioxidants

Tested on sun sensitive skin. Fragrance-free
WATER RESISTANT (80 MINUTES)

3.0 FL.OZ. - 90 ml

ANTHELIOS MELT-IN MILK 100

Package:



Skin Type:
Prone to Burning

Texture:
Lightweight Lotion

Applications:
Face and Body

PROPERTIES.

1. For Sun Sensitive Skin
Our highest SPF sunscreen. Ideal for sun-sensitive skin and for those who are prone to burning. For use on sun exposed areas such as the ears, nose, chest, arms, scalp. Suitable for children and adults.

2. Lightweight, Fast-Absorbing
A gentle, oil-free sunscreen that melts into skin without leaving a white cast behind. Its non-greasy texture leaves skin feeling hydrated and smooth with a velvety finish.

3. CELL-OX SHIELD TECHNOLOGY
UVA/UVB Protection + Antioxidants

Broad Spectrum UV Filters
Combines photostable UVA/UVB filters chosen for their synergistic effect to deliver broad-spectrum protection. Effective up to 80 minutes in water.

Powerful Antioxidant Protection
With Senna Alata, a tropical leaf extract known to defend skin cells' against damaging free radicals caused by the sun that can accelerate skin aging.

RESULTS.
Helps prevent sunburn. Decreases the risk of skin cancer and early skin aging caused by the sun if used as directed with other sun protection measures (see **Directions**).

Dermatologist Tested for Safety.
Anthelios Melt-in Milk 100 Sunscreen has been rigorously tested on sensitive skin and formulated for optimal skin tolerance.

*upper layers of skin

WATER RESISTANT (80 MINUTES)
OIL-FREE
FRAGRANCE-FREE
PARABEN-FREE
ALLERGY TESTED
TESTED ON SUN SENSITIVE SKIN
SUITABLE FOR CHILDREN AND ADULTS

Drug Facts

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 15%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 10%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply generously 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age. Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, polymethylsiloxane, glycerin, dimethicone, poly C10-30 alkyl acrylate, styrene/acrylate copolymer, silica, caprylyl methicone, acrylates/dimethicone copolymer, diethyhexyl syringylidenemalonate, PEG-100 stearate, glyceryl stearate, phenoxethanol, potassium cetyl phosphate, tocopherol, caprylyl glycol, panthenol, acrylates/C10-30 alkyl acrylate crosspolymer, triethanolamine, PEG-8 laurate, inulin lauryl carbamate, chlorphenesin, p-anisic acid, caprylic/capric triglyceride, xanthan gum, disodium EDTA, cassia alata leaf extract, maltodextrin, sodium dodecylbenzenesulfonate

Questions or comments?
1-888-LRP-LABO 1-888-577-5225
Monday - Friday (9 a.m. - 5 p.m. EST)

889270 15 Code F.I.L.: 0236113/1

Made in USA with US and/or Imported ingredients.
2639703
Distribution reserved to La Roche-Posay
agreed distributors.
La Roche-Posay LLC,
10 Hudson Yards, New York, NY 10001.
La Roche-Posay Laboratoire Dermatologique
CAI 86280 La Roche-Posay, France
TSA 75000 93584 ST OUVEN CEDEX FR
www.laroche-posay.us



3 606000 546103

LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE ANTHELIOS BROAD SPECTRUM SPF 100 BODY AND FACE MELT IN MILK SUNSCREEN WATER RESISTANT 80 MINUTES

avobenzone, homosalate, octisalate and octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49967-103
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	150 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
STYRENE/ACRYLAMIDE COPOLYMER (500000 MW) (UNII: 5Z4DPO246A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)	
PEG-100 STEARATE (UNII: YD01N1999R)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
TOCOPHEROL (UNII: ROZB2556P8)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PANTHENOL (UNII: WW9CM0O67Z)	
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	
TROLAMINE (UNII: 9O3K93S3TK)	
PEG-8 LAURATE (UNII: 762O8IWA10)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
P-ANISIC ACID (UNII: 4SB6Y7DMM3)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
XANTHAN GUM (UNII: TTV12P4NEE)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
SENNA ALATA LEAF (UNII: 4BXR6YZN92)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
SODIUM DODECYLBENZENESULFONATE (UNII: 554127163Y)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49967-103-01	1 in 1 CARTON	06/01/2020	
1		90 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:49967-103-02	1 in 1 CARTON	06/01/2020	
3		5 mL in 1 TUBE; Type 0: Not a Combination		

4	Product		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/01/2020	

Labeler - L'Oreal USA Products Inc (002136794)

Establishment			
Name	Address	ID/FEI	Business Operations
L'OREAL USA PRODUCTS, INC.		624244349	manufacture(49967-103) , pack(49967-103)

Revised: 12/2023

L'Oreal USA Products Inc