

**NON-DROWSY DAYTIME MULTI SYMPTOM COLD AND FLU RELIEF-  
acetaminophen, dextromethorphan hbr, phenylephrine hcl capsule, liquid  
filled**

**Family Dollar (FAMILY WELLNESS)**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active ingredients (in each softgel)**

**Acetaminophen 325 mg**

Dextromethorphan HBr 10 mg

Phenylephrine HCl 5 mg

**Purpose**

**Pain reliever/fever reducer**

Cough suppressant

Nasal decongestant

**Uses**

- temporarily relieves common cold and flu symptoms:
  - minor aches and pains
  - headache
  - sore throat
  - nasal congestion
  - fever
  - cough due to minor throat and bronchial irritation

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. symptoms may include:

- skin reddening
- blisters

- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

### **Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

### **Ask a doctor before use if you have**

- liver disease
- diabetes
- heart disease
- thyroid disease
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough that occurs with too much phlegm (mucus)

### **Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

### **When using this product,**

**do not exceed recommended dosage.**

### **Stop use and ask a doctor if**

- pain, cough, or nasal congestion gets worse or lasts more than 7 days
- new symptoms occur
- nervousness, dizziness, or sleeplessness occur
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

### **If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** Taking more than the recommended dose can cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Directions**

- **do not take more than directed (see Overdose warning)**
- do not take more than 4 doses in 24 hours
- adults and children 12 years and over: take 2 softgels with water every 4 hours
- swallow whole; do not crush, chew, or dissolve
- children under 12 years: do not use
- **when using other Daytime or Nighttime products, carefully read each label to insure correct dosing**

### **Other information**

- store between 15-30°C (59-86°F)
- avoid excessive heat

### **Inactive ingredients**

butylated hydroxyanisole\*, butylated hydroxytoluene\*, carminic acid\*, edible white ink, D&C yellow #10\*, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol\*, povidone, propylene glycol, purified water, sodium metabisulfite\*, sorbitan\*, sorbitol

\*contains one or more of these ingredients

### **Questions or comments?**

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

### **Principal Display Panel**

COMPARE TO THE ACTIVE INGREDIENTS OF VICKS® DAYQUIL® COLD & FLU LIQUICAPS®†

Non-Drowsy

### **Daytime Multi-Symptom Cold & Flu Relief**

Acetaminophen

Dextromethorphan HBr

Phenylephrine HCl

For relief of:

- Aches
- Fever
- Sore Throat

- Cough
- Nasal Congestion

#### LIQUID-FILLED SOFTGELS

†This product is not manufactured or distributed by The Procter & Gamble Company. Vicks®, DayQuil®, and LiquiCaps® are registered trademarks of The Procter & Gamble Company.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWING ANY SIGNS OF TAMPERING

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

DISTRIBUTED BY: MIDWOOD BRANDS, LLC

10611 MONROE RD., MATTHEWS, NC 28105

#### **Package Label**

COMPARE TO THE ACTIVE INGREDIENTS IN  
VICKS® DAYQUIL® COLD & FLU LIQUICAPS®†

NDC 55319-468-16

# Non-Drowsy Daytime Multi-Symptom Cold & Flu Relief

Acetaminophen, Dextromethorphan HBr,  
Phenylephrine HCl

For Relief of:

- Aches • Fever • Sore Throat
- Cough • Nasal Congestion



ACTUAL SIZE



FAMILY  
wellness™



## Drug Facts (continued)

**Uses**  
Temporarily relieves common cold and flu symptoms  
■ minor aches and pains ■ headache ■ sore throat  
■ fever  
■ nasal congestion  
■ cough due to minor throat and bronchial irritation

## Drug Facts

**Active ingredients (in each softgel)**  
Acetaminophen 325 mg.....Pain reliever/fever reducer  
Dextromethorphan HBr 10 mg.....Cough suppressant  
Phenylephrine HCl 5 mg.....Nasal decongestant

## Drug Facts (continued)

**Stop use and ask a doctor if**  
■ pain, cough, or nasal congestion gets worse or lasts more than 7 days  
■ nervousness, dizziness, or sleeplessness occur  
■ fever gets worse or lasts more than 3 days  
■ redness or swelling is present ■ new symptoms occur  
■ cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.  
**If pregnant or breast-feeding**, ask a health professional before use.  
**Keep out of reach of children.**  
**Overdose warning:** Taking more than the recommended dose can cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions** ■ do not take more than 4 doses in 24 hours  
■ adults and children 12 years and over: take 2 softgels with water every 4 hours  
■ swallow whole; do not crush, chew, or dissolve  
■ children under 12 years: do not use  
■ when using other Daytime or Nighttime products, carefully read each label to ensure correct dosing

**Other information**  
■ store between 15-30°C (59-86°F) ■ avoid excessive heat

**Inactive ingredients** butylated hydroxyanisole; butylated hydroxytoluene; D&C yellow #6, gelatin, glycerin, polyethylene glycol, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, sorbitan, sorbitol, propylene glycol, purified water, sodium metabisulfite, sorbitan, sorbitol, contains one or more of these ingredients

## Drug Facts (continued)

**Warnings**  
**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:  
■ more than 4,000 mg of acetaminophen in 24 hours  
■ with other drugs containing acetaminophen  
■ 3 or more alcoholic drinks every day while using this product  
**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash  
If a skin reaction occurs, stop use and seek medical help right away.  
**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**  
■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have** ■ liver disease ■ diabetes ■ heart disease ■ thyroid disease ■ high blood pressure ■ trouble urinating due to an enlarged prostate gland ■ persistent or chronic cough such as occurs with smoking, asthma, or emphysema  
■ cough that occurs with too much phlegm (mucus)

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.**  
When using this product, do not exceed recommended dosage.

16 HOUR FILLED SOFTGELS

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Lot No.:  
Exp. Date:

Questions or comments?  
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

DISTRIBUTED BY: MIDWOOD BRANDS, LLC  
10611 MONROE RD., MATTHEWS, NC 28105

**NOT 100% SATISFIED?**

Return package and unused product within 30 days to any Family Dollar store for a refund (with receipt) or exchange.

<sup>†</sup>This product is not manufactured or distributed by The Procter & Gamble Company. Vicks<sup>®</sup>, DayQuil<sup>®</sup>, and LiquiCaps<sup>®</sup> are registered trademarks of The Procter & Gamble Company.

PLD-E40Q FC004287



**FAMILY WELLNESS Non-Drowsy Daytime Multi-Symptom Cold & Flu Relief**

**NON-DROWSY DAYTIME MULTI SYMPTOM COLD AND FLU RELIEF**

acetaminophen, dextromethorphan hbr, phenylephrine hcl capsule, liquid filled

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55319-468
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>BUTYLATED HYDROXYANISOLE</b> (UNII: REK4960K2U)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>GELATIN</b> (UNII: 2G86QN327L)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SORBITAN</b> (UNII: 6O921CV9RU)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>CARMINIC ACID</b> (UNII: CID8Z8N95N)	
<b>D&amp;C YELLOW NO. 10</b> (UNII: 35SW5USQ3G)	
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)	

**Product Characteristics**

<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	20mm
<b>Flavor</b>		<b>Imprint Code</b>	P19;95A;512;P119
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55319-468-16	16 in 1 CARTON	10/31/2015	07/26/2024
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	10/31/2015	07/26/2024

**Labeler** - Family Dollar (FAMILY WELLNESS) (024472631)

Revised: 10/2021

Family Dollar (FAMILY WELLNESS)