

**TEAT GUARD 50- iodine solution**  
**Ecolab Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

**FOR COMMERCIAL USE ONLY**  
**KEEP OUT OF REACH OF CHILDREN**  
**NOT FOR HUMAN USE**

**CAUTION**

Not for internal use. May cause eye irritation. If swallowed, may cause irritation, nausea, stomach distress.

**PRECAUTIONARY STATEMENTS**

No protective equipment is necessary under normal use conditions. If splashing may occur, eye protection is recommended.

*Consult your Ecolab Representative for recommended dispensing equipment.*

**FIRST AID**

**If in Eyes:** Immediately flush eyes with plenty of cool, running water. Remove contact lenses; then continue flushing for at least 15 minutes, holding eyelids apart.

**If Swallowed:** Rinse mouth; then immediately drink 1 or 2 large glasses of water. DO NOT induce vomiting. Never give anything by mouth to an unconscious person.

IF IRRITATION OR DISCOMFORT PERSISTS, CALL A PHYSICIAN.

**FOR EMERGENCY MEDICAL INFORMATION IN USA OR CANADA,  
CALL: 1-800-328-0026.**

**FOR EMERGENCY MEDICAL INFORMATION WORLDWIDE,  
CALL: 1-651- 222-5352 (IN THE USA).**

**DIRECTIONS FOR USE**

**IMPORTANT:** Do not mix *Teat Guard "50"* with water, any other teat dips, or other products unless specified in product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for *Teat Guard "50"*.

If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.

**Before Milking:** Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip to avoid contamination of milk. Teats should then be dried with single-service towels. Use proper procedures for

udder washing or pre-dipping.

**Pre-Milk Dipping:** Fill teat dip cup with *Teat Guard* "50". Do not dilute. Before each cow is milked, dip each teat full-length into the teat dip cup containing *Teat Guard* "50". Wipe teats dry after dipping, using single-service towels to avoid contamination of milk.

**Post-Milk Dipping:** Immediately after each milking, use *Teat Guard* "50" at full-strength. Dip each teat full-length into the teat dip cup containing *Teat Guard* "50". Allow to air dry. Do not wipe. Always use fresh, full-strength *Teat Guard* "50". Do not turn cows out in freezing weather until *Teat Guard* "50" is completely dry.

**Expanded Usage:** When freshening cows, begin dipping teats twice daily for about 10 days before calving.

**PRECAUTION:** *Teat Guard* "50" is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

## **PRINCIPAL DISPLAY PANEL/REPRESENTATIVE LABEL**

ECOLAB

42796

Net Contents: 15 U.S. gal/56.78 L

Teat Guard "50"

Sanitizing Teat Dip

0.5% Iodine Formula with Special Emollinets

An Aid in Reducing the Spread of  
Organisms Which May Cause Mastitis

### **ACTIVE INGREDIENT:**

Iodine .....0.5%

**INACTIVE INGREDIENTS:**.....99.5%

(Contains an emollient system.)

Ecolab Food and Beverage Division  
Ecolab Inc., 370 Wabasha Street N.  
St. Paul, Minnesota 55102-1390 U.S.A.

# ECOLAB®

# 42796

Net Contents: 15 U.S. gal/56.78 L

# Teat Guard™ "50"

## Sanitizing Teat Dip 0.5% Iodine Formula with Special Emollients

An Aid in Reducing the Spread of  
Organisms Which May Cause Mastitis

**ACTIVE INGREDIENT:**  
Iodine ..... 0.5%  
**INACTIVE INGREDIENTS:** ..... 99.5%  
(Contains an emollient system.)

**FOR COMMERCIAL USE ONLY  
KEEP OUT OF REACH OF CHILDREN  
NOT FOR HUMAN USE**

### CAUTION

Not for internal use. May cause eye irritation. If swallowed, may cause irritation, nausea, stomach distress.

### PRECAUTIONARY STATEMENTS

No protective equipment is necessary under normal use conditions. If splashing may occur, eye protection is recommended.

Consult your Ecolab Representative for recommended dispensing equipment.

Ecolab Food & Beverage Division  
Ecolab Inc., 370 Wabasha Street N.  
St. Paul, Minnesota 55102-1390 U.S.A.  
© 2003 Ecolab Inc. Made in U.S.A. 892000/5304/1103  
All Rights Reserved

### FIRST AID

**If in Eyes:** Immediately flush eyes with plenty of cool, running water. Remove contact lenses, then continue flushing for at least 15 minutes, holding eyelids apart.  
**If Swallowed:** Rinse mouth; then immediately drink 1 or 2 large glasses of water. DO NOT induce vomiting. Never give anything by mouth to an unconscious person. IF IRRITATION OR DISCOMFORT PERSISTS, CALL A PHYSICIAN.  
**FOR EMERGENCY MEDICAL INFORMATION IN USA OR CANADA, CALL: 1-800-328-0026.**  
**FOR EMERGENCY MEDICAL INFORMATION WORLDWIDE, CALL: 1-651-222-5352 (IN THE USA).**

### DIRECTIONS FOR USE

**IMPORTANT:** Do not mix Teat Guard "50" with water, any other teat dips, or other products unless specified in product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for Teat Guard "50". If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.

**Before Milking:** Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip to avoid contamination of milk. Teats should then be dried with single-service towels. Use proper procedures for udder washing or pre-dipping.

**Pre-Milk Dipping:** Fill teat dip cup with Teat Guard "50". Do not dilute. Before each cow is milked, dip each teat full-length into the teat dip cup containing Teat Guard "50". Wipe teats dry after dipping, using single-service towels to avoid contamination of milk.

**Post-Milk Dipping:** Immediately after each milking, use Teat Guard "50" at full-strength. Dip each teat full-length into the teat dip cup containing Teat Guard "50". Allow to air dry. Do not wipe. Always use fresh, full-strength Teat Guard "50". Do not turn cows out in freezing weather until Teat Guard "50" is completely dry.

**Expanded Usage:** When freshening cows, begin dipping teats twice daily for about 10 days before calving.

**PRECAUTION:** Teat Guard "50" is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

Formula Ingredients contain no Phosphorus.



## TEAT GUARD 50

iodine solution

### Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:47593-122
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	5.1 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
SORBITOL (UNII: 506T60A25R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47593-122-16	18930 mL in 1 PAIL		
2	NDC:47593-122-17	56780 mL in 1 DRUM		
3	NDC:47593-122-21	208200 mL in 1 DRUM		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		06/29/1999	

**Labeler** - Ecolab Inc. (006154611)

Revised: 10/2012

Ecolab Inc.