

EXTRA STRENGTH PAIN RELIEF THERAPY- menthol patch

United Exchange Corp

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

| Active ingredient | Purpose |
|-------------------|-------------------|
| Menthol 5%..... | Topical analgesic |

Uses Temporarily relieves minor pain associated with:

- arthritis
- simple backache
- bursitis
- tendonitis
- muscle strains
- muscle sprains
- bruises
- cramps

Warnings For external use only.

When using this product

- use only as directed
- do not bandage tightly or use with a heating pad
- avoid contact with eyes and mucous membranes
- do not apply to wounds or damaged skin

Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days or clear up and occur again within a few days
- redness is present
- skin irritation develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

If pregnant or breast-feeding, ask a health professional before use.

Directions

- adults and children 12 years of age and older
- peel off protective backing and apply sticky side to affected area
- carefully remove backing from patch
- should be used up to 8 hours should be used no more than 3 times a day
- children under 12 years of age consult a doctor

Other information

- store at room temperature, not to exceed 86°F (30°C)

Inactive ingredients aloe barbadensis leaf juice, aluminum hydroxide, BHT, castor oil, disodium edetate, gelatin, glycerin, isopropyl myristate, kaolin, magnesium aluminate metasilicate, methyl paraben, peg-40 stearate, polysorbate 80, polyvinyl alcohol, purified water, PVP sodium polyacrylate, tartaric acid, titanium dioxide, tocopherol acetate, Release Liner: polypropylene, Non-Woven Material: Polyester Non-Woven Fabric.

Distributed By:
 United Exchange Corp
 17211 Valley View Ave.
 Cerritos, CA 90703 USA
 Made in Korea

Back of pouch

Drug Facts

Active ingredient Menthol 5% Topical analgesic

Uses Temporarily relieves minor pain associated with: • arthritis • simple backache • bursitis • tendonitis • muscle strains • muscle sprains • bruises • cramps

Warnings
For external use only
When using this product • use only as directed • do not bandage tightly or use with a heating pad • avoid contact with eyes and mucous membranes • do not apply to wounds or damaged skin
Stop use and ask a doctor if • condition worsens • symptoms persist for more than 7 days or clear up and occur again within a few days • redness is present • skin irritation develops
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions **adults and children 12 years of age and older** • peel off protective backing and apply sticky side to affected area • carefully remove backing from patch • should be used up to 8 hours • should be used no more than 3 times a day • **children under 12 years of age** consult a doctor

Other information • store at room temperature, not to exceed 86°F (30°C)




Inactive ingredients 1,3-butylene glycol, aloe vera (powder), dibutylhydroxytoluene, disodium edetate, d-sorbitol solution, gelatin, glycerine, kaolin, light liquid paraffin, magnesium aluminum hydrate, methacrylic acid butylacrylate copolymer, methyl parahydroxybenzoate, polysorbate 80, purified water, sodium metaphosphate, sodium polyacrylate, sorbitan monooleate, tartaric acid, titanium dioxide, tocopherol acetate

For easy removal of backing:
 1. Hold corner of patch between thumb and index finger.
 2. Peel patch away from backing.
 3. See application instructions.

For easy application:
 1. Pull approximately 1 inch of backing away from patch.
 2. Apply exposed patch to painful area.
 3. Grasp separated backing.
 4. Pull backing to apply patch to painful area.
 5. Press patch firmly on skin for secure adhesion.

Reseal pouch after opening

Cut open pouch and remove patch

Lot: _____
Exp.: _____

Distributed by:
 UNITED EXCHANGE CORP.
 17211 Valley View Ave.
 Cerritos, CA 90703 USA
 Made in Korea

 Cut open pouch and remove patch

Reseal pouch after opening

Extra Strength Pain Relief Therapy Patch

Works on Contact for Cooling Pain Relief


- **Pain Relieving Ointment on a Breathable Adhesive Pad**
- **Contains Natural Menthol (5%)**
- **Contains 5 patches in resealable pouch**
3-15/16" X 7-13/16" (10 cm X 20 cm) each


Pain Relief Therapy Patch concentrates medicine at the site of pain. **Pain Relief Therapy Patch** is a breathable, medicated adhesive pad that holds the medicine on the pain site, giving you long-lasting relief.

Front of pouch

2. Peel patch away from backing.
3. See application instructions.
For easy application:

1. Pull approximately 1 inch of backing away from patch.
2. Apply exposed patch to painful area.
3. Grasp separated backing.
4. Pull backing to apply patch to painful area.
5. Press patch firmly on skin for secure adhesion.



Distributed by:

UNITED EXCHANGE CORP.
17211 Valley View Ave.
Cerritos, CA 90703 USA
Made in Korea

11

Back of pouch

For easy removal of backing:

1. Hold corner of patch between thumb and index finger.



Loi
Exi

Drug Facts

Active ingredient
Menthol 5% Topical analgesic

Purpose

Uses Temporarily relieves minor pain associated with: • arthritis • simple backache • bursitis • tendonitis • muscle strains • muscle sprains • bruises • cramps

Warnings
For external use only

When using this product • use only as directed • do not bandage tightly or use with a heating pad • avoid contact with eyes and mucous membranes • do not apply to wounds or damaged skin

Stop use and ask a doctor if • condition worsens • symptoms persist for more than 7 days or clear up and occur again within a few days • redness is present • skin irritation develops

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions adults and children 12 years of age and older • peel off protective backing and apply sticky side to affected area • carefully remove backing from patch • should be used up to 8 hours • should be used no more than 3 times a day • children under 12 years of age consult a doctor

Other information • store at room temperature, not to exceed 86°F (30°C)

Inactive ingredients 1,3-butylene glycol, aloë vera (powder), dibutylhydroxytoluene, disodium edetate, d-sorbitol solution, gelatin, glycerine, kaolin, light liquid paraffin, magnesium aluminum hydrate, methacrylic acid butylacrylate copolymer, methyl parahydroxybenzoate, polysorbate 80, purified water, sodium metaphosphate, sodium polyacrylate, sorbitan monooleate, tartaric acid, titanium dioxide, tocopherol acetate

 Cut open pouch and remove patch

Reseal pouch after opening

미국 Pain Relif Patch 대형 5매 (PX-G-E805-NA-01)

 Cut open pouch and remove patch

Reseal pouch after opening

Extra Strength Pain Relief Therapy Patch

Therapy Patch

Works on Contact for Cooling Pain Relief

- **Pain Relieving Ointment on a Breathable Adhesive Pad**
- **Contains Natural Menthol (5%)**
- **Contains 5 patches in resealable pouch 3-15/16" X 7-13/16" (10 cm X 20 cm) each**

Pain Relief Therapy Patch concentrates medicine at the site of pain. **Pain Relief Therapy Patch** is a breathable, medicated adhesive pad that holds the medicine on the pain site, giving you long-lasting relief.

Front of pouch

EXTRA STRENGTH PAIN RELIEF THERAPY

menthol patch

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:65923-704 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|----------|
| MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A) | MENTHOL | 750 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| ALOE VERA LEAF (UNII: ZY81Z83H0X) | |
| ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) | |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K) | |
| CASTOR OIL (UNII: D5340Y2I9G) | |
| EDETATE DISODIUM (UNII: 7FLD91C86K) | |
| GELATIN (UNII: 2G86QN327L) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS) | |
| KAOLIN (UNII: 24H4NWX5CO) | |

| | |
|--|--|
| METHYL PARABEN (UNII: A2I8C7H9T) | |
| PEG-40 STEARATE (UNII: ECU18C66Q7) | |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H) | |
| POLYVINYL ALCOHOL (UNII: 532B59J990) | |
| WATER (UNII: 059QF0K00R) | |
| TARTARIC ACID (UNII: W4888I19H) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:65923-704-03 | 1 in 1 CARTON | | |
| 1 | | 5 in 1 POUCH | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC monograph not final | part348 | 08/28/2014 | |

Labeler - United Exchange Corp (840130579)

Revised: 8/2014

United Exchange Corp