

**ALLERGY RELIEF- diphenhydramine hydrochloride tablet**  
**TOP CARE (Topco Associates LLC)**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**DRUG FACTS**

**Active ingredient (in each tablet)**

Diphenhydramine HCl 25 mg

**Purpose**

Antihistamine

**Uses**

- temporarily relieves symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - sneezing
  - itchy, watery eyes
  - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
  - runny nose
  - sneezing

**Warnings**

**Do not use**

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur especially in children

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- take every 4 to 6 hours
- do not take more than 6 doses in 24 hours

adults and children 12 years of age and over	take 1 to 2 tablets
children 6 to under 12 years of age	take 1 tablet
children under 6 years of age	do not use this product in children under 6

**Other information**

- each tablet contains: **calcium 25 mg/tablet**
- store at room temperature 15°-30°C (59°-86°F)
- protect from light and moisture

**Inactive ingredients**

carnauba wax, colloidal silicon dioxide, croscarmellose sodium, D&C Red #27 Aluminum Lake, dibasic calcium phosphate dihydrate, hypromellose, lecithin\*, magnesium stearate, microcrystalline cellulose, polyethylene glycol (PEG) 400, polysorbate 80, polyvinyl alcohol\*, purified water\*, talc\*, titanium dioxide

\* contains one or more of these ingredients

**Questions or comments?**

**1-888-423-0139**

**Principal Display Panel**

COMPLETE ALLERGY RELIEF

**Allergy Tablets**

DIPHENHYDRAMINE HCl 25 mg • ANTIHISTAMINE

**For allergy relief**

**•Sneezing •Itchy, Watery Eyes •Runny Nose •Itchy Throat**

*COMPARE TO BENADRYL® ALLERGY ULTRATAB® active ingredient\*\**

TABLETS

\*\*This product is not manufactured or distributed by McNeil Consumer Healthcare, Division of McNeil-PPC, Inc., owner of the registered trademark Benadryl® Allergy ULTRATAB®.

DISTRIBUTED BY TOPCO ASSOCIATES LLC

ELK GROVE VILLAGE, IL 60007

1-888-423-0139 ©TOPCO topcare@topco.com

**THIS PRODUCT IS PACKAGED IN A CHILD RESISTANT AND TAMPER EVIDENT PACKAGE, USE ONLY IF BLISTERS ARE INTACT.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

## Product Label

THIS PRODUCT IS PACKAGED IN A CHILD RESISTANT AND TAMPER EVIDENT PACKAGE. USE ONLY IF BUSTERS ARE INTACT.  
KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Lot No.:  
Exp. Date:

**Drug Facts**  
Active Ingredient (in each tablet) Diphenhydramine HCl 25 mg  
Purpose Antihistamine

**Uses**  
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
sneezing, itchy, watery eyes, itching of the nose or throat, runny nose, sneezing  
temporarily relieves these symptoms due to the common cold:  
runny nose, sneezing

**Warnings**  
Do not use ■ to make a child sleepy ■ with any other product containing diphenhydramine, even one used on skin  
Ask a doctor before use if you have ■ a breathing problem such as emphysema or chronic bronchitis  
■ glaucoma ■ trouble urinating due to an enlarged prostate gland  
Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.  
When using this product ■ marked drowsiness may occur ■ avoid alcoholic drinks  
■ alcohol, sedatives, and tranquilizers may increase drowsiness  
■ be careful when driving a motor vehicle or operating machinery ■ excitability may occur especially in children  
If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**  
adults and children 12 years of age and over ■ take every 4 to 6 hours ■ do not take more than 6 doses in 24 hours  
take 1 to 2 tablets  
children 6 to under 12 years of age ■ take 1 tablet  
children under 6 years of age ■ do not use this product in children under 6

**Other Information**  
■ each tablet contains: calcium 25 mg/tablet ■ store at room temperature 15°-30°C (59°-86°F)  
■ protect from light and moisture

**Inactive ingredients**  
carnauba wax, colloidal silicon dioxide, croscarmellose sodium, D&C Red #27 Aluminum Lake, dibasic calcium phosphate dihydrate, hypromellose, lecithin, magnesium stearate, microcrystalline cellulose, polyethylene glycol (PEG) 400, polyorbate 80, polyvinyl alcohol, purified water, talc, titanium dioxide  
\* contains one or more of these ingredients

**Questions or comments?** 1-888-423-0139

Top Care®

# Allergy Tablets

DIPHENHYDRAMINE HCl 25 mg • ANTIHISTAMINE

NDC 36800-690-36

COMPLETE ALLERGY RELIEF

# Allergy Tablets

DIPHENHYDRAMINE HCl 25 mg • ANTIHISTAMINE

- For Allergy Relief**
- Sneezing • Itchy, Watery Eyes
  - Runny Nose • Itchy Throat

TopCare®

Top Care®

# Allergy Tablets


DIPHENHYDRAMINE HCl 25 mg • ANTIHISTAMINE

50% MORE!



COMPARE TO BENADRYL®  
ALLERGY ULTRATAB®  
active ingredient\*\*

24 36 TABLETS



### Top Care Allergy Tablets

## ALLERGY RELIEF

diphenhydramine hydrochloride tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:36800-690
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

### Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
CALCIUM PHOSPHATE, DIBASIC, DIHYDRATE (UNII: O7TSZ97GEP)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
POLYVINYL ALCOHOL (UNII: 532B59J990)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
ALUMINUM OXIDE (UNII: LM26O6933)	
EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)	
WATER (UNII: 059QF0KO0R)	

### Product Characteristics

<b>Color</b>	PINK	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	12mm
<b>Flavor</b>		<b>Imprint Code</b>	T61;V25;S4

**Contains****Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-690-36	3 in 1 CARTON		
1		12 in 1 BLISTER PACK		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part336	03/31/2013	

**Labeler** - TOP CARE (Topco Associates LLC) (006935977)**Registrant** - P and L Development of New York Corporation (800014821)

Revised: 4/2013

TOP CARE (Topco Associates LLC)