

DR. MERCOLA SUNSCREEN SPF-50- titanium dioxide, zinc oxide cream
Pure Source, LLC

DR. MERCOLA Sunscreen SPF-50

DR. MERCOLA Sunscreen SPF-50

Titanium Dioxide (6.0%) Zinc Oxide (22.5%)

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), sunscreen decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

If rash occurs

Keep out of reach of children.

If product is swallowed get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - ◦ Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - ◦ Wear long-sleeve shirts, pants, hats, and sunglasses
- Re-apply:

- After 40 minutes of swimming or sweating
- Immediately after towel drying
- At least every 2 hours

Other Information

- Protect the product in this container from excessive heat and direct sun

Inactive Ingredients

Aqua, Helianthus Annuus (Sunflower) Seed Oil, Lecithin, Glycerin, Cocos Nucifera (Coconut) Oil, Butyrospermum Parkii (Shea) Butter, Camellia Sinensis Leaf Extract, Xanthan Gum, Simmonds Chinensis (Jojoba) Seed Oil, Tocopherol, Glucuro lactone, Eucalyptus Globulus Leaf Oil.

DR. MERCOLA Sunscreen SPF-50

Enter section text here

DR. MERCOLA®
HEALTHY SKIN

Sunscreen
SPF50

5.4 fl. oz. (160 ml.)

DR. MERCOLA®
HEALTHY SKIN
Sunscreen

Dr. Mercola's Sunscreen's ingredients protect, nourish, and moisturize your skin. Plus, when used with other skin protection measures, its special mineral sunscreen helps provide protection from the sun's potentially skin-damaging UVA and UVB rays. Equally great for children over 6 months, too!

Drug Facts

Active Ingredient	Purpose
Titanium Dioxide (6.0%)	Sunscreen
Zinc Oxide (22.5%)	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see *Directions*), sunscreen decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeve shirts, pants, hats, and sunglasses

Re-apply:

- After swimming or sweating
- Immediately after towel drying
- At least every 2 hours

Other Information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Aqua, Helianthus Annuus (Sunflower) Seed Oil, Lecithin, Glycerin, Cocos Nucifera (Coconut) Oil, Butyrospermum Parkii (Shea) Butter, Camellia Sinensis Leaf Extract, Xanthan Gum, Simmondsia Chinensis (Jojoba) Seed Oil, Tocopherol, Glucuro lactone, Eucalyptus Globulus Leaf Oil.

1328-1004

8 13006 01060 3

MANUFACTURED FOR:
Mercola Health Resources, LLC
3200 West Higgins Road
Hoffman Estates, IL 60189
(847) 252-4355

DR. MERCOLA SUNSCREEN SPF-50

titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:65121-886
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	60 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	225 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
GLYCERIN (UNII: PDC6A3C0OX)	
COCONUT OIL (UNII: Q9L0O73W7L)	
SHEA BUTTER (UNII: K49155WL9Y)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
XANTHAN GUM (UNII: TTV12P4NEE)	
JOJOBA OIL (UNII: 724GKU717M)	
TOCOPHEROL (UNII: R0ZB2556P8)	
GLUCONOLACTONE (UNII: WQ29KQ9POT)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65121-886-50	160 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/09/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/28/2014	

Labeler - Pure Source, LLC (080354456)

Establishment

Name	Address	ID/FEI	Business Operations
Pure Source, LLC		080354456	manufacture(65121-886)

