ASPIRIN LOW DOSE CHEWABLE ORANGE- aspirin tablet, chewable A-S Medication Solutions

Drug Facts

Active ingredient (in each tablet)

Aspirin 81mg (NSAID)*

*nonsteroidal anti-inflammatory drug

Purpose

Pain reliever

Uses

- for the temporary relief of minor aches and pains or as recommneded by your doctor
- ask your doctor about other uses for Chewable Aspirin 81 mg

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction which may include

- hives
- facial swelling
- asthma (wheezing)
- shock

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- · have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

Do not use

- if you are allergic to aspirin or any other pain reliever/fever reducer
- for at least 7 days after tonsillectomy or oral surgery unless directed by a doctor

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis or kidney disease
- you have asthma
- you are taking a diuretic

Ask a doctor or pharmacist before use if you are

taking a prescription drug for

- gout
- diabetes
- arthritis

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
- feel faint
- vomit blood
- have bloody or black stools
- have stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- fever get worse or lasts more than 3 days
- redness or swelling is present
- ringing in the ears or loss of hearing occurs
- any new symptoms occur

These could be signs of a serious condition

If pregnant or breast-feeding

ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Directions

· drink a full glass of water with each dose

adults and children 12 take 4 to 8 tablets every 4 hours not exceed 48 tablets in 24 years and over hours unless directed by a doctor children under 12 years consult a doctor

Other information

- store at room temperature (150-300C)
- Tamper Evident: do not use if safety seal under cap is broken or missing

Inactive ingredients

corn starch, dextrose monohydrate, FD&C yellow #6, orange flavor, silicon dioxide, sodium saccharine, stearic acid

Questions or comments?

1-800-616-2471

HOW SUPPLIED

Product: 50090-7028

NDC: 50090-7028-0 1 TABLET, CHEWABLE in a BLISTER PACK / 36 in a CARTON

Aspirin



ASPIRIN LOW DOSE CHEWABLE ORANGE aspirin tablet, chewable

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:50090-7028(NDC:0904-6794)

Route of Administration ORAL

| Active | Ingred | lient/ | Active | Moiety |
|--------|--------|--------|--------|--------|
| | | | | |

Ingredient Name Basis of Strength

Strength

| Inactive Ingredients | | | |
|-----------------------------------------|----------|--|--|
| Ingredient Name | Strength | | |
| STARCH, CORN (UNII: O8232NY3SJ) | | | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | | | |
| FD&C YELLOW NO. 6 (UNII: H77VEI93A8) | | | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | | | |
| SACCHARIN SODIUM (UNII: SB8ZUX40TY) | | | |
| DEXTROSE MONOHYDRATE (UNII: LX22YL083G) | | | |

| Product Characteristics | | | | |
|-------------------------|--------|--------------|----------|--|
| Color | orange | Score | no score | |
| Shape | ROUND | Size | 8mm | |
| Flavor | | Imprint Code | PH034 | |
| Contains | | | | |

| P | Packaging | | | | |
|---|----------------------|--------------------------------------------------------|-------------------------|-----------------------|--|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date | |
| 1 | NDC:50090- 7028-0 | 36 in 1 CARTON | 01/08/2024 | | |
| 1 | | 1 in 1 BLISTER PACK; Type 0: Not a Combination Product | | | |

| Marketing Information | | | | |
|-----------------------|---------------------------------------------|-------------------------|-----------------------|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| OTC Monograph Drug | M013 | 09/27/2018 | | |
| | | | | |

Labeler - A-S Medication Solutions (830016429)

| Establishment | | | | | |
|--------------------------|---------|-----------|----------------------------|--|--|
| Name | Address | ID/FEI | Business Operations | | |
| A-S Medication Solutions | | 830016429 | RELABEL(50090-7028) | | |

Revised: 3/2024 A-S Medication Solutions