

**GAS RELIEF- simethicone capsule, liquid filled
Walgreens**

Drug Facts

Active ingredient (in each softgel)

Simethicone 180 mg

Purpose

Antigas

Uses

For the relief of

- pressure and bloating commonly referred to as gas

Warnings

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Directions

- adults: swallow with water 1 or 2 softgels as needed after meals and at bedtime
- do not exceed 2 softgels in 24 hours except under the advice and supervision of a physician

Other information

- store between 15-30°C (59-86°F)
- protect from heat and moisture

Inactive ingredients

FD&C yellow #6, gelatin, glycerin, water

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal display panel

Compare to the active ingredient in Gas-X® Ultra Strength††

Gas Relief

SIMETHICONE180 mg/ ANTI-GAS

Ultra Strength

- For fast relief of pressure, bloating & fullness

††This product is not manufactured or distributed by GlaxoSmithKline Consumer Healthcare Holdings (US) LLC, distributor of Gas-X® Ultra Strength.

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

DISTRIBUTED BY:WALGREEN CO.

DEERFIELD, IL 60015

Package Label

NDC 0363-1510-20

Drug Facts

Active ingredient (in each softgel) **Purpose**
 Simethicone 180 mg.....Antigas

Use For the relief of
 ■ pressure and bloating commonly referred to as gas

Warnings
 If pregnant or breast-feeding, ask a health professional before use.
 Keep out of reach of children.

Directions
 ■ adults: swallow with water 1 or 2 softgels as needed after meals and at bedtime
 ■ do not exceed 2 softgels in 24 hours except under the advice and supervision of a physician

Other information
 ■ store between 15-30°C (59-86°F)
 ■ protect from heat and moisture

Inactive ingredients FD&C yellow no. 6, gelatin, glycerin, water

Questions or comments?
 Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

[†]Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.

^{††}This product is not manufactured or distributed by GlaxoSmithKline Consumer Healthcare Holdings (US) LLC, distributor of Gas-X® Ultra Strength.



W3ORG0821-F REV-1223

PRODUCT OF CHINA

DISTRIBUTED BY: WALGREEN CO.
 DEERFIELD, IL 60015
 100% SATISFACTION GUARANTEED
 walgreens.com
 ©2021 Walgreen Co.

ITEM 634729 W11042-0124-L



Walgreens



Compare to the active ingredient in Gas-X® Ultra Strength^{††}

Gas Relief

SIMETHICONE 180 mg / ANTI-GAS

Ultra Strength

- For fast relief of pressure, bloating & fullness

20
SOFTGELS



PLD-A810A FC008966

Lot No.:
Exp. Date:

WALGREENS Gas Relief

GAS RELIEF

simethicone capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-1510(NDC:51013-115)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	180 mg

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C00X)	
WATER (UNII: 059QF0K00R)	

Product Characteristics

Color	orange (clear)	Score	no score
Shape	CAPSULE (oval)	Size	10mm
Flavor		Imprint Code	PC3
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-1510-50	50 in 1 CARTON	05/29/2020	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:0363-1510-20	20 in 1 CARTON	05/29/2020	
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M002	05/29/2020	

Labeler - Walgreens (008965063)

Revised: 1/2024

Walgreens