

**FEBRIPLEX- aconitum napellus, arnica montana, belladonna, eupatorium perfoliatum, gelsemium sempervirens, mercurius solubilis, rhus toxicodendron tablet**  
**Seroyal USA**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**FEBRIPLEX**

Active ingredients

Each tablet contains:

Aconitum napellus (Aconite) Whole Plant 6X

Arnica montana (Mountain arnica) Underground Parts 8X

Belladonna (Deadly nightshade) Whole Plant 8X

(<1.43 x 10<sup>-10</sup>% alkaloids, calculated)

Eupatorium perfoliatum (Boneset) Aerial Parts 10X

Gelsemium sempervirens (Yellow jessamine) Underground Parts 12X

Mercurius solubilis (Hahnemann's soluble mercury) 10X

Rhus toxicodendron (Poison Ivy) Leafy Unwoody Twigs 8X

Uses

For the temporary relief of flu-like symptoms accompanied by mild fever and fatigue.

Warnings

Stop use and ask a doctor if symptoms continue to persist after three days of use or are accompanied by a fever.

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Keep out of reach of children.

If pregnant or breastfeeding, ask a health professional before use.

Other information

Do not use if the blister pack has been tampered with.

Store in a cool, dry place.

Inactive ingredients

Lactose monohydrate (milk), magnesium stearate, sodium carboxymethylcellulose, xylitol

Directions

Adults and adolescents (12 years and older):

At the first sign of symptoms, take one tablet allowing it to dissolve under the tongue. Continue every half hour to one hour.

When symptoms subside, decrease frequency to every four hours.

Once the symptoms are gone, continue taking one tablet daily for three more days.

Children (under 12 years):

Take under the direction of your healthcare practitioner.

Uses

For the temporary relief of flu-like symptoms accompanied by mild fever and fatigue

Directions

Adults and adolescents (12 years and older):


At the first sign of symptoms, take one tablet allowing it to dissolve under the tongue. Continue every half hour to one hour.

When symptoms subside, decrease frequency to every four hours.

Once the symptoms are gone, continue taking one tablet daily for three more days.

Children (under 12 years):

Take under the direction of your healthcare practitioner.



**FEBRIPLEX™**

UNDA **plex**

UNDA **plex**  
**FEBRIPLEX™**

NDC 62106-9911-3

UNDA **plex**  
**FEBRIPLEX™**

Homeopathic Preparation  
For the temporary relief of flu-like symptoms.

30 Tablets

**Seroyal**  
Made in Belgium by UNDA  
Dist. by Seroyal USA  
Pittsburgh, PA 15276  
1-888-737-6925

BARCODE LOCATION  
883196 32720

V1

**Drug Facts**

**Active Ingredients**

Each tablet contains:  
Aconitum napellus (Monkshood) Whole Plant 6X, Mild fever  
Arnica montana (Mountain arnica) Underground Parts 8X, Mild fever  
Belladonna (Deadly nightshade) Whole Plant 8X, Head congestion  
(1:1.43 to 10% alkaloids, calculated)  
Celastrus paniculatus (Winterberry) Fruit 10X, Aches  
Coffea cruda (Coffee) Fruit (Roasted) (100% Passaroti)  
Underground Parts 1:20, Headache  
Micrococcus solibacter (Hillman's soluble mercury) 10X, Mild fever  
Rhus toxicodendron (Poison Ivy) Leaf, Uncooled Twig 8X, Fatigue  
X is a homeopathic dilution.  
See www.seroyal.com/homeopathy for details.

**Uses** For the temporary relief of flu-like symptoms  
accompanied by: ■ mild fever ■ fatigue  
Product Uses are based on Homeopathic Materia Medica and  
are not supported by clinical trials. These Uses have not been  
evaluated by the Food and Drug Administration.

**Warnings**

Stop use and ask a doctor if symptoms continue to persist  
after three days of use or are accompanied by a fever.  
Do not use if you have ever had an allergic reaction to this  
product or any of its ingredients.

If pregnant or breastfeeding, ask a health professional  
before use. **Keep out of reach of children.** In case of overdose,  
get medical help or contact a Poison Control Center right away.

**Directions** ■ Adults and adolescents (12 years and  
older): At the first sign of symptoms, take one tablet allowing it to  
dissolve under the tongue. Continue every half-hour to one hour  
■ When symptoms subside, decrease frequency to every four  
hours. ■ Once the symptoms are gone, continue taking one  
tablet daily for three more days. ■ Children (under 12 years):  
Take one tablet as directed for your child's age and weight.

**Other Information** ■ Do not use if the blister pack  
has been tampered with. ■ Store in a cool, dry place.

**Inactive Ingredients** croscarmellosexanthan gum, polyd  
magnesium silicate, sodium calcium phosphate dibasic, polyd

Lot  
Exp.

ETU3821 06.17

NDC 62106-9911-3

UNDA plex

# FEBRIPLEX(TM)

Homeopathic Preparation

For the temporary relief of flu-like symptoms.

30 Tablets

## FEBRIPLEX

aconitum napellus, amica montana, belladonna, eupatorium perfoliatum, gelsemium sempervirens, mercurius solubilis, rhus toxicodendron tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:62106-9911
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACONITUM NAPELLUS</b> (UNII: U0NQ8555JD) (ACONITUM NAPELLUS - UNII:U0NQ8555JD)	ACONITUM NAPELLUS	6 [hp_X]
<b>ARNICA MONTANA ROOT</b> (UNII: MUE8Y11327) (ARNICA MONTANA ROOT - UNII:MUE8Y11327)	ARNICA MONTANA ROOT	8 [hp_X]
<b>ATROPA BELLADONNA</b> (UNII: WQZ3G9PF0H) (ATROPA BELLADONNA - UNII:WQZ3G9PF0H)	ATROPA BELLADONNA	8 [hp_X]
<b>EUPATORIUM PERFOLIATUM FLOWERING TOP</b> (UNII: 1W0775VX6E) (EUPATORIUM PERFOLIATUM FLOWERING TOP - UNII:1W0775VX6E)	EUPATORIUM PERFOLIATUM FLOWERING TOP	10 [hp_X]
<b>GELSEMIUM SEMPERVIRENS ROOT</b> (UNII: 639KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNII:639KR60Q1Q)	GELSEMIUM SEMPERVIRENS ROOT	12 [hp_X]
<b>MERCURIUS SOLUBILIS</b> (UNII: 324Y4038G2) (MERCURIUS SOLUBILIS - UNII:324Y4038G2)	MERCURIUS SOLUBILIS	10 [hp_X]
<b>TOXICODENDRON PUBESCENS SHOOT</b> (UNII: 46PYZ1F82M) (TOXICODENDRON PUBESCENS SHOOT - UNII:46PYZ1F82M)	TOXICODENDRON PUBESCENS SHOOT	8 [hp_X]

### Inactive Ingredients

Ingredient Name	Strength
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>CARBOXYMETHYLCELLULOSE SODIUM</b> (UNII: K679OBS311)	
<b>XYLITOL</b> (UNII: VCQ006KQ1E)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62106-9911-3	1 in 1 BOX	06/26/2017	
1		30 in 1 BLISTER PACK; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/26/2017	

**Labeler** - Seroyal USA (018361118)**Establishment**

Name	Address	ID/FEI	Business Operations
SAN'UP		401010287	manufacture(62106-9911)

Revised: 11/2022

Seroyal USA