

# **ADAPALENE- adapalene gel**

## **Walgreens**

-----

### **Adapalene Gel USP 0.1 percent**

#### **Active ingredient**

Adapalene USP 0.1% (retinoid)\*

\*read consumer information leaflet

#### **Purpose**

Acne treatment

#### **Use**

- For the treatment of acne

#### **Warnings**

##### **For external use only**

##### **Do not use**

- on damaged skin (cuts, abrasions eczema, sunburn)
- if you are allergic to adapalene or any of the ingredients in this product

##### **Pregnancy/Breastfeeding,**

ask a doctor before use.

##### **When using this product**

- limit sun exposure, including light from tanning beds, and use sunscreen when going outdoors.
- do not wax to remove hair in areas where the product has been applied
- during the early weeks of use, your acne may appear to worsen before it improves (this is normal); continue using as directed, unless you get irritation that become severe
- irritation (redness, itching, dryness, burning) is more likely to occur:
  - in the first few weeks of use
  - if using more than one topical acne medication at a time
  - but irritation usually lessens with continued use of this product
- it may take up to 3 months of once daily use to see result
- avoid product contact eyes, lips, and mouth. If contact occurs immediately flush the area with water.
- wash hands after use

##### **Stop use and ask a doctor if**

- you become pregnant, or planning to become pregnant while using this product
- you have symptoms of an allergic reaction (such as itching, rash, hives, swelling of the lips, eyelids, and shortness of breath)
- irritation become severe
- you see no improvement after 3 months of once daily use

### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

### **Directions**

#### **Adults and children 12 years of age and older:**

- use **once** daily
- clean the skin gently and pat dry before applying the product
- cover the entire affected area with a thin layer. For example, if your acne is on the face, apply the product to the entire face.
- do not use more than one time a day. Applying more than directed will not provide faster or better results, but may worsen skin irritation.

**Children under 12 years of age:** ask a doctor

### **Other information**

- store at room temperature 68° to 77°F
- protect from freezing

### **Inactive ingredients**

carbomer homopolymer, edetate disodium, methylparaben, poloxamer 182, propylene glycol, purified water, sodium hydroxide

### **Questions or comments?**

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

### **Principal Display Panel**

Compare to the active ingredient in Differin® Gel††

0.1%

Adapalene Treatment Gel

ADAPALENE USP 0.1% (RETINOID) /

ACNE TREATMENT

Oil

Fragrance Free

- Previously available only by prescription
- Dermatologist developed & FDA approved
- Once daily topical retinoid\*

**NET WT OZ (g)**

**\*READ CONSUMER INFORMATION LEAFLET BEFORE USE.**

First FDA-Approved over-the-counter topical retinoid\* for acne treatment

\*Read carton and enclosed consumer information leaflet before using this product. Keep this carton and consumer information leaflet. They contain important information.

**TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

††This product is not manufactured or distributed by Galderma Laboratories, L.P. distributor of Differin® Gel.

DISTRIBUTED BY WALGREEN CO.

200 WILMOT ROAD

DEERFIELD, IL 60015

**Product Label**

### Drug Facts

**Active ingredient** *Purpose*  
 Adapalene USP 0.1% (retinoid)\* ..... Acne treatment  
 \*read consumer information leaflet

**Use** ■ For the treatment of acne

### Warnings

For external use only

#### Do not use

- on damaged skin (cuts, abrasions, eczema, sunburn)
- if you are allergic to adapalene or any of the ingredients in this product

If pregnant or breast-feeding, ask a doctor before use.

#### When using this product

- limit sun exposure, including light from tanning beds, and use sunscreen when going outdoors.
- do not wax to remove hair in areas where the product has been applied
- during the early weeks of use, your acne may appear to worsen before it improves (this is normal); continue using as directed, unless you get irritation that becomes severe
- irritation (redness, itching, dryness, burning) is more likely to occur:
  - in the first few weeks of use
  - if using more than one topical acne medication at a time
  - but irritation usually lessens with continued use of this product
- it may take up to 3 months of once daily use to see results
- avoid product contact with eyes, lips, and mouth. If contact occurs, immediately flush the area with water.
- wash hands after use

#### Stop use and ask a doctor if

- you become pregnant, or are planning to become pregnant while using the product
- you have symptoms of an allergic reaction (such as itching, rash, hives, swelling of the lips, eyelids, and shortness of breath)
- irritation becomes severe
- you see no improvement after 3 months of once daily use

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

### Directions

Adults and children 12 years of age and older:

- use once daily
- clean the skin gently and pat dry before applying the product
- cover the entire affected area with a thin layer. For example, if your acne is on the face, apply the product to the entire face.
- do not use more than one time a day. Applying more than directed will not provide faster or better results, but may worsen skin irritation.

Children under 12 years of age: ask a doctor

### Other information

- store at room temperature 68° to 77°F
- protect from freezing

**Inactive ingredients** carbomer homopolymer, edetate disodium, methylparaben, poloxamer 182, propylene glycol, purified water, sodium hydroxide

### Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

\*Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.

†This product is not manufactured or distributed by Galderma Laboratories, L.P., distributor of Differin® Gel.

First FDA-Approved over-the-counter topical retinoid\* for acne treatment

\*Read carton and enclosed consumer information leaflet before using this product. Keep this carton and consumer information leaflet. They contain important information.

NDC 0363-0888-05

**Walgreens**

Compare to the active ingredient in Differin® Gel†




# 0.1% Adapalene Treatment Gel

ACNE TREATMENT

Oil Free

Fragrance Free

- Previously available only by prescription
- Dermatologist developed & FDA approved
- Once daily topical retinoid\*



TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

DISTRIBUTED BY:  
 WALGREEN CO.  
 DEERFIELD, IL 60015  
 100% SATISFACTION GUARANTEED  
 walgreens.com  
 ©2021 Walgreen Co.

NET WT 0.5 OZ (15 g)

\*READ CONSUMER INFORMATION LEAFLET BEFORE USE.

ITEM 692168 W11042-0623-L



PLD-D576A FC008723 PRODUCT OF INDIA

Lot No.:

Exp. Date:

W3ORG1221-F  
 REV-0523

ACTUAL SIZE  
 ONE TUBE INSIDE

**WALGREENS Acne Treatment**

## ADAPALENE

adapalene gel

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-0888(NDC:68462-403)
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ADAPALENE (UNII: 1L4806J2QF) (ADAPALENE - UNII:1L4806J2QF)	ADAPALENE	1 mg in 1 g

**Inactive Ingredients**

Ingredient Name	Strength
CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLOXAMER 182 (UNII: JX0HIX6OAG)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0888-05	1 in 1 CARTON	04/30/2021	
1		15 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:0363-0888-16	1 in 1 CARTON	04/30/2021	
2		45 g in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA091314	04/30/2021	

**Labeler** - Walgreens (008965063)

Revised: 7/2023

Walgreens