

**ANTI-FUNGAL- clotrimazole cream**  
**MPM Medical, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Anti-Fungal Cream**

**Active Ingredient**

Clotrimazole 1%

**Purpose**

Anti-Fungal

**Use**

For the cure of athlete's foot (tinea pedis), jock itch (tinea cruris) and ring worm (tinea corporis). For relief of itching, scaling, burning and discomfort that accompany these conditions.

**Warnings**

**For external use only.**

If swallowed, get medical help or contact a Poison Control Center right away.

Do not use on children under 2 years of age unless directed by a doctor.

Avoid contact with the eyes.

If irritation occurs or if there is no improvement within 2 weeks, discontinue use and consult a doctor.

**Keep out of reach of children**

**Directions**

Clean the affected area and dry thoroughly. Apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor. Supervise children in the use of this product. For athlete's foot: Pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily. For athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks. If condition persists longer, consult a doctor. This product is not effective on the scalp or nails.

**Inactive Ingredients**

Alkyl acrylate, Capric triglyceride, Cetearyl alcohol, Diazolidinyl urea, Hydroxyethylcellulose, Methylparaben, Propylparaben, Retinyl palmitate, Silica, Tetrasodium EDTA, Tocopheryl Acetate, Triethanolmine, Water

**Package Label**

NDC 66977-023-04

# Anti-Fungal Cream with 1% Clotrimazole

**CURES,**  
Athlete's Foot  
Ringworm  
Jock Itch

NET WT. 4 OZ. (113g)

**MPM**  
MEDICAL, INC.

## Drug Facts

**Active Ingredient** ..... **Purpose**  
Clotrimazole 1% ..... Anti-Fungal

**Use:** For the cure of, athlete's foot (tinea pedis), jock itch (tinea cruris) and ring worm (tinea corporis). For relief of itching, scaling, burning and discomfort that accompany these conditions.

**Warnings:** For external use only • Keep out of reach of children • If swallowed, get medical help or contact a Poison Control Center right away • Do not use on children under 2 years of age unless directed by a doctor • Avoid contact with the eyes • If irritation occurs or if there is no improvement within 2 weeks, discontinue use and consult a doctor

**Directions:** Clean the affected area and dry thoroughly. Apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor. Supervise children in the use of this product. For athlete's foot: Pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily. For athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks. If condition persists longer, consult a doctor. This product is not effective on the scalp or nails.

**Inactive Ingredients:** Alkyl acrylate, Capric triglyceride, Cetearyl alcohol, Diazolidinyl urea, Hydroxyethylcellulose, Methylparaben, Propylparaben, Retinyl palmitate, Silica, Tetrasodium EDTA, Tocopheryl Acetate, Triethanolamine, Water



REORDER NO. MP00023  
R1012 • WWW.MPMMED.COM

Manufactured for:  
**MPM**  
MEDICAL, INC.

2301 Crown Ct. Irving, TX 75038  
800-232-5512

## ANTI-FUNGAL

clotrimazole cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66977-023
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CLOTRIMAZOLE (UNII: G07GZ97H65) (CLOTRIMAZOLE - UNII:G07GZ97H65)	CLOTRIMAZOLE	10 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
CARBOMER COPOLYMER TYPE A (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 71DD5V995L)	
TRICAPRIN (UNII: O1PB8EU98M)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
HYDROXYETHYL CELLULOSE (2000 MPAS AT 1%) (UNII: S38J6RZN16)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TROLAMINE (UNII: 9O3K93S3TK)	
WATER (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66977-023-04	113 g in 1 TUBE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333C	10/14/2002	

**Labeler** - MPM Medical, Inc. (119643406)

## Establishment

Name	Address	ID/FEI	Business Operations
Biomed Laboratories, LLC		055329696	manufacture(66977-023)

Revised: 3/2013

MPM Medical, Inc.