

**LA ROCHE POSAY FACE BODY ANTHELIOS SPF 60 MELT IN MILK FAST
ABSORBING, VELVETY FINISH FOR ALL SKIN TYPES WITH CELL-OC SHIELD XL-
avobenzone, homosalate, octisalate and octocrylene lotion
L'Oreal USA Products Inc**

Drug Facts

Active ingredients

Avobenzone 3%

Homosalate 10%

Octisalate 5%

Octocrylene 7%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warning

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply generously 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m - 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, styrene/acrylates copolymer, dimethicone, polymethylsilsesquioxane, butyloctyl salicylate, glycerin, alcohol denat., poly C10-30 alkyl acrylate, caprylyl methicone, trisiloxane, acrylates/dimethicone copolymer, diethylhexyl syringylidenemalonate, PEG-100 stearate, glyceryl stearate, phenoxyethanol, potassium cetyl phosphate, propylene glycol, caprylyl glycol, PEG-8 laurate, acrylates/C10-30 alkyl acrylate crosspolymer, triethanolamine, tocopherol, inulin lauryl carbamate, disodium EDTA, p-anisic acid, caprylic/capric triglyceride, xanthan gum, cassia alata leaf extract, maltodextrin

Questions or comments?

1-888-LRP LABO 1-888-577-5226

SPF
60

LA ROCHE-POSAY
LABORATOIRE DERMATOLOGIQUE

60

Body & Face

BROAD SPECTRUM
SPF 60

ANTHELIOS
MELT-IN MILK SUNSCREEN

Fast absorbing, velvety finish
For all skin types

with CELL-OX SHIELD®
UVA/UVB Protection + Antioxidants

Tested on sensitive skin. Fragrance-free
WATER RESISTANT (80 MINUTES)

5.0 FL.OZ. - 150 ml



ANTHELIOS MELT-IN MILK 60

Package: Skin Type: All
Texture: Lotion
Application: Face and Body

PROPERTIES.

1. Our #1 Sunscreen
La Roche-Posay's most popular, best selling sunscreen with traditional UVA/UVB filters that can be used on the body and face. It is suitable for all skin types, including sensitive skin.

2. Non-Greasy, Fast-Absorbing
A classic, oil-free sunscreen that melts into skin without leaving a white cast behind. Its non-greasy texture leaves skin feeling hydrated and smooth with a velvety finish.

3. CELL-OX SHIELD TECHNOLOGY
UVA/UVB Protection + Antioxidants
Broad Spectrum UV Filters.
Combines photostable UVA/UVB filters chosen for their synergistic effect to deliver broad-spectrum protection. Effective up to 80 minutes in water.

Powerful Antioxidant Protection.
With Senna Alata, a tropical leaf extract known to defend skin cells' against damaging free radicals caused by the sun that can accelerate skin aging.

RESULTS. Decreases the risk of skin cancer and early skin aging caused by the sun if used as directed with other sun protection measures (see *Directions*).

*upper layers of skin

OIL-FREE
WATER RESISTANT (80 MINUTES)
FRAGRANCE-FREE
PARABEN-FREE
NON-COMEDOGENIC
ALLERGY TESTED
DERMATOLOGIST TESTED FOR SAFETY
TESTED ON SENSITIVE SKIN



Drug Facts

Active ingredients	Purpose
Azobenzene 3%	Sunscreen
Homosalate 10%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 7%	Sunscreen

Uses
• helps prevent sunburn
• if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early aging caused by the sun

Warnings
For external use only
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
For sunscreen use:
• apply generously 15 minutes before sun exposure
• reapply:
• after 80 minutes of swimming or sweating
• immediately after towel drying
• at least every 2 hours
• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
• limit time in the sun, especially from 10 a.m. - 2 p.m.
• wear long-sleeved shirts, pants, hats and sunglasses
• children under 6 months of age: Ask a doctor

Other information
• protect the product in this container from excessive heat and direct sun

Inactive ingredients
water, styrene/acrylates copolymer, dimethicone, polymethylsiloxane, butylacrylate, glycerin, alcohol denat., poly C14-30 alkyl acrylate, caprylyl methacrylate, trioleate, acrylates/dimethicone copolymer, diethylhexyl syringylidone/malonate, PEG-100 stearate, glyceryl stearate, phenoxethanol, potassium octyl phosphate, propylene glycol, caprylyl glycol, PEG-8 laurate, acrylates/C10-30 alkyl acrylate crosspolymer, triethanolamine, tocopherol, inulin lauryl carbamate, disodium EDTA, p-anisic acid, caprylic/capric triglyceride, xanthan gum, cassia alata leaf extract, maltodextrin, sodium dodecylbenzenesulfonate

Questions or comments?
1-888-LRP-LABO 1-888-577-8226
Monday - Friday 9 a.m. - 5 p.m. EST

858262 7 Code F.I.L.: D207228/ 21

Made in the USA of US and/or Imported Ingredients
2636276
Distribution reserved to La Roche-Posay agreed distributors:
La Roche-Posay LLC, 70 Hudson Yards, New York, NY 10001.
La Roche-Posay Laboratoire Dermatologique
CAJ 86270 La Roche-Posay, France
TSA 05000 BOBIA ST OMBRE CHENIERE
www.laroche-posay.us



SPF
60

LA ROCHE-POSAY
LABORATOIRE DERMATOLOGIQUE

60

Body & Face

BROAD SPECTRUM
SPF 60

ANTHELIOS
MELT-IN MILK SUNSCREEN

Fast absorbing, velvety finish
For all skin types

with CELL-OX SHIELD®
UVA/UVB Protection + Antioxidants

Tested on sensitive skin. Fragrance-free
WATER RESISTANT (80 MINUTES)

5.0 FL.OZ. - 150 ml

FOR ALL
OUR #1
SUNSCREEN
SKIN TYPES

ANTHELIOS MELT-IN MILK 60

Package:  Skin Type: All
Texture: Lotion
Application: Face and Body

PROPERTIES.

1. Our #1 Sunscreen
La Roche-Posay's most popular, best selling sunscreen with traditional UVA/UVB filters that can be used on the body and face. It is suitable for all skin types, including sensitive skin.

2. Non-Greasy, Fast-Absorbing
A classic, oil-free sunscreen that melts into skin without leaving a white cast behind. Its non-greasy texture leaves skin feeling hydrated and smooth with a velvety finish.

3. CELL-OX SHIELD TECHNOLOGY
UVA/UVB Protection + Antioxidants
Broad Spectrum UV Filters.
Combines photostable UVA/UVB filters chosen for their synergistic effect to deliver broad-spectrum protection. Effective up to 80 minutes in water.

Powerful Antioxidant Protection.
With Senna Alata, a tropical leaf extract known to defend skin cells' against damaging free radicals caused by the sun that can accelerate skin aging.
RESULTS. Decreases the risk of skin cancer and early skin aging caused by the sun if used as directed with other sun protection measures (see *Directions*).

*upper layers of skin

OIL-FREE
WATER RESISTANT (80 MINUTES)
FRAGRANCE-FREE
PARABEN-FREE
NON-COMEDOGENIC
ALLERGY TESTED
DERMATOLOGIST TESTED FOR SAFETY
TESTED ON SENSITIVE SKIN

A PIONEER IN SUN PROTECTION RESEARCH FOR OVER 30 YEARS

Every day, dermatologists observe skin damage caused by UVA and UVB rays. UVB rays mainly cause **Burning**. They cause tanning and are mainly responsible for sunburn. SPF or "Sun Protection Factor" is the degree of protection a sunscreen offers against UVB rays.

UVA rays mainly cause **Skin Aging** or Sun Allergies. UVA rays directly contribute to skin aging (wrinkles, sagging, dark spots) and are the #1 cause of sun intolerances (allergies).

Both UVA and UVB rays have been proven to cause damage to skin cells, including DNA, and can weaken the immune system. This damage can potentially lead to the development of skin cancer.

La Roche-Posay is dedicated to providing photostable, broad-spectrum protection through the use of **CELL-OX SHIELD**, a synergistic combination of UVA/UVB filters combined with antioxidants.



Drug Facts

Active ingredients	Purpose
Azobenzene 3%	Sunscreen
Homosalate 10%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 7%	Sunscreen

Uses
• helps prevent sunburn
• if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early aging caused by the sun

Warnings
For external use only
Do not use on damaged or broken skin
When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
For sunscreen use:
• apply generously 15 minutes before sun exposure
• reapply:
• after 80 minutes of swimming or sweating
• immediately after towel drying
• at least every 2 hours
• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
• limit time in the sun, especially from 10 a.m. - 2 p.m.
• wear long-sleeved shirts, pants, hats and sunglasses
• children under 6 months of age: Ask a doctor

Other information
• protect the product in this container from excessive heat and direct sun

Inactive ingredients
water, styrene/acrylates copolymer, dimethicone, polymethylsiloxane, butylacrylate, glycerin, alcohol denat., poly C14-30 alkyl acrylate, caprylyl methacrylate, trioleate, acrylates/dimethicone copolymer, diethylhexyl syringylidone malonate, PEG-100 stearate, glyceryl stearate, phenoxypentanol, potassium octyl phosphate, propylene glycol, caprylyl glycol, PEG-8 laurate, acrylates/C10-30 alkyl acrylate crosspolymer, triethanolamine, tocopherol, inulin lauryl carbamate, disodium EDTA, p-anisic acid, caprylic/capric triglyceride, xanthan gum, cassia alata leaf extract, maltodextrin, sodium dodecylbenzenesulfonate

Questions or comments?
1-888-LRP-LABO 1-888-577-8226
Monday - Friday 9 a.m. - 5 p.m. EST

858262 7 Code F.I.L.: D207228/ 21

Made in the USA of US and/or Imported Ingredients
2636276
Distribution reserved to La Roche-Posay agreed distributors:
La Roche-Posay LLC, 70 Hudson Yards, New York, NY 10001
La Roche-Posay Laboratoire Dermatologique
CAJ 86270 La Roche-Posay, France
TSA 05000 BOBIA ST OMBRIEN CHER/FR
www.laroche-posay.us



LA ROCHE POSAY FACE BODY ANTHELIOS SPF 60 MELT IN MILK FAST ABSORBING, VELVETY FINISH FOR ALL SKIN TYPES WITH CELL-OC SHIELD XL

avobenzone, homosalate, octisalate and octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49967-355
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	70 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
TRISILANE (UNII: 1T3A75Z4ZL)	
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)	
PEG-100 STEARATE (UNII: YD01N1999R)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PEG-8 LAURATE (UNII: 762O8IWA10)	
TROLAMINE (UNII: 9O3K93S3TK)	
TOCOPHEROL (UNII: R0ZB2556P8)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
P-ANISIC ACID (UNII: 4SB6Y7DMM3)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
XANTHAN GUM (UNII: TTV12P4NEE)	
SENNA ALATA LEAF (UNII: 4BXR6YZN92)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49967-355-01	1 in 1 CARTON	12/15/2018	
1		90 mL in 1 TUBE; Type 0: Not a Combination Product		

2	NDC:49967-355-02	2 mL in 1 PACKET; Type 0: Not a Combination Product	04/01/2019	
3	NDC:49967-355-03	1 in 1 CARTON	12/15/2018	
3		50 mL in 1 TUBE; Type 0: Not a Combination Product		
4	NDC:49967-355-04	1 in 1 CARTON	04/01/2019	
4		150 mL in 1 TUBE; Type 0: Not a Combination Product		
5	NDC:49967-355-05	15 mL in 1 TUBE; Type 0: Not a Combination Product	12/15/2018	
6	NDC:49967-355-06	1000 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/15/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/15/2018	

Labeler - L'Oreal USA Products Inc (002136794)

Establishment

Name	Address	ID/FEI	Business Operations
L'OREAL USA, INC.		185931458	manufacture(49967-355) , pack(49967-355)

Revised: 12/2023

L'Oreal USA Products Inc