

SIMETHICONE GAS RELIEF- simethicone suspension/ drops
MOM Enterprises, LCC

Mommy's Bliss Gas Relief Simethicone Drops

Mommy's Bliss Gas Relief Simethicone Drops GD-4 Drug Facts panel

Drug Facts											
Active ingredient (in each 0.3 mL)	Purpose										
Simethicone 20 mg.....	Antigas										
Uses Relieves the discomfort of infant gas frequently caused by air swallowing or certain formulas or foods											
Warnings											
Keep out of reach of children.											
Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Quick medical attention is critical even if you do not notice any sign or symptoms.											
Directions											
<ul style="list-style-type: none"> ■ shake well before using ■ find right dose on chart below. If possible, use weight to dose; otherwise, use age. ■ all dosages may be repeated as needed, after meals and at bedtime or as directed by a physician. ■ do not exceed 12 doses per day. ■ fill enclosed dropper to recommended dosage level and dispense liquid slowly into baby's mouth, toward the inner cheek ■ dosage can also be mixed with 1 oz. cool water, infant formula or other suitable liquids ■ clean dropper well after each use ■ mL = milliliter 											
<table border="1"> <thead> <tr> <th>Age (yr)</th> <th>Weight (lb)</th> <th>Dose (mL)</th> </tr> </thead> <tbody> <tr> <td>infants under 2</td> <td>under 24</td> <td>0.3</td> </tr> <tr> <td>children over 2</td> <td>over 24</td> <td>0.6</td> </tr> </tbody> </table>			Age (yr)	Weight (lb)	Dose (mL)	infants under 2	under 24	0.3	children over 2	over 24	0.6
Age (yr)	Weight (lb)	Dose (mL)									
infants under 2	under 24	0.3									
children over 2	over 24	0.6									
Other information											
<ul style="list-style-type: none"> ■ tamper evident: do not use if printed seal under cap is broken or missing ■ store at room temperature ■ do not freeze ■ see bottom panel for lot number and expiration date 											
Inactive ingredients carboxymethylcellulose sodium, citric acid, ginger extract, microcrystalline cellulose, polysorbate 60, potassium sorbate, purified water, sodium benzoate, sorbitan monostearate, sorbitol, stevia extract, xanthan gum.											
Questions? Call 1-877-457-4955											

Inactive Ingredients

Inactive ingredients carboxymethylcellulose sodium, citric acid, ginger extract, microcrystalline cellulose, polysorbate 60, potassium sorbate, purified water, sodium benzoate, sorbitan monostearate, sorbitol, stevia extract, xanthan gum.

Mommy's Bliss Gas Relief Simethicone Drops GD-4 Romance Panel

gas relief
simethicone drops

Mommy's Bliss[®] Gas Relief Drops are safe and effective for easing stomach discomfort caused by gas. Our simethicone based Gas Relief Drops are safe enough to use after every feeding when used as directed

no artificial flavors or colors,
 no dairy, gluten or soy

- fast acting - works in minutes
- pediatrician recommended
- does not require refrigeration

Manufactured for MOM Enterprises, Inc.
 Richmond, CA 94804
 t: 877.457.4955
 mommysbliss.com


CAUTION: KEEP OUT OF REACH OF CHILDREN.

STORAGE: Store in a cool dry place. Recap tightly.

IMPORTANT: Keep this carton for future reference on full labeling

Mommy's Bliss Gas Relief Simethicone Drops GD-4 bottle label

NDC 68163-788-01



mommys BLISS[®]

gas relief

simethicone drops

1 FL. OZ. (30 mL) 100 servings NEWBORN +

Do not use if printed seal under cap is torn or missing

Drug Facts

Active ingredient (in each 0.3 mL)	Purpose
Simethicone 20 mg.....	Antigas

Uses Relieves the discomfort of infant gas frequently caused by air swallowing or certain formulas or foods

Warnings Keep out of reach of children. **Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Quick medical attention is critical even if you do not notice any signs or symptoms.

Directions ■ shake well before using ■ find right dose on chart below. If possible, use weight to dose; otherwise, use age. ■ all dosages may be repeated as needed, after meals and at bedtime or as directed by a physician. ■ do not exceed 12 doses per day ■ fill enclosed dropper to recommended dosage level and dispense liquid slowly into baby's mouth, toward the inner cheek ■ dosage can also be mixed with 1 oz. cool water, infant formula or other suitable liquids ■ clean dropper well after each use ■ mL = milliliter

Age (yr)	Weight (lb)	Dose (mL)
infants under 2	under 24	0.3
children over 2	over 24	0.6

Other information ■ store at room temperature ■ do not freeze ■ see carton for full labeling

Manufactured for MOM Enterprises, Inc.
 Richmond, CA 94804
 t: 877.457.4955
 mommysbliss.com

78801MOMLR

LOT: EXP:

Dosage and Administration

Drug Facts

Active ingredient (in each 0.3 mL)	Purpose
Simethicone 20 mg.....	Antigas

Uses Relieves the discomfort of infant gas frequently caused by air swallowing or certain formulas or foods

Warnings

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Quick medical attention is critical even if you do not notice any sign or symptoms.

Directions

- **shake well before using**
- find right dose on chart below. If possible, use weight to dose; otherwise, use age.
- all dosages may be repeated as needed, after meals and at bedtime or as directed by a physician.
- do not exceed 12 doses per day.
- fill enclosed dropper to recommended dosage level and dispense liquid slowly into baby's mouth, toward the inner cheek
- dosage can also be mixed with 1 oz. cool water, infant formula or other suitable liquids
- clean dropper well after each use
- mL = milliliter

Age (yr)	Weight (lb)	Dose (mL)
infants under 2	under 24	0.3
children over 2	over 24	0.6

Other information

- **tamper evident: do not use if printed seal under cap is broken or missing**
- store at room temperature
- do not freeze
- see bottom panel for lot number and expiration date

Inactive ingredients carboxymethylcellulose sodium, citric acid, ginger extract, microcrystalline cellulose, polysorbate 60, potassium sorbate, purified water, sodium benzoate, sorbitan monostearate, sorbitol, stevia extract, xanthan gum.

Questions? Call 1-877-457-4955

warnings and precautions

Drug Facts

Active ingredient (in each 0.3 mL)	Purpose
Simethicone 20 mg.....	Antigas

Uses Relieves the discomfort of infant gas frequently caused by air swallowing or certain formulas or foods

Warnings

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Quick medical attention is critical even if you do not notice any sign or symptoms.

Directions

- **shake well before using**
- find right dose on chart below. If possible, use weight to dose; otherwise, use age.
- all dosages may be repeated as needed, after meals and at bedtime or as directed by a physician.
- do not exceed 12 doses per day.
- fill enclosed dropper to recommended dosage level and dispense liquid slowly into baby's mouth, toward the inner cheek
- dosage can also be mixed with 1 oz. cool water, infant formula or other suitable liquids
- clean dropper well after each use
- mL = milliliter

Age (yr)	Weight (lb)	Dose (mL)
infants under 2	under 24	0.3
children over 2	over 24	0.6

Other information

- **tamper evident: do not use if printed seal under cap is broken or missing**
- store at room temperature
- do not freeze
- see bottom panel for lot number and expiration date

Inactive ingredients carboxymethylcellulose sodium, citric acid, ginger extract, microcrystalline cellulose, polysorbate 60, potassium sorbate, purified water, sodium benzoate, sorbitan monostearate, sorbitol, stevia extract, xanthan gum.

Questions? Call 1-877-457-4955

Indicators & Usage

gas relief

simethicone drops

Mommy's Bliss[®] Gas Relief Drops are safe and effective for easing stomach discomfort caused by gas. Our simethicone based Gas Relief Drops are safe enough to use after every feeding when used as directed

no artificial flavors or colors, no dairy, gluten or soy

- fast acting - works in minutes
- pediatrician recommended
- does not require refrigeration


Manufactured for MOM Enterprises, Inc.
Richmond, CA 94804
t: 877.457.4955
mommysbliss.com

CAUTION: KEEP OUT OF REACH OF CHILDREN.

STORAGE: Store in a cool dry place. Reseal tightly.

IMPORTANT: Keep this carton for future reference on full labeling

Warnings



NDC 68163-788-01

mommy's BLISS[®]

gas relief

simethicone drops

1 FL OZ (30 mL)

100 servings

NEWBORN +

Do not use if printed seal under cap is torn or missing

Drug Facts

Active ingredient (in each 0.3 mL)
Simethicone 20 mg.....Antigas

Purpose
Antigas

Uses Relieves the discomfort of infant gas frequently caused by air swallowing or certain formulas or foods

Warnings Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Quick medical attention is critical even if you do not notice any signs or symptoms.

Directions ■ shake well before using ■ find right dose on chart below. If possible, use weight to dose; otherwise, use age. ■ all dosages may be repeated as needed, after meals and at bedtime or as directed by a physician. ■ do not exceed 12 doses per day ■ fill enclosed dropper to recommended dosage level and dispense liquid slowly into baby's mouth, toward the inner cheek ■ dosage can also be mixed with 1 oz. cool water, infant formula or other suitable liquids ■ clean dropper well after each use ■ mL = milliliter

Age (yr)	Weight (lb)	Dose (mL)
infants under 2	under 24	0.3
children over 2	over 24	0.6

Other information ■ store at room temperature ■ do not freeze ■ see carton for full labeling


Manufactured for
MOM Enterprises, Inc.
Richmond, CA 94804
t: 877.457.4955
mommysbliss.com

78801MOMLR

LOT: _____

EXP: _____

Mommy's bliss Gas Relief Simethicon Drops GD-4 Principal Display Panel



SIMETHICONE GAS RELIEF

simethicone suspension/ drops

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71444-788
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	20 mg in 0.3 mL

Inactive Ingredients

Ingredient Name	Strength
GINGER (UNII: C5529G5JPQ)	
STEVIA LEAF (UNII: 6TC6NN0876)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL (UNII: 506T60A25R)	
XANTHAN GUM (UNII: TTV12P4NEE)	

SORBITAN MONOSTEARATE (UNII: NVZ4I0H58X)

WATER (UNII: 059QF0KO0R)

Product Characteristics

Color	white (homogenous white viscous liquid)	Score	
Shape		Size	
Flavor	GINGER (sweet)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71444-788-01	1 in 1 CARTON	08/01/2017	
1		30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M002	08/01/2017	

Labeler - MOM Enterprises, LCC (135903776)

Revised: 4/2024

MOM Enterprises, LCC