

**HEMATRON-AF- ascorbic acid, dl-alpha tocopheryl acetate, l-5-methyltetrahydrofolate calcium, cyanocobalamin, biotin, carbonyl iron, cupric sulfate tablet**  
**Seyer Pharmatec, Inc.**

**Hematron-AF™**

<b>Supplement Facts</b>		
<b>Serving Size: 1 Tablet / Servings</b>		
<b>Per Container: 90</b>		
	<b>Amount</b>	<b>%</b>
	<b>Per Serving</b>	<b>Daily Value</b>
Vitamin C (as Ascorbic Acid)	500 mg	556%
Vitamin E (as dl-Alpha Tocopheryl Acetate)	13.5 mg	90%
Folate (as L-5-Methyltetrahydrofolate Calcium)	1,700 mcg DFE (1,000 mcg Folic Acid)	425%
Vitamin B12 (as Cyanocobalamin)	60 mcg	2,500%
Biotin	150 mcg	500%
Iron (as Carbonyl Iron)	150 mg	833%
Copper (as Cupric Sulfate)	3 mg	333%
*Daily Value not established		

**Other Ingredients:**

Microcrystalline Cellulose, Citric Acid, Stearic Acid, Dicalcium Phosphate, Croscarmellose Sodium, Polyvinylpyrrolidone, Magnesium Stearate, Silicon Dioxide, Starch, Glucose Syrup, Crospovidone, Polyethylene Glycol, Talc, Sodium Lauryl Sulfate, FD&C Yellow #6 Lake, Sucrose, Titanium Dioxide, Soy Polysaccharide, FD&C Red #40 Lake, Artificial French Vanilla Flavor, Propylene Glycol and Tricalcium Phosphate.

**Contains:** Soy, a bioengineered food ingredient.

**HEMATRON AF** is a multi-vitamin / multi-mineral dietary supplement indicated for use in improving the nutritional status of patients with iron deficiency†

†This statement has not been evaluated by the FDA. This product is not intended to diagnose, treat, cure, or prevent any disease.

**WARNING** Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6 years of age. **KEEP THIS PRODUCT OUT OF REACH OF CHILDREN.** In case of accidental overdose, call a doctor or poison control center immediately.

**DO NOT USE** with individuals with a known hypersensitivity to any of the ingredients. Patients with hemochromatosis and hemosiderosis are contra-indications to iron therapy. This product is not for use in children under 12 years of age.

## CAUTION

This product contains 1 mg folic acid, the maximum safe Reference Daily Intake (RDI) amount for this nutrient. Folic Acid alone should not be used for individuals with pernicious anemia and other megaloblastic anemias where Vitamin B-12 is deficient. Folic acid in amounts above 0.1 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress. Pregnant Women, nursing mothers or women prior to conception who take **HEMATRON AF** should take this supplement only after their medical condition and other drugs, herbs and / or supplements consumption are considered. Use for elderly individuals should be cautious due to the greater frequency of decreased hepatic, renal, or cardiac function.

## ADVERSE REACTIONS:

Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

## DIRECTIONS FOR USE

One caplet daily with or without food or as prescribed by your healthcare provider.

## STORAGE

Store at room temperature, USP.

**To report a serious adverse event or to obtain product information, contact (888) 444-5072.**

**Manufactured in the USA for:  
Seyer Pharmatec, Inc.  
Caguas, Puerto Rico 00726**

**DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

**Dietary Supplement**

**EZY-DOSE TABLETS**

## Packaging

	Amount	% Daily
Per Serving	Value	
Folic Acid	500 mcg	556%
Vitamin B12 (Cyanocobalamin)	13.5 mcg	90%
Folate (Folic Acid)	1,700 mcg DFE	425%
Folate (Folic Acid)	60 mcg	2,500%
Vitamin B12 (Cyanocobalamin)	150 mcg	500%
Vitamin B6 (Pyridoxine Hydrochloride)	150 mg	833%
Vitamin B9 (Folate)	3 mg	333%

Microcrystalline Cellulose, Citric Acid, Calcium Phosphate, Croscarmellose, Hydroxypropylmethylcellulose, Magnesium Stearate, Starch, Glucose Syrup, Croscopovidone, Colloidal Silicon Dioxide, Sodium Lauryl Sulfate, FD&C Yellow #6, Titanium Dioxide, Soy Polysaccharide, Artificially Flavored with Natural Flavors, Polyethylene Glycol #40, Artificially Flavored with Natural Flavors, and Tricalcium Phosphate. Contains 100% bioengineered food ingredient.

7 98826 11055 2

PEEL HERE FOR MORE INFORMATION

Dietary Supplement  
90 Caplets

**SEYER**  
PHARMATEC INC.

DO NOT USE IF I  
II

**Suppl**  
Serving Size: 1

Vitamin C (as Ascorb

Vitamin E (as dl- $\alpha$ -Tocopheryl Acetate)

Folate (as L-5-Methyltetrahydrofolate Calcium)

Vitamin B12 (as Cyanocobalamin)

Biotin

Iron (as Carbonyl Iron)

Copper (as Cupric Sulfate)

\*Daily Value not established

**Other Ingredients**

Stearic Acid, Dicalcium Phosphate, Croscarmellose Sodium, Polyvinylpyrrolidone, Magnesium Stearate, Silicon Dioxide, Starch, Glucose Syrup, Crospovidone, Polyethylene Glycol, Talc, Sodium Lauryl Sulfate, FD&C Yellow #6 Lake, Sucrose, Titanium Dioxide, Soy Polysaccharide, FD&C Red #40 Lake, Artificial French Vanilla Flavor, Propylene Glycol and Tricalcium Phosphate.

Contains: Soy, a bioengineered food ingredient.

Lot # & Exp. Date:

**DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

## Supplement Facts

Serving Size: 1 Tablet / Servings Per Container: 90

	Amount Per Serving	% Daily Value
Vitamin C (as Ascorbic Acid)	500 mg	556%
Vitamin E (as dl- $\alpha$ -Tocopheryl Acetate)	13.5 mg	90%
Folate (as L-5-Methyltetrahydrofolate Calcium)	1,700 mcg DFE (1,000 mcg Folic Acid)	425%
Vitamin B12 (as Cyanocobalamin)	60 mcg	2,500%
Biotin	150 mcg	500%
Iron (as Carbonyl Iron)	150 mg	833%
Copper (as Cupric Sulfate)	3 mg	333%

\*Daily Value not established

**Other Ingredients:** Microcrystalline Cellulose, Citric Acid, Stearic Acid, Dicalcium Phosphate, Croscarmellose Sodium, Polyvinylpyrrolidone, Magnesium Stearate, Silicon Dioxide, Starch, Glucose Syrup, Crospovidone, Polyethylene Glycol, Talc, Sodium Lauryl Sulfate, FD&C Yellow #6 Lake, Sucrose, Titanium Dioxide, Soy Polysaccharide, FD&C Red #40 Lake, Artificial French Vanilla Flavor, Propylene Glycol and Tricalcium Phosphate.  
**Contains:** Soy, a bioengineered food ingredient.

Lot # & Exp. Date:



PEEL HERE FOR MORE INFORMATION

**HEMATRON AF** is a multi-vitamin / multi-mineral dietary supplement indicated for use in improving the nutritional status of patients with iron deficiency\*

\*This statement has not been evaluated by the FDA. This product is not intended to diagnose, treat, cure, or prevent any disease.

**WARNING** Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6 years of age. **KEEP THIS PRODUCT OUT OF REACH OF CHILDREN.** In case of accidental overdose, call a doctor or poison control center immediately.

**DO NOT USE** with individuals with a known hypersensitivity to any of the ingredients. Patients with hemochromatosis and hemosiderosis are contra-indications to iron therapy. This product is not for use in children under 12 years of age.

**CAUTION** This product contains 1 mg folic acid, the maximum safe Reference Daily Intake (RDI) amount for this nutrient. Folic Acid alone should not be used for individuals with pernicious anemia and other megaloblastic anemias where Vitamin B-12 is deficient. Folic acid in amounts above 0.1 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress. Pregnant women, nursing mothers or women prior to conception who take **HEMATRON AF** should take this supplement only after their medical condition and other drugs, herbs and/or supplements consumption are considered. Use for elderly individuals should be cautious due to the greater frequency of decreased hepatic, renal, or cardiac function.

**ADVERSE REACTIONS** Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

**DIRECTIONS FOR USE** One caplet daily with or without food or as prescribed by your healthcare provider.

**STORAGE** Store at room temperature, USP

To report a serious adverse event or to obtain product information, contact (888) 444-5072.

Code# SEY2755-9 L

Rev 12/21

Manufactured in the USA for:

**SEYER**  
PHARMATEC INC.

Seyer Pharmatec, Inc.

Caguas, Puerto Rico 00726

## HEMATRON-AF

ascorbic acid, dl-alpha tocopheryl acetate, l-5-methyltetrahydrofolate calcium, cyanocobalamin, biotin, carbonyl iron, cupric sulfate tablet

### Product Information

<b>Product Type</b>	DIETARY SUPPLEMENT	<b>Item Code (Source)</b>	NHRIC:11026-2760
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	500 mg
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8) (.ALPHA.-TOCOPHEROL, DL- - UNII:7QWA1RIO01)	.ALPHA.-TOCOPHEROL, DL-	13.5 mg
<b>LEVOMEFOLATE CALCIUM</b> (UNII: A9R10K3F2F) (LEVOMEFOLIC ACID - UNII:8S95DH25XC)	LEVOMEFOLATE CALCIUM	1700 ug
<b>CYANOCOBALAMIN</b> (UNII: P6YC3EG204) (CYANOCOBALAMIN - UNII:P6YC3EG204)	CYANOCOBALAMIN	60 ug
<b>BIOTIN</b> (UNII: 6SO6U10H04) (BIOTIN - UNII:6SO6U10H04)	BIOTIN	150 ug
<b>IRON</b> (UNII: E1UOL152H7) (IRON - UNII:E1UOL152H7)	IRON	150 mg
<b>CUPRIC SULFATE</b> (UNII: LRX7AJ16DT) (CUPRIC CATION - UNII:8CBV67279L)	CUPRIC CATION	3 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>ANHYDROUS DIBASIC CALCIUM PHOSPHATE</b> (UNII: L11K75P92J)	
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>POVIDONE K60</b> (UNII: SZR7Z3Q2YH)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>CORN SYRUP</b> (UNII: 9G5L16BK6N)	
<b>CROSPVIDONE, UNSPECIFIED</b> (UNII: 2S7830E561)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>SODIUM LAURYL SULFATE</b> (UNII: 368GB5141J)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>SOYBEAN COTYLEDON CELL WALL POLYSACCHARIDES</b> (UNII: 4UL6DF56YQ)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	

**PROPYLENE GLYCOL** (UNII: 6DC9Q167V3)

**TRICALCIUM PHOSPHATE** (UNII: K4C08XP666)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NHRIC:11026-2760-9	90 in 1 BOTTLE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
dietary supplement		02/15/2023	10/31/2025

### Supplement Facts

**Serving Size :**

**Serving per Container :**

	Amount Per Serving	% Daily Value
color		
shape		
size (solid drugs)	21 mm	
scoring	1	
imprint		
flavor		

**Labeler** - Seyer Pharmatec, Inc. (832947126)

Revised: 8/2024

Seyer Pharmatec, Inc.