

CHILDRENS ALLERGY RELIEF- diphenhydramine hcl tablet, chewable
Wal-Mart Stores Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Equate 44-599

Active ingredient (in each tablet)

Diphenhydramine HCl 12.5 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - itchy, watery eyes
 - sneezing
 - itching of the nose or throat

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- dissolve in mouth or chew before swallowing
- take every 4 to 6 hours
- do not take more than 6 doses in 24 hours

children under 2 years of age	do not use
children 2 to 6 years of age	do not use unless directed by a doctor
children 6 to 12 years of age	1 to 2 tablets
adults and children 12 years of age and over	2 to 4 tablets

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

cherry flavor, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrans, ethylcellulose polymers, magnesium stearate, mannitol, polyethylene and polypropylene polymers, stearic acid, sucralose

Questions or comments?

1-888-287-1915

Principal Display Panel

NDC 49035-599-44

equate®

Compare to

**Children's
Benadryl®
Allergy FastMelt®
Active Ingredient***

**Ages 6+
Children's
Allergy Relief**

Diphenhydramine HCl 12.5 mg/Antihistamine

For the relief of:

- Sneezing
- Itchy throat
- Runny nose
- Itchy, watery eyes

Cherry Flavor

18 Rapid Melts

Actual Size

**TAMPER EVIDENT: DO NOT USE IF
CARTON IS OPENED OR IF BLISTER
UNIT IS TORN, BROKEN OR SHOWS
ANY SIGNS OF TAMPERING**

Distributed by: Wal-Mart Stores, Inc., Bentonville, AR 72716 © Wal-Mart Stores, Inc.

*This product is not manufactured or distributed by McNeil Consumer Healthcare,
owner of the registered trademark Children's Benadryl® Allergy FastMelt®.

50844 REV0712A59944

Satisfaction guaranteed - Or we'll replace it or
give you your money back. For questions or
comments or to report an undesired reaction
or side effect, please call **1-888-287-1915**.

508 44
 REV0712 0599 44
 Distributed by West-Hearts' Inc., Bentonville, AR 72716
 This product is not manufactured or distributed by McNeil Consumer Healthcare,
 owner of the registered trademark Children's Benadryl Allergy FastMelt.

Satisfaction guaranteed - Or we'll replace it or
 give you your money back. For questions or
 comments or to report an undesired reaction
 or side effect, please call 1-888-287-1915.



Drug Facts (continued)
 Questions or comments? 1-888-287-1915

<p>Drug Facts (continued)</p> <p>Warnings</p> <ul style="list-style-type: none"> Do not use to make achilles tendon, even when used on skin Do not use if you have glaucoma or a breathing problem such as emphysema or chronic bronchitis Do not use if you are taking sedatives or tranquilizers Do not use if you are taking a doctor or pharmacist before use if you are taking sedatives or tranquilizers Do not use if you are taking a doctor or pharmacist before use if you are taking sedatives or tranquilizers Do not use if you are taking a doctor or pharmacist before use if you are taking sedatives or tranquilizers 	<p>Other information</p> <ul style="list-style-type: none"> Store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F) See end flap for expiration date and lot number
<p>Directions</p> <ul style="list-style-type: none"> Children 6 to under 12 years of age: 1 to 2 tablets Children 12 to under 18 years of age: 2 to 4 tablets Children 18 to under 65 years of age: do not use unless directed by a doctor Children 65 to under 75 years of age: do not use unless directed by a doctor Children under 2 years of age: do not use Children under 6 years of age: do not use unless directed by a doctor Children 6 to under 12 years of age: 1 to 2 tablets Children 12 to under 18 years of age: 2 to 4 tablets 	<p>Active ingredient (in each tablet) Diphenhydramine HCl 12.5 mg, Antihistamine</p> <p>Purpose Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: Runny nose Itchy, watery eyes Sneezing Itching of the nose or throat</p>
<p>Directions</p> <ul style="list-style-type: none"> Children 6 to under 12 years of age: 1 to 2 tablets Children 12 to under 18 years of age: 2 to 4 tablets Children 18 to under 65 years of age: do not use unless directed by a doctor Children 65 to under 75 years of age: do not use unless directed by a doctor Children under 2 years of age: do not use Children under 6 years of age: do not use unless directed by a doctor Children 6 to under 12 years of age: 1 to 2 tablets Children 12 to under 18 years of age: 2 to 4 tablets 	<p>Warnings</p> <ul style="list-style-type: none"> Do not use to make achilles tendon, even when used on skin Do not use if you have glaucoma or a breathing problem such as emphysema or chronic bronchitis Do not use if you are taking sedatives or tranquilizers Do not use if you are taking a doctor or pharmacist before use if you are taking sedatives or tranquilizers Do not use if you are taking a doctor or pharmacist before use if you are taking sedatives or tranquilizers Do not use if you are taking a doctor or pharmacist before use if you are taking sedatives or tranquilizers
<p>Other information</p> <ul style="list-style-type: none"> Store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F) See end flap for expiration date and lot number 	<p>Drug Facts (continued)</p> <p>Warnings</p> <ul style="list-style-type: none"> Do not use to make achilles tendon, even when used on skin Do not use if you have glaucoma or a breathing problem such as emphysema or chronic bronchitis Do not use if you are taking sedatives or tranquilizers Do not use if you are taking a doctor or pharmacist before use if you are taking sedatives or tranquilizers Do not use if you are taking a doctor or pharmacist before use if you are taking sedatives or tranquilizers Do not use if you are taking a doctor or pharmacist before use if you are taking sedatives or tranquilizers

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION

equate® Children's Allergy Relief
 Diphenhydramine HCl 12.5 mg/Antihistamine

B-2203-599-44
 REV0712A59944

equate®

NDC 49035-599-44



Ages 6+
Children's Allergy Relief
 Diphenhydramine HCl 12.5 mg/Antihistamine

- For the relief of:
- Sneezing
 - Runny nose
 - Itchy throat
 - Itchy, watery eyes

Cherry Flavor
 18 Rapid Melts



6 81131 03926 0

CHILDRENS ALLERGY RELIEF

diphenhydramine hcl tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49035-599
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg

Inactive Ingredients

Ingredient Name	Strength
D&C RED NO. 27 (UNII: 2LRS185U6K)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
DEXTRATES (UNII: G263MI44RU)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	PINK	Score	no score
Shape	ROUND	Size	12mm
Flavor	CHERRY	Imprint Code	44;599
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-599-44	3 in 1 CARTON	04/25/2011	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	04/25/2011	

Labeler - Wal-Mart Stores Inc (051957769)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(49035-599)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(49035-599)

Revised: 4/2016

Wal-Mart Stores Inc