CHILDRENS ALLERGY RELIEF- diphenhydramine hcl tablet, chewable
Wal-Mart Stores Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Equate 44-599

Active ingredient (in each tablet)

Diphenhydramine HCl 12.5 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - itchy, watery eyes
  - sneezing
  - itching of the nose or throat

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- dissolve in mouth or chew before swallowing
- take every 4 to 6 hours
- do not take more than 6 doses in 24 hours

children under 2 years of age	do not use
children 2 to under 6 years of age	do not use unless directed by a doctor
children 6 to under 12 years of age	1 to 2 tablets
adults and children 12 years of age and over	2 to 4 tablets

Other information

- store at 25ºC (77ºF); excursions permitted between 15º-30ºC (59º-86ºF)
- see end flap for expiration date and lot number

Inactive ingredients

cherry flavor, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrates, ethylcellulose polymers, magnesium stearate, mannitol, polyethylene and polypropylene polymers, stearic acid, sucralose

Questions or comments?

1-888-287-1915

Principal Display Panel

NDC 49035-599-44

equate®

Compare to

Children's
Benadryl®
Allergy FastMelt®
Active Ingredient*

Ages 6+
Children's
Allergy Relief

Diphenhydramine HCl 12.5 mg/Antihistamine

For the relief of:
• Sneezing • Itchy throat
• Runny nose • Itchy, watery eyes

Cherry Flavor

18 Rapid Melts

Actual Size

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

Distributed by: Wal-Mart Stores, Inc., Bentonville, AR 72716 © Wal-Mart Stores, Inc.
*This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Children's Benadryl® Allergy FastMelt®.
50844 REV0712A59944

Satisfaction guaranteed - Or we'll replace it or give you your money back. For questions or comments or to report an undesired reaction or side effect, please call **1-888-287-1915**.

equate®

Ages 6+

Children's

Allergy Relief

Diphenhydramine HCl 12.5 mg/Antihistamine

NDC 49035-599-44

Compare to Children's Benadryl® Allergy FastMelt® Active Ingredient*

Ages 6+

Children's

Allergy Relief

Diphenhydramine HCl 12.5 mg/Antihistamine

For the relief of:

- Sneezing
- Itchy throat
- Runny nose
- Itchy, watery eyes

Cherry Flavor

18 Rapid Melts

Actual Size

B-2203-599-44
REV0712A59944

RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION

Drug Facts

Active ingredient (in each tablet)	Purpose
Diphenhydramine HCl 12.5 mg	Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use
- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have
- asthma, problems such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product
- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Drug Facts (continued)

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- dissolve in mouth or chew before swallowing
- take every 4 to 6 hours
- do not take more than 6 doses in 24 hours

children under 2 years of age	do not use
children 2 to under 6 years of age	do not use unless directed by a doctor
children 6 to under 12 years of age	1 to 2 tablets
adults and children 12 years of age and over	2 to 4 tablets

Other information

- store at 25°C (77°F); excursions permitted between 15-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

cherry flavor, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrates, ethylcellulose polymers, magnesium stearate, mannitol, polyethylene and polypropylene polymers, stearic acid, sucralose

Drug Facts (continued)

Questions or comments? 1-888-287-1915

Satisfaction guaranteed – Or we'll replace it or give you your money back. For questions or comments or to report an undesired reaction or side effect, please call 1-888-287-1915.

Distributed by Wal-Mart Stores, Inc., Bentonville, AR 72716. Own a Mart Stores, Inc. owners of the registered trademark Children's Benadryl® Allergy FastMelt®.

This product is not manufactured or distributed by McNeil Consumer Healthcare.

508 44 REV0712A599 44

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

GIN 2387A205596

6 81131 03926 0

Equate 44-599

CHILDRENS ALLERGY RELIEF

diphenhydramine hcl tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:49035-599
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg

Inactive Ingredients

Ingredient Name	Strength
D&C RED NO. 27 (UNII: 2LRS185U6K)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
DEXTRATES (UNII: G263MI44RU)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	PINK	**Score**	no score
Shape	ROUND	**Size**	12mm
Flavor	CHERRY	**Imprint Code**	44;599
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-599-44	3 in 1 CARTON	04/25/2011	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	04/25/2011	

Labeler - Wal-Mart Stores Inc (051957769)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(49035-599)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(49035-599)