

INCONTINENCE- belladonna, cantharis, causticum, cina, equisetum hyemale, ignatia amara, physalis alkekengi, sepia, pulsatilla (pratensis), verbascum thapsus spray
Liddell Laboratories, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Drug Facts:

ACTIVE INGREDIENTS:

(in each spray) 10% of Belladonna 200C, Cantharis 200C, Causticum 200C, Cina 6X, Equisetum hyemale 3X, Ignatia amara 200C, Physalis alkekengi 6X, Sepia 200C, Pulsatilla (pratensis) 10X, Verbascum thapsus 3X.

INDICATIONS:

May temporarily relieve symptoms associated with abnormal bladder function.**

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

WARNINGS:

If symptoms persist for more than 7 days, consult a doctor.

If pregnant or breast feeding, ask a doctor before use.

Keep out of reach of children. In case of overdose, get medical help or call a Poison Control Center right away.

Do not use if TAMPER EVIDENT seal around neck of bottle is missing or broken.

KEEP OUT OF REACH OF CHILDREN:

Keep out of reach of children. In case of overdose, get medical help or call a Poison Control Center right away.

DIRECTIONS:

Adults and children over 12: Spray twice under the tongue 3 times per day.

Children 12 and under: Consult a doctor prior to use.

INDICATIONS:

May temporarily relieve symptoms associated with abnormal bladder function.**

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

INACTIVE INGREDIENTS:

Organic alcohol 20% v/v, Purified water.

QUESTIONS:

DIST. BY LIDDELL LABORATORIES INC.

WOODBINE, IA 51579

WWW.LIDDELL.NET 1-800-460-7733

PACKAGE LABEL DISPLAY:

ORAL SPRAYS

LIDDELL LABORATORIES

EST. 1994

29 In

Incontinence

HOMEOPATHIC

1.0 FL. OZ. (30 ml)

INDICATIONS May temporarily relieve symptoms associated with abnormal bladder function.**

DIRECTIONS Adults & children over 12: Spray twice under the tongue 3 times per day. Children 12 and under: Consult a doctor prior to use.

WARNINGS If symptoms persist for more than 7 days, consult a doctor. If pregnant or breast feeding, ask a doctor before use. Keep out of reach of children. In case of overdose, get medical help or call a Poison Control Center right away. Do not use if TAMPER EVIDENT seal around neck of bottle is missing or broken.

ORAL SPRAYS
LIDDELL®
~ LABORATORIES ~
EST. 1994
29 In™
Incontinence
HOMEOPATHIC
1.0 FL OZ. (30 ml) 20% organic alcohol

ACTIVE INGREDIENTS (in each spray) 10% of Belladonna 200C, Cantharis 200C, Causticum 200C, Cina 6X, Equisetum hyemale 3X, Ignatia amara 200C, Physalis alkekengi 6X, Sepia 200C, Pulsatilla 12X, Verbascum thapsus 6X. **INACTIVE INGREDIENTS** Organic alcohol 20% v/v, Purified water.

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DIST. BY LIDDELL LABORATORIES INC.
WOODBINE, IA 51579
WWW.LIDDELL.NET 1-800-460-7733

LOT: XXXXXX
EXP: MM/YY

3 63113 25896 7

INCONTINENCE

belladonna, cantharis, causticum, cina, equisetum hyemale, ignatia amara, physalis alkekengi,

sepia, pulsatilla (pratensis), verbascum thapsus spray				
Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50845-0258	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
ATROPA BELLADONNA (UNII: WQZ3G9PF0H) (ATROPA BELLADONNA - UNII:WQZ3G9PF0H)		ATROPA BELLADONNA	200 [hp_C] in 1 mL	
LYTTA VESICATORIA (UNII: 3Q034RO3BT) (LYTTA VESICATORIA - UNII:3Q034RO3BT)		LYTTA VESICATORIA	200 [hp_C] in 1 mL	
CAUSTICUM (UNII: DD5FO1WKFU) (CAUSTICUM - UNII:DD5FO1WKFU)		CAUSTICUM	200 [hp_C] in 1 mL	
ARTEMISIA CINA PRE-FLOWERING TOP (UNII: 28M1820ACT) (ARTEMISIA CINA FLOWER - UNII:28M1820ACT)		ARTEMISIA CINA PRE-FLOWERING TOP	6 [hp_X] in 1 mL	
EQUISETUM HYEMALE (UNII: 59677RXH25) (EQUISETUM HYEMALE - UNII:59677RXH25)		EQUISETUM HYEMALE	3 [hp_X] in 1 mL	
STRYCHNOS IGNATII SEED (UNII: 1NM3M2487K) (STRYCHNOS IGNATII SEED - UNII:1NM3M2487K)		STRYCHNOS IGNATII SEED	200 [hp_C] in 1 mL	
PHYSALIS ALKEKENGII FRUIT (UNII: 2042VC712P) (PHYSALIS ALKEKENGII FRUIT - UNII:2042VC712P)		PHYSALIS ALKEKENGII FRUIT	6 [hp_X] in 1 mL	
SEPIA OFFICINALIS JUICE (UNII: QDL83WN8C2) (SEPIA OFFICINALIS JUICE - UNII:QDL83WN8C2)		SEPIA OFFICINALIS JUICE	200 [hp_C] in 1 mL	
PULSATILLA PRATENSIS WHOLE (UNII: 8E272251DI) (PULSATILLA PRATENSIS WHOLE - UNII:8E272251DI)		PULSATILLA PRATENSIS WHOLE	12 [hp_X] in 1 mL	
VERBASCUM THAPSUS (UNII: C9TD27U172) (VERBASCUM THAPSUS - UNII:C9TD27U172)		VERBASCUM THAPSUS	6 [hp_X] in 1 mL	
Inactive Ingredients				
Ingredient Name			Strength	
WATER (UNII: 059QF0KO0R)				
ALCOHOL (UNII: 3K9958V90M)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50845-0258-1	30 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	03/09/2020	10/28/2024
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic			03/09/2020	10/28/2024

Labeler - Liddell Laboratories, Inc. (832264241)

Registrant - Apotheca Company (844330915)

Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(50845-0258) , api manufacture(50845-0258) , label(50845-0258) , pack(50845-0258)

Revised: 6/2022

Liddell Laboratories, Inc.