

STOMACH RELIEF- bismuth subsalicylate tablet

CVS

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

CVS Stomach relief

Active ingredient (in each caplet)

Bismuth subsalicylate 262 mg

Purpose

Upset stomach reliever and anti-diarrheal

Uses

relieves:

- indigestion
- nausea
- heartburn
- diarrhea
- upset stomach associated with these symptoms

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Contains salicylate. Do not take if you are

- allergic to salicylates (including aspirin)
- taking other salicylate products

Do not use if you have

- bloody or black stool
- an ulcer
- a bleeding problem

Ask a doctor before use if you have

- fever
- mucus in the stool

Ask a doctor or pharmacist before use if you are taking any drug for

- anticoagulation (thinning of the blood)
- diabetes
- gout
- arthritis

When using this product

a temporary, but harmless darkening of the stool and/or tongue may occur.

Stop use and ask a doctor if

- symptoms get worse
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a poison control center immediately.

Directions

- Swallow caplet(s) with water, do not chew
- adults and children 12 years and over: 2 caplets every 1/2 to 1 hour as needed
- do not take more than 8 doses (16 caplets) in 24 hours
- use until diarrhea stops but not more than 2 days
- children under 12 years: ask a doctor
- drink plenty of fluids to help prevent dehydration which may accompany diarrhea.

Other information

- each caplet contains: calcium 27 mg, salicylate 102 mg and sodium 2 mg.
- very low sodium
- TAMPER EVIDENT: Do not use if printed seal under cap is torn or missing.
- store at room temperature, in a dry place

Inactive ingredients

calcium carbonate, colloidal silicon dioxide, D and C red 27 lake, magnesium stearate, mannitol, microcrystalline cellulose, polysorbate 80, sodium starch glycolate.

PDP

CVS Health

Stomach Relief

Bismuth Subsalicylate 262 mg

Upset stomach reliever / Antidiarrheal

Soothing relief for 5 symptoms:

Heartburn

Nausea

Indigestion

Diarrhea

Upset Stomach

Package contains One bottle

24 Caplets

9 8 0 1 7 7

COATING FREE AREA

COATING FREE AREA

COATING FREE AREA

Drug Facts (continued)

Warnings
 Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Contains salicylate. Do not take if you are allergic to salicylates (including aspirin) taking other salicylate products

Do not use if you have bloody or black stool ■ an ulcer ■ a bleeding problem

Ask a doctor before use if you have fever ■ mucus in the stool

Ask a doctor or pharmacist before use if you are taking any drug for anticoagulation (thinning of the blood) ■ diabetes ■ gout ■ arthritis

When using this product a temporary, but harmless darkening of the stool and/or tongue may occur

Stop use and ask a doctor if symptoms get worse ■ ringing in the ears or loss of hearing occurs ■ diarrhea lasts more than 2 days

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center immediately.

Drug Facts

Active ingredient (in each caplet) Bismuth subsalicylate 262 mg

Purpose Upset stomach reliver and anti-diarrheal

Uses relieves: ■ indigestion ■ nausea ■ heartburn ■ diarrhea ■ upset stomach associated with these symptoms

#689598

MFR# 53041 REV 0417

0 50428 32384 7

Compare to the active ingredient in Pepto-Bismol® Caplets*

CVS Health.

Stomach Relief

BISMUTH SUBSALICYLATE 262 mg
 Upset stomach reliver/Antidiarrheal

Soothing relief for 5 symptoms:

- Heartburn
- Nausea
- Indigestion
- Diarrhea
- Upset stomach

Package Contains One Bottle

24 CAPLETS

Actual Size

*This product is not manufactured or distributed by Procter & Gamble Inc., the distributor of Pepto-Bismol® Caplets.

Distributed by: CVS Pharmacy, Inc.
 One CVS Drive, Woonsocket, RI 02895
 © 2017 CVS/pharmacy
 CVS.com® 1-800-SHOP CVS
 V-11496

CVS Quality
 Money Back Guarantee

RETAIN CARTON FOR FULL LABELING INFORMATION

Drug Facts (continued)

Directions ■ swallow caplet(s) with water, do not chew ■ adults and children 12 years and over: 2 caplets every 1/2 to 1 hour as needed ■ do not take more than 8 doses (16 caplets) in 24 hours ■ use until diarrhea stops but not more than 2 days ■ children under 12 years: ask a doctor ■ drink plenty of clear fluids to help prevent dehydration caused by diarrhea

Other information ■ each caplet contains: calcium 27 mg, salicylate 102 mg and sodium 2 mg ■ very low sodium ■ TAMPER EVIDENT: do not use if printed seal under cap is torn or missing ■ store at room temperature, in a dry place

Inactive ingredients calcium carbonate, colloidal silicon dioxide, D&C red 27 lake, magnesium stearate, mannitol, microcrystalline cellulose, poly sorbate 80, sodium starch glycolate.

31
000000

MPS

STOMACH RELIEF
 bismuth subsalicylate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-172
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (SALICYLIC ACID - UNII:O414PZ4LPZ)	BISMUTH SUBSALICYLATE	262 mg

Inactive Ingredients

Ingredient Name	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	

Product Characteristics

Color	pink	Score	no score
Shape	capsule	Size	16mm
Flavor		Imprint Code	G172
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-172-12	1 in 1 CARTON	03/04/2013	
1		24 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:69842-172-28	1 in 1 CARTON	08/08/2011	
2		40 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part335	08/08/2011	

Labeler - CVS (062312574)