NASAL DECONGESTANT PE- phenylephrine hydrochloride tablet, coated
VALU MERCHANDISERS COMPANY

1131-BST-2021-1117

Drug Facts

Active ingredient (in each tablet)

Phenylephrine HCl 10 mg

Purpose

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies, and nasal congestion associated with sinusitis
- temporarily relieves sinus congestion and pressure

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product

- **do not use more than directed**

Stop use and ask a doctor if

- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years of age and over: take 1 tablet every 4 hours; do not take more than 6 tablets in 24 hours
- children under 12 years of age: ask a doctor

Other information

- store at 15°-25°C (59°-77°F) in a dry place
- retain carton for complete product information

Inactive ingredients

colloidal silicon dioxide, croscarmellose sodium, D&C red #27, FD&C red #40, FD&C yellow #6, hypromellose, lactose anhydrous, magnesium stearate, polyethylene glycol, stearic acid, titanium dioxide

PRINCIPAL DISPLAY PANEL

COMPARE TO THE ACTIVE INGREDIENT IN SUDAFED PE® CONGESTION†

Best Choice®

Non-Drowsy

MAXIMUM STRENGTH

NASAL DECONGESTANT PE

Actual Size

Phenylephrine HCl

For Relief of:

• Sinus Pressure

• Congestion

18 TABLETS

10 mg EACH


NC
NC
NC
Drug Facts
Active ingredient (in each tablet)
Purpose
Phenylephrine HCl 10 mg
Nasal decongestant
Uses
■ temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies, and nasal congestion associated with sinusitis
■ temporarily relieves sinus congestion and pressure
Warnings
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
Ask a doctor before use if you have
■ heart disease ■ high blood pressure
■ thyroid disease ■ diabetes
■ trouble urinating due to an enlarged prostate gland
When using this product ■ do not use more than directed
Stop use and ask a doctor if
■ you get nervous, dizzy, or sleepless
■ symptoms do not improve within 7 days or are accompanied by fever
Drug Facts (continued)
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.
Directions
■ adults and children 12 years of age and over: take 1 tablet every 4 hours; do not take more than 6 tablets in 24 hours
■ children under 12 years of age: ask a doctor
Other information
■ store at 15°-25°C (59°-77°F) in a dry place
■ retain carton for complete product information
Inactive ingredients
colloidal silicon dioxide, croscarmellose sodium, D&C red #27, FD&C red #40, FD&C yellow #6, hypromellose, lactose anhydrous, magnesium stearate, polyethylene glycol, stearic acid, titanium dioxide
F113102BST_R0
Best Choice®
Non-Drowsy
MAXIMUM STRENGTH
NASAL DECONGESTANT PE
COMPARE TO THE ACTIVE INGREDIENT IN SUDAFED PE® CONGESTION†
Actual Size
Phenylephrine HCl
For Relief of:
· Sinus Pressure
· Congestion
18 TABLETS
10 mg EACH
† This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Sudafed PE® Congestion.
PROUDLY DISTRIBUTED BY:
VALU MERCHANDISERS, CO.
5000 KANSAS AVE.
KANSAS CITY, KS 66106
Best Choice. 100% Guaranteed
www.bestchoicebrand.com
Report serious side effects to:
681 Main Street, Lumberton, NJ 08048
DO NOT USE IF BLISTER UNITS ARE TORN OR BROKEN
0 70038 60669 7
BEST CHOICE

NASAL DECONGESTANT PE

phenylephrine hydrochloride tablet, coated

Product Information			
Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:63941-331
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	**Basis of Strength**	**Strength**
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

Inactive Ingredients	
Ingredient Name	**Strength**
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WQ0SDW1A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics			
Color	red	**Score**	no score
Shape	ROUND	**Size**	7mm
Flavor		**Imprint Code**	A;131
Contains			

Packaging				
#	**Item Code**	**Package Description**	**Marketing Start Date**	**Marketing End Date**
1	NDC:63941-331-02	1 in 1 PACKAGE	03/15/2017	02/28/2025
1		18 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:63941-331-03	2 in 1 CARTON	03/07/2017	02/28/2025
2		18 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/07/2017	02/28/2025

Labeler - VALU MERCHANDISERS COMPANY (868703513)

Revised: 12/2024 VALU MERCHANDISERS COMPANY