

**STOOL SOFTENER EXTRA STRENGTH- docusate sodium capsule, liquid filled**  
**Rite Aid Corporation**

-----  
**Drug Facts**

**Active ingredient (in each softgel)**

Docusate sodium 250 mg

**Purpose**

Stool softener laxative

**Uses**

- for relief of occasional constipation
- this product generally produces a bowel movement within 12 to 72 hours

**Warnings**

**Do not use**

if you are presently taking mineral oil, unless directed by a doctor.

**Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

**Stop use and ask a doctor if**

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- adults and children 12 years of age and over: take 1 softgel daily or as directed by a doctor
- children under 12 years of age: ask a doctor

**Other information**

- **each softgel contains:** sodium 15 mg
- store at 20-25°C (68-77°F); excursions permitted between 15-30°C (59-86°F)

**Inactive ingredients**

edible white ink, FD&C red #40, FD&C yellow #6, gelatin, glycerin, mannitol, polyethylene glycol, propylene glycol, purified water, sorbitan, sorbitol

**Questions or comments?**

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

**Principal Display Panel**

EXTRA STRENGTH

STOOL SOFTENER LAXATIVE

COL•RITE

DOCUSATE SODIUM 250 mg

Stimulant free

Relief of occasional constipation

SOFTGELS

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS  
BROKEN OR MISSING.**

**DISTRIBUTED BY:**

RITE AID,

200 NEWBERRY COMMONS

ETTERS, PA 17319

**Package Label**



**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

**Drug Facts**

**Active ingredient (in each softgel)**  
 Docusate sodium 250 mg..... Stool softener laxative

**Uses**  
 ■ for relief of occasional constipation  
 ■ this product generally produces a bowel movement within 12 to 72 hours

**Warnings**  
 Do not use if you are presently taking mineral oil, unless directed by a doctor.  
 Ask a doctor before use if you have  
 ■ stomach pain ■ nausea ■ vomiting  
 ■ noticed a sudden change in bowel habits that lasts over 2 weeks  
 Stop use and ask a doctor if  
 ■ you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.  
 ■ you need to use a laxative for more than 1 week  
 If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ adults and children 12 years of age and over: take 1 softgel daily or as directed by a doctor  
 ■ children under 12 years of age: ask a doctor

**Other information**  
 ■ each softgel contains sodium 15 mg  
 ■ store between 20-25°C (68-77°F); excursions permitted between 15-30°C (59-86°F)

**Inactive ingredients** edible white ink, FD&C red #40, FD&C yellow #6, gelatin, glycerin, mannitol, polyethylene glycol, propylene glycol, purified water, sorbitan, sorbitol

**Questions or comments?** Call 1-877-733-3635 Monday-Friday 9AM-5PM EST

**DISTRIBUTED BY:** RITE AID,  
 200 NEUBERRY COMMONS  
 ETTES, PA 17319  
 www.riteaid.com

**SATISFACTION GUARANTEE**  
 If you're not satisfied, we'll happily refund your money.

PLD-H610A Lot No.: Exp. Date:  
 LB008614

0 11822 48922 5

**RITE AID Extra Strength Stool Softener Laxative**

**STOOL SOFTENER EXTRA STRENGTH**

docusate sodium capsule, liquid filled

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11822-3489
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII: M7P27195AG)	DOCUSATE SODIUM	250 mg

**Inactive Ingredients**

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
MANNITOL (UNII: 3OWL53L36A)	
SORBITAN (UNII: 6O921CV9RU)	

**Product Characteristics**

<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	20mm

<b>Flavor</b>		<b>Imprint Code</b>	P20	
<b>Contains</b>				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-3489-6	250 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/29/2020	
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M007	05/29/2020		

**Labeler** - Rite Aid Corporation (014578892)

Revised: 5/2024

Rite Aid Corporation