

**LACTIFENCE- lactic acid solution**  
**DeLaval Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**DeLaval Lactifence**

**Sanitizing barrier teat dip**

*Sellador desinfectante de barrera*

**ACTIVE INGREDIENTS:**

Lactic Acid .....3.5%

Emollient ..... 10.0% sorbitol

1142-D1215

LA

**NPE FREE** Formula

**KEEP OUT OF REACH OF CHILDREN**

**! CAUTION**

**MANTENER FUERA DEL ALCANCE DE LOS NINOS**

**! CUIDADO**

**SI USTED NO PUEDE LEER ESTA ETIQUETA, POR FAVOR PIDA A ALGUIEN MAS QUE SE LA LEA ANTES DE USAR ESTE PRODUCTO**

**READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS PRODUCT**

**FIRST AID**

**Eye Contact:** Flush with water. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Get immediate medical attention.

**If Swallowed:** Do not induce vomiting. If victim is fully conscious, give large quantity of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.

**STORAGE AND DISPOSAL**

**THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN.** Avoid contact with food or feed. Avoid storing near heat or open flame. Keep container tightly closed when not in use. If product has frozen, thaw in a warm room and shake well before use. Do not reuse empty container. Rinse empty container before disposing of in a safe manner. Do not store in direct sunlight.

**CHEM-TREC EMERGENCY NUMBER 1-800-424-9300**

**Not For Human Use**

**Additional Information on Material Safety Data Sheet**

## **GENERAL INSTRUCTIONS**

- Use solution at full strength. Do not dilute.
- Consult your veterinarian before using a teat dip on a cow with sore or chapped teats.
- Thoroughly clean and sanitize teat dip cup before milking
- Use fresh teat dip for each milking. Dip solution should be changed if it becomes visibly dirty, or if sediment is introduced. Do not pour used teat dip back into original container.
- Do not use for cleaning or sanitizing equipment.
- To discard unused teat dip, dilute with water and pour down the drain.

## **POST-DIPPING**

- Immediately after removing inflations, dip cow's teats with Lactifence. Do not wipe.
- If outside temperature is below freezing, allow dip to air-dry on cow's teats before cow is released outside. Failure to follow these directions may result in frozen teats and injured animals.

## **PRIOR TO MILKING**

- Before attaching the milking unit, be sure that the teats are free of manure, soil, or any barrier film from the previous milking. This may be accomplished by using a minimal amount of water of the teats only or pre-dipping with a protocol tested teat dip and then dry the teats thoroughly with a single-service paper or cloth towel.

Manufactured for: **DeLaval, Inc.**

11100 N. Congress Avenue

Kansas City, MO 64153

Phone: 816-891-7700

Manufactured by: WestAgro, Inc.

©2018, Made in USA

**NET CONTENTS:**

**LOT NO.:**

**EXP. DATE:**



KEEP OUT OF REACH OF CHILDREN



MANTENER FUERA DEL ALCANCE DE LOS NIÑOS



1142

NDC 55756-142

SI USTED NO PUEDE LEER ESTA ETIQUETA, POR FAVOR PIDA A ALGUIEN MAS QUE SE LA LEA ANTES DE USAR ESTE PRODUCTO

READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS PRODUCT

FIRST AID

Eye Contact: Flush with water. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Get immediate medical attention.

If Swallowed: Do not induce vomiting. If victim is fully conscious, give large quantity of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.

STORAGE AND DISPOSAL

THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contact with food or feed. Avoid storing near heat or open flame. Keep container tightly closed when not in use. If product has frozen, thaw in a warm room and shake well before use. Do not reuse empty container. Rinse empty container before disposing of in a safe manner. Do not store in direct sunlight. To discard unused teat dip, dilute with water and pour down the drain.

CHEM-TREC EMERGENCY NUMBER 1-800-424-9300

Not For Human Use

Additional Information on Safety Data Sheet

GENERAL INSTRUCTIONS

- LactiFence™ is a highly visible, persistent barrier post-dip with extended disinfection while hydrating and softening teats.
Use LactiFence™ at full strength. Do not dilute.
Consult your veterinarian before using a teat dip on a cow with sore or chapped teats.
Thoroughly clean and sanitize teat dip cup before milking.
Use fresh teat dip for each milking. Dip solution should be changed if it becomes visibly dirty, or if sediment is introduced. Do not pour used teat dip back into original container.
Do not use for cleaning or sanitizing equipment.
Discard any teat dip that becomes contaminated for any reason.

PRE-DIPPING

- For optimal removal of organic debris and to remove any residual LactiFence™ barrier film, use a DeLaval approved pre-dip following label instructions.

POST-DIPPING

- Immediately after removing inflations, dip cow's teats with LactiFence™.
Do not wipe.
If outside temperature is below freezing, allow dip to air-dry on cow's teats before cow is released outside. Failure to follow these directions may result in frozen teats and injured animals.

Manufactured for: DeLaval, Inc. NET CONTENTS: 55 US GAL. (208.2 L)
11100 N. Congress Avenue
Kansas City, MO 64153
Phone: 816-891-7700
Manufactured by: WestAgro, Inc., EXP. DATE:
© 2018, Made in USA

LOT NO.:

EXP. DATE:



7 320461 146424 >

LactiFence™

Sanitizing barrier teat dip

Aids in reducing the spread of mastitis-causing organisms

Sellador desinfectante de barrera

Ayuda a reducir la transmisión de microorganismos que causan mastitis

ACTIVE INGREDIENTS:

Lactic Acid ..... 3.5%
Emollient..... 10.0% sorbitol



LACTIFENCE

lactic acid solution

Product Information

Table with 4 columns: Product Type, OTC ANIMAL DRUG, Item Code (Source), NDC:55756-131; Route of Administration, TOPICAL

Active Ingredient/Active Moiety

Table with 3 columns: Ingredient Name, Basis of Strength, Strength; Lactic Acid (UNII: 33X04XA5AT) (Lactic Acid - UNII:33X04XA5AT), Lactic Acid, 42.17 g in 1 L; Sorbitol (UNII: 506T60A25R) (Sorbitol - UNII:506T60A25R), Sorbitol, 0.15 g in 1 L

Packaging

Table with 5 columns: #, Item Code, Package Description, Marketing Start Date, Marketing End Date; 1 NDC:55756-131-08 18.9 L in 1 PAIL; 2 NDC:55756-131-02 56.8 L in 1 DRUM; 3 NDC:55756-131-01 208.2 L in 1 DRUM; 4 NDC:55756-131-27 1040.9 L in 1 DRUM

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		05/29/2012	

**Labeler** - DeLaval Inc. (173704867)

**Registrant** - West Agro, Inc. (069288728)

## Establishment

Name	Address	ID/FEI	Business Operations
West Agro, Inc.		147528723	manufacture, api manufacture, analysis, label, pack

## Establishment

Name	Address	ID/FEI	Business Operations
K Klean dba West Agro, Inc.		002222368	manufacture, analysis, label, pack

## Establishment

Name	Address	ID/FEI	Business Operations
West Agro, Inc.		095906480	manufacture, api manufacture, label, analysis, pack

## Establishment

Name	Address	ID/FEI	Business Operations
Dairy Supply Service Inc.		079912628	repack

## Establishment

Name	Address	ID/FEI	Business Operations
Graham Dairy Supply Inc		014157770	repack

## Establishment

Name	Address	ID/FEI	Business Operations
West Agro, Inc.		069288728	api manufacture, manufacture, pack, label

Revised: 12/2021

DeLaval Inc.