

**ALLERGY PLUS SINUS RELIEF- diphenhydramine hcl and phenylephrine
hcl tablet, film coated
Rite Aid Corporation**

Rite Aid 44-485

Active ingredients (in each tablet)

Diphenhydramine HCl 25 mg
Phenylephrine HCl 10 mg

Purpose

Antihistamine
Nasal decongestant

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - nasal congestion
 - runny nose
 - sneezing
 - itching of the nose or throat
 - itchy, watery eyes
- temporarily relieves these symptoms due to the common cold:
 - nasal congestion
 - runny nose
 - sneezing
- temporarily relieves sinus congestion and pressure

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- heart disease
- diabetes
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

- glaucoma
- thyroid disease

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- **do not exceed recommended dosage**
- excitability may occur, especially in children
- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- symptoms do not improve within 7 days or are accompanied by fever
- nervousness, dizziness, or sleeplessness occur

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- adults and children 12 years and over
 - take 1 tablet every 4 hours
 - do not take more than 6 tablets in 24 hours
- children under 12 years: do not use

Other information

- **each tablet contains:** calcium 25 mg
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #1 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, silicon dioxide, stearic acid, titanium dioxide, triacetin

Questions or comments?

1-800-426-9391

Principal display panel

Compare to the active ingredients in
Benadryl® Allergy Plus Congestion*

**ALLERGY PLUS
SINUS RELIEF
PHENYLEPHRINE HCl
DIPHENHYDRAMINE HCl**

ANTIHISTAMINE
NASAL DECONGESTANT
RELIEF OF

Sneezing, runny nose, sinus congestion,
sinus pressure, itchy throat,
& itchy, watery eyes

24
TABLETS

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Benadryl® Allergy Plus Congestion. 50844 ORG122048508

DISTRIBUTED BY:
RITE AID, 200 NEWBERRY COMMONS,
ETTERS, PA 17319 www.riteaid.com

SATISFACTION GUARANTEE: If you're not satisfied, we'll happily refund your money.

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

ALLERGY PLUS SINUS RELIEF

DIPHENHYDRAMINE HCl · PHENYLEPHRINE HCl
ANTI-HISTAMINE · NASAL DECONGESTANT

NDC 11822-0485-8

Compare to the active ingredients in
Benadryl® Allergy Plus Congestion*

ALLERGY PLUS SINUS RELIEF

DIPHENHYDRAMINE HCl
PHENYLEPHRINE HCl

ANTI-HISTAMINE
NASAL DECONGESTANT

RELIEF OF
Sneezing, runny nose, sinus congestion,
sinus pressure, itchy throat,
& itchy, watery eyes

ACTUAL SIZE

24
TABLETS



ALLERGY PLUS
SINUS RELIEF
DIPHENHYDRAMINE HCl · PHENYLEPHRINE HCl
ANTI-HISTAMINE · NASAL DECONGESTANT

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS
OPENED OR IF BLISTER UNIT IS TORN, BROKEN
OR SHOWS ANY SIGNS OF TAMPERING

no print / no varnish area
lot no. & exp. date



*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Benadryl® Allergy Plus Congestion. 50844 016122048508
DISTRIBUTED BY:
RITE AID, 200 NEWBERRY COMMONS,
LETTERS, PA 17319 www.riteaid.com
SATISFACTION GUARANTEE: If you're not
satisfied, we'll happily refund your money.

P-1170-485-00-R3
016122048508

Questions or comments? 1-800-426-9391

Drug Facts (continued)
microcrystalline cellulose, polydextrose, polyethylene glycol, silicon dioxide, stearic acid, titanium dioxide, triacetin

Warnings

- Do not use
- If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- with any other product containing diphenhydramine, even one used on skin
- Ask a doctor before use if you have
- difficulty in urination due to enlargement of the prostate gland
- diabetes
- thyroid disease
- heart disease
- glaucoma
- high blood pressure
- a breathing problem such as emphysema or chronic bronchitis
- Ask a doctor or pharmacist before use if you are taking
- sedatives or tranquilizers.

Directions

- do not take more than directed
- adults and children 12 years and over
- take 1 tablet every 4 hours
- do not take more than 6 tablets in 24 hours
- children under 12 years: do not use

Other information

- each tablet contains: calcium 25 mg
- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

- croscarmellose sodium,
- aluminum lake, hypromellose, magnesium stearate,

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

If pregnant or breast-feeding, ask a health professional before use.

symptoms do not improve within 7 days or are accompanied by fever

nervousness, dizziness, or sleeplessness occur



Rite Aid 44-485

ALLERGY PLUS SINUS RELIEF

diphenhydramine hcl and phenylephrine hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0485
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	

Product Characteristics

Color	blue	Score	no score
Shape	OVAL	Size	11mm
Flavor		Imprint Code	44;485
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0485-8	2 in 1 CARTON	08/10/2005	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	08/10/2005	

Labeler - Rite Aid Corporation (014578892)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(11822-0485) , pack(11822-0485)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(11822-0485)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(11822-0485)

Revised: 4/2024

Rite Aid Corporation