

EQUATE HEALTH NON DROWSY DAY COLD AND FLU PLUS AND NIGHTTIME COLD AND FLU PLUS- acetaminophen, dextromethorphan hydrobromide, doxylamine succinate, phenylephrine hydrochloride
Wal-Mart Stores Inc

Equate Non Drowsy DAY Cold and Flu Formula and NIGHTTIME Cold and Flu Formula

Active ingredients (in each softgel)

Equate Health COLD & FLU FORMULA DAY NON-DROWSY

Acetaminophen 325 mg
Dextromethorphan hydrobromide 10 mg
Phenylephrine hydrochloride 5 mg

Equate Health COLD & FLU FORMULA NIGHT

Acetaminophen 325 mg
Dextromethorphan hydrobromide 10 mg
Phenylephrine hydrochloride 5 mg

Purposes

DAY COLD & FLU FORMULA

Pain reliever/fever reducer
Cough suppressant
Nasal decongestant

NIGHT COLD & FLU FORMULA

Pain reliever/fever reducer
Cough suppressant
Antihistamine
Nasal decongestant

Uses

DAY COLD & FLU FORMULA

temporarily relieves these symptoms due to a cold or flu:
minor aches and pains
headache
cough
sore throat
nasal and sinus congestion
temporarily reduces fever

NIGHT COLD & FLU FORMULA

Pain reliever/fever reducer

Cough suppressant

Antihistamine

Nasal decongestant

undefined

Liver warning

DAY COLD & FLU FORMULA

These products contain acetaminophen. Severe liver damage may occur if you take

- more than 10 softgels in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Sore throat warning

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

NIGHTTIME COLD & FLU FORMULA

Liver warning

These products contain acetaminophen. Severe liver damage may occur if you take

- more than 10 softgels in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Sore throat warning

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters

- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use to sedate children.

Do not use

DAY COLD & FLU FORMULA

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients
- in children under 12 years of age

NIGHTTIME COLD & FLU FORMULA

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients
- in children under 12 years of age

Ask a doctor before use if you have

DAYTIME COLD & FLU FORMULA

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- cough with excessive phlegm (mucus)
- difficulty in urination due to enlargement of the prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema

NIGHTTIME COLD & FLU FORMULA

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- glaucoma
- cough with excessive phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis

- difficulty in urination due to enlargement of the prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema

DAYTIME COLD & FLU FORMULA

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

NIGHTTIME COLD & FLU FORMULA

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

DAYTIME COLD & FLU FORMULA

When using this product do not exceed recommended dosage

NIGHTTIME COLD & FLU FORMULA

- do not exceed recommended dosage
- may cause marked drowsiness
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

DAYTIME COLD & FLU FORMULA

- pain, cough, or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition.

- nervousness, dizziness, or sleeplessness occurs

NIGHTTIME COLD & FLU FORMULA

- pain, cough, or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition.

- nervousness, dizziness, or sleeplessness occurs

If pregnant or breast-feeding, ask a health professional before use.

If pregnant or breast-feeding, ask a health professional before use.

Directions

DAY COLD & FLU FORMULA

- do not take more than the recommended dose
- adults and children 12 years and over: take 2 softgels with water every 4 hours. Do not exceed 10 softgels in 24 hours or as directed by a doctor.
- children under 12 years: do not use

NIGHTTIME COLD & FLU FORMULA

- do not take more than the recommended dose
- adults and children 12 years and over: take 2 softgels with water every 4 hours. Do not exceed 10 softgels in 24 hours or as directed by a doctor.
- children under 12 years: do not use

Other information

- store at room temperature. Avoid excessive heat.

Inactive ingredients

DAY COLD & FLU FORMULA

FD&C Red# 40, FD&C Yellow# 6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol sorbitan, titanium dioxide

NIGHTTIME COLD & FLU FORMULA

D&C Yellow No. 10, FD&C Blue No. 1, gelatin, glycerin, polyethylene glycol-400, povidone, propylene glycol, purified water, shellac, sorbitol sorbitan, sodium hydroxide, titanium dioxide

Questions or comments?

1-888-287-1915

Principal Display Panel

Equate NON-DROWSY DAY Cold & Flu Formula and NIGHTTIME Cold & Flu Formula 20ct

Compare to the active ingredients in

Alka-Seltzer PLUS® Day and Night Cold and Flu Formula*

NON-DROWSY DAY

Cold & Flu Formula

ACETAMINOPHEN- Pain reliever; Fever reducer

DEXTROMETHORPHAN HBr - Cough suppressant

PHENYLEPHRINE HCl - Nasal decongestant

Relieves:

Nasal congestion; Cough;

Headache & body ache;

Sore throat; Sinus pressure

12 SOFTGELS

NIGHTTIME

Cold & Flu Formula

ACETAMINOPHEN- Pain reliever; Fever reducer

DEXTROMETHORPHAN HBr - Cough suppressant

DOXYLAMINE SUCCINATE - Antihistamine

PHENYLEPHRINE HCl - Nasal decongestant

Relieves:

Nasal congestion; Cough;

Headache & body ache;

Sore throat; Runny nose

8 SOFTGELS

THIS PRODUCT IS PACKAGED IN A CHILD-RESISTANT AND
TAMPER-EVIDENT PACKAGE. USE ONLY IF BLISTERS ARE INTACT

*This product is not manufactured or distributed by Bayer

Healthcare LLC, owner of the registered trademark

Alka-Seltzer PLUS® Day and Night Cold and Flu Formula



EQUATE HEALTH NON DROWSY DAY COLD AND FLU PLUS AND NIGHTTIME COLD AND FLU PLUS

acetaminophen, dextromethorphan hydrobromide, doxylamine succinate, phenylephrine hydrochloride kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79903-133
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79903-133-20	1 in 1 CARTON; Type 1: Convenience Kit of Co-Package	08/11/2022	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BLISTER PACK	12
Part 2	1 BLISTER PACK	8

Part 1 of 2

EQUATE HEALTH DAY COLD AND FLU PLUS

acetaminophen, dextromethorphan hydrobromide, phenylephrine hydrochloride capsule, liquid filled

Product Information

Item Code (Source)	NDC:79903-149
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE	5 mg
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SORBITOL (UNII: 506T60A25R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	red	Score	no score
-------	-----	-------	----------

Shape	OVAL	Size	21mm
Flavor		Imprint Code	512;A09
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		1 in 1 CARTON		
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	08/11/2022	

Part 2 of 2

EQUATE HEALTH NIGHTTIME COLD AND FLU PLUS

acetaminophen, dextromethorphan hydrobromide, doxylamine succinate, phenylephrine hydrochloride capsule, liquid filled

Product Information

Item Code (Source)	NDC:79903-150
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE	5 mg
DOXYLAMINE SUCCINATE (UNII: V9BI9B5Y12) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	6.25 mg

Inactive Ingredients

Ingredient Name	Strength
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	

POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SORBITOL (UNII: 506T60A25R)	
SORBITAN (UNII: 6O921CV9RU)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	green	Score	no score
Shape	OVAL	Size	21mm
Flavor		Imprint Code	116;A07
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		1 in 1 CARTON		
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	08/11/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	08/11/2022	

Labeler - Wal-Mart Stores Inc (051957769)