

MILK FEVER- milk fever calcium liquid
Radix Laboratories, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

Milk Fever

• **CONTENTS (per 360ml):**

- Calcium Chloride (as anhydrous).....10.0g
- Phosphates.....6.2g
- Potassium.....4.5g
- Magnesium (as Chloride 6 H₂O USP).....3.0g
- Total Calcium Ions = 45 gms

• **Inactives:**

- HEC, Molasses, Purified Water, Sodium Benzoate

• **MEq VALUES:**

- Calcium.....2252 MEq
- Magnesium.....246 MEq
- Phosphate.....66.0 MEq
- Potassium.....120 MEq

INDICATIONS:

- A supplemental source of calcium, phosphorus, magnesium, and potassium as an oral follow-up to milk fever therapy in cattle.

Storage:

- Store at controlled room temperature between 59°F to 86°F (15°C -30°C).

Warning:

- Shake well before use
- Administer with care to avoid aspiration.
- FOR ANIMAL USE ONLY

Dosage and administration:

- Administer orally at the rate of 1 fluid ounce per 100 pounds animal body weight or as directed by your veterinarian.
- No milk withdrawal
- No slaughter withdrawal
- Keep away from children.

Current MFDR Gallon Label

CONTENTS (per 360 mL):

Calcium Chloride (as anhydrous)	126.0g.
Phosphates	6.2 g.
Magnesium (as Chloride 6(H ₂ O))	3.0 g.
Potassium (as Chloride USP)	3.0 g.
Total Calcium ions = 45 gms.	
inactives HEC, molasses and purified water and sodium benzoate	

MEq VALUES:

Calcium	2270 MEq
Phosphate	66.0 MEq
Magnesium	246 MEq
Potassium	80.5 MEq

INDICATIONS:

A supplemental source of Calcium, Phosphorus, Magnesium and Potassium as an oral follow-up to milk fever therapy in cattle.

DOSAGE & ADMINISTRATION:

Administer orally at the rate of 1 fl. oz. Per 100 lbs. animal body weight or as directed by your veterinarian.
-No milk withdrawal.
-No slaughter withdrawal.

NDC: 50480-130-40



**MILK FEVER
DRENCH**

with

35%

CALCIUM CHLORIDE

FOR ANIMAL USE ONLY

**MOLASSES FLAVORED
1 GALLON (3.79 LITERS)**

PRECAUTIONS:

- 1) Shake well before use.
- 2) Administer with care to avoid aspiration.

STORAGE:

Store at controlled room temperature between 59° F to 86° F (15° C to 30° C)

KEEP OUT OF REACH OF CHILDREN

MANUFACTURED BY:

Radix Laboratories, Inc.
1334 International Drive
Eau Claire, WI 54701

Item Image



MILK FEVER

milk fever calcium liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:50480-130
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM CHLORIDE (UNII: M410D6VV5M) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CHLORIDE	125 g in 360 mL
SODIUM HYPOPHOSPHITE (UNII: 8TU1537O43) (HYPOPHOSPHITE ION - UNII:238U65NZ04)	SODIUM HYPOPHOSPHITE MONOHYDRATE	6.2 g in 360 mL

MAGNESIUM CHLORIDE (UNII: 02F3473H9O) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CHLORIDE	3.0 g in 360 mL
POTASSIUM CHLORIDE (UNII: 660YQ98I10) (POTASSIUM CATION - UNII:295O53K152)	POTASSIUM CHLORIDE	4.5 g in 360 mL

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50480-130-40	4 in 1 CARTON		
1		3785 mL in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/27/2013	

Labeler - Radix Laboratories, Inc. (108500091)

Revised: 12/2014

Radix Laboratories, Inc.