

UNBLEMISH SHINE FREE- titanium dioxide, zinc oxide lotion

Rodan & Fields

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients

Titanium Dioxide 3%

Zinc Oxide 14%

Purpose

Sunscreen

Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use

- On damaged or broken skin.

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

- If rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeve shirts, pants, hats and sunglasses.
- Children under 6 months: Ask a doctor.

Other Information

Protect this product from excessive heat and direct sun.

Inactive Ingredients

Water, Cyclopentasiloxane, Dimethicone, Butyloctyl Salicylate, PEG-10 Dimethicone, Pentylene Glycol, Cetearyl Alcohol, Styrene/Acrylates Copolymer, Butylene Glycol, Hexyl Laurate, Polysilicone-11, Tocopheryl Acetate, Boerhavia Diffusa Root Extract, Sodium PCA, Tetrahexyldecyl Ascorbate, PEG-60 Almond Glycerides, Nordihydroguaiaretic Acid, Cholesterol, Glycerin, Sorbitan Stearate, Oleanolic Acid, Polyglyceryl-4 Isostearate, Sorbitan Isostearate, Squalane, Stearic Acid, Fragrance, Alumina, Carbomer, Ceteth-10 Phosphate, Dicaprylyl Phosphate, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Hydroxypropyl Methylcellulose Stearoyl Ether, Ammonium Polyacryloyldimethyl Taurate, Polysorbate 10, Polysorbate 60, Polysorbate 80, Isohexadecane, Xanthan Gum, Disodium EDTA, Sodium Hydroxide, Sodium Metabisulfite, Caprylyl Glycol, 1,2-Hexanediol, Chlorphenesin, Phenoxyethanol, Limonene, Linalool, Citronellol, Geraniol.

Questions

1-888-995-5656

Principal Display Panel - 30 mL Carton Label

RODAN+FIELDS

UNBLEMISH

4 Shine-Free

Lotion

Broad Spectrum

SPF 20 Sunscreen

RODAN+FIELDS

30 mL/1.0 Fl. Oz. U.S.

life-changing
SKINCARE

Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 3%	Sunscreen
Zinc Oxide 14%	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use

- On damaged or broken skin.

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

- If rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.–2 p.m.

Drug Facts (continued)

- Wear long-sleeve shirts, pants, hats and sunglasses.
- Children under 6 months: Ask a doctor.

Other Information

Protect this product from excessive heat and direct sun.

Inactive Ingredients

Water, Cyclopentasiloxane, Dimethicone, Butyloctyl Salicylate, PEG-10 Dimethicone, Pentylene Glycol, Cetearyl Alcohol, Styrene/Acrylates Copolymer, Butylene Glycol, Hexyl Laurate, Polysilicone-11, Tocopheryl Acetate, Boerhavia Diffusa Root Extract, Sodium PCA, Tetrahexyldecyl Ascorbate, PEG-60 Almond Glycerides, Nordihydroguaiaretic Acid, Cholesterol, Glycerin, Sorbitan Stearate, Oleoic Acid, Polyglyceryl-4 Isostearate, Sorbitan Isostearate, Squalane, Stearic Acid, Fragrance, Alumina, Carbomer, Ceteth-10 Phosphate, Dicyetyl Phosphate, Dimethicone/Vinyl Dimethicone Cross-polymer, Dimethiconol, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Hydroxypropyl Methylcellulose Stearoxy Ether, Ammonium Polyacryloyldimethyl Taurate, Polysorbate 20, Polysorbate 60, Polysorbate 80, Isohexadecane, Xanthan Gum, Disodium EDTA, Sodium Hydroxide, Sodium Metabisulfite, Caprylyl Glycol, 1,2-Hexanediol, Chlorphenesin, Phenoxyethanol, Limonene, Linalool, Citronellol, Geraniol.

Questions 1-888-995-5656

Dist. Rodan & Fields, LLC
San Francisco, CA 94105
UNSS030 8000-07-0024 (6000-07-0011) 0A
Please Recycle

RODAN+FIELDS
UNBLEMISH

4 Shine-Free
Lotion

Broad Spectrum
SPF 20 Sunscreen

RODAN+FIELDS

30 mL / 1.0 Fl. Oz. U.S.

Step 4 in the **UNBLEMISH** Regimen for Adult Acne and Visible Signs of Aging

This mattifying, oil-free sunscreen is designed specifically for acne-prone skin. Shine-free formula reduces the appearance of oily skin as it defends against UVA and UVB rays that intensify the appearance of acne marks and uneven skin tone. Vitamin C brightens skin for a smoother, healthier-looking complexion.

For best results, use as part of the complete **UNBLEMISH** Regimen.

Developed by Stanford-trained Dermatologists Dr. Katie Rodan and Dr. Kathy Fields.

rodanandfields.com



Principal Display Panel - 30 mL Tube Label

RODAN+FIELDS

UNBLEMISH

4 Shine-Free
Lotion

Broad Spectrum

SPF 20 Sunscreen

RODAN+FIELDS
UNBLEMISH

4

Shine-Free
Lotion

Broad Spectrum
SPF 20 Sunscreen

ACTIVE INGREDIENTS: Titanium Dioxide 3%,
Zinc Oxide 14% — Sunscreens

USES: Helps prevent sunburn.

DIRECTIONS: Apply a generous amount evenly
over the entire face every morning, 15 minutes
before sun exposure, as the final step in the
Regimen. Reapply every 2 hours when exposed
to the sun. Avoid the eye area.

WARNINGS: For external use only. Do not use
on damaged or broken skin. Stop use and see
your doctor if a rash occurs. When using this
product, keep out of eyes. Rinse with water to
remove. Keep out of reach of children. If product
is swallowed, get medical help or contact a
Poison Control Center right away.

Dist. Rodan & Fields, LLC

San Francisco, CA 94105

UNSS030 8500-07-0004 (6000-07-0010) 0A

QUESTIONS 1-888-995-5656

rodanandfields.com

30 mL / 1 Fl. Oz.

UNBLEMISH SHINE FREE

titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14222-2130
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.03 g in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.14 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
DIMETHICONE (UNII: 92RU3N3Y10)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
ALUMINUM OXIDE (UNII: LM26O6933)	
BOERHAVIA DIFFUSA ROOT (UNII: KR0SR09KYL)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CARBOXYPOLYMETHYLENE (UNII: 0A5MM307FC)	
CETETH-10 PHOSPHATE (UNII: 4E05O5N49G)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
DIHEXADECYL PHOSPHATE (UNII: 2V6E5WN99N)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
DIMETHICONOL (600000 CST) (UNII: RK13S914RT)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
ISOHEXADECANE (UNII: 918X10UF1E)	
OLEANOLIC ACID (UNII: 6SMK8R7TGJ)	
PEG-100 STEARATE (UNII: YD01N1999R)	
PEG-60 ALMOND GLYCERIDES (UNII: 4Y0E651N0F)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	

SQUALANE (UNII: GW89575KF9)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
XANTHAN GUM (UNII: TTV12P4NEE)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)	
GERANIOL (UNII: L837108USY)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14222-2130-1	1 in 1 CARTON	02/13/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/13/2019	

Labeler - Rodan & Fields (051659584)

Revised: 2/2019

Rodan & Fields