

## **7 SELECT NIGHT TIME SLEEP AID- diphenhydramine hcl solution**

### **7-Eleven**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **7-Eleven Night Time Sleep-Aid Drug Facts**

#### **Active ingredient (in each 30 mL)**

Diphenhydramine HCl 50 mg

#### **Purpose**

Nighttime sleep-aid

#### **Uses**

- for the relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

#### **Warnings**

##### **Do not use**

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

##### **Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to an enlargement of the prostate gland

##### **Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers

##### **When using this product**

- avoid alcoholic beverages

##### **Stop use and ask a doctor if**

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.

##### **If pregnant or breast-feeding,**

ask a health professional before use.

##### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### Directions

- take only one dose per day (24 hours)
- only use the dose cup provided

adults & children 12 yrs & over	30 mL at bed time if needed or as directed by a doctor
children under 12 yrs	do not use

### Other information

- each 30 mL contains: sodium 20 mg
- store at 20-25°C (68-77°F)

### Inactive ingredients

alcohol, anhydrous citric acid, FD&C blue #1, FD&C red #40, flavor, high fructose corn syrup, poloxamer 407, propylene glycol, purified water, saccharin sodium, sodium benzoate, sodium citrate

### Questions or comments?

1-800-719-9260

### Package/Label Principal Display Panel

Compare to Vicks® ZzzQuil® active ingredient

QUALITY GUARANTEED

Night Time

Sleep-Aid

#1 Doctor recommended sleep-aid

active ingredient

Diphenhydramine HCl

50 mg per 30 mL

Non-Habit Forming

Not for treating Cold or Flu

Berry Flavor

ALCOHOL 10%

6 FL OZ (177 mL)



0 52548 55493 4

1 86630 SD F3

\*This product is not manufactured or distributed by Procter & Gamble, distributor of Vicks® ZzzQuil®.  
 \*\*Of U.S. physicians surveyed by an independent market research firm.

DISTRIBUTED BY 7-ELEVEN, INC.  
 IRVING, TX 75063  
 WWW.7-ELEVEN.COM

Satisfaction Guaranteed  
 1-800-255-0711



Compare to  
**Vicks® ZzzQuil®**  
 active ingredient\*



# Night Time Sleep-Aid

#1 Doctor recommended sleep-aid active ingredient\*\*  
 Diphendramine HCl  
 50 mg per 30 mL  
 Non-Habit Forming  
 Not for treating Cold or Flu

**Berry Flavor**

ALCOHOL 10%      6 FL OZ (177 mL)

**DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING**

**Drug Facts**

Active ingredient (in each 30 mL)	Purpose
Diphendramine HCl 50 mg.....	Nighttime sleep-aid

**Uses**

- for the relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

**Warnings**

**Do not use**

- for children under 12 years of age
- with any other product containing diphendramine, even one used on skin

**PEEL BACK FOR DRUG FACTS** →

<p><b>Drug Facts (continued)</b></p> <p><b>Ask a doctor before use if you have</b></p> <ul style="list-style-type: none"> <li>■ a breathing problem such as emphysema or chronic bronchitis</li> <li>■ glaucoma</li> <li>■ difficulty in urination due to enlargement of the prostate gland</li> </ul> <p><b>Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers</b></p> <p><b>When using this product</b></p> <ul style="list-style-type: none"> <li>■ avoid alcoholic beverages</li> </ul> <p><b>Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks.</b> Insomnia may be a symptom of serious underlying medical illness.</p> <p><b>If pregnant or breast-feeding, ask a health professional before use.</b></p>	<p><b>Drug Facts (continued)</b></p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).</p> <p><b>Directions</b></p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;"> <ul style="list-style-type: none"> <li>■ take only one dose per day (24 hours)</li> <li>■ only use the dose cup provided</li> </ul> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">adults &amp; children 12 yrs &amp; over</td> <td style="width: 50%;">30 mL at bed time if needed or as directed by a doctor</td> </tr> <tr> <td>children under 12 yrs</td> <td>do not use</td> </tr> </table> </td> <td style="width: 50%;"> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>■ each 30 mL contains: sodium 20 mg</li> <li>■ store at 20-25°C (68-77°F)</li> </ul> </td> </tr> </table>	<ul style="list-style-type: none"> <li>■ take only one dose per day (24 hours)</li> <li>■ only use the dose cup provided</li> </ul> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">adults &amp; children 12 yrs &amp; over</td> <td style="width: 50%;">30 mL at bed time if needed or as directed by a doctor</td> </tr> <tr> <td>children under 12 yrs</td> <td>do not use</td> </tr> </table>	adults & children 12 yrs & over	30 mL at bed time if needed or as directed by a doctor	children under 12 yrs	do not use	<p><b>Other information</b></p> <ul style="list-style-type: none"> <li>■ each 30 mL contains: sodium 20 mg</li> <li>■ store at 20-25°C (68-77°F)</li> </ul>	<p><b>Drug Facts (continued)</b></p> <p><b>Inactive ingredients</b> alcohol, anhydrous citric acid, FD&amp;C blue #1, FD&amp;C red #40, flavor, high fructose corn syrup, poloxamer 407, propylene glycol, purified water, saccharin sodium, sodium benzoate, sodium citrate</p> <p><b>Questions or comments?</b>        1-800-719-9260</p>
<ul style="list-style-type: none"> <li>■ take only one dose per day (24 hours)</li> <li>■ only use the dose cup provided</li> </ul> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">adults &amp; children 12 yrs &amp; over</td> <td style="width: 50%;">30 mL at bed time if needed or as directed by a doctor</td> </tr> <tr> <td>children under 12 yrs</td> <td>do not use</td> </tr> </table>	adults & children 12 yrs & over	30 mL at bed time if needed or as directed by a doctor	children under 12 yrs	do not use	<p><b>Other information</b></p> <ul style="list-style-type: none"> <li>■ each 30 mL contains: sodium 20 mg</li> <li>■ store at 20-25°C (68-77°F)</li> </ul>			
adults & children 12 yrs & over	30 mL at bed time if needed or as directed by a doctor							
children under 12 yrs	do not use							

<b>7 SELECT NIGHT TIME SLEEP AID</b>			
diphenhydramine hcl solution			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:10202-186
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			
<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>	
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg in 30 mL	
<b>Inactive Ingredients</b>			
<b>Ingredient Name</b>	<b>Strength</b>		
ALCOHOL (UNII: 3K9958V90M)			
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)			
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			

<b>HIGH FRUCTOSE CORN SYRUP</b> (UNII: XY6UN3QB6S)	
<b>POLO XAMER 407</b> (UNII: TUF2IVW3M2)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	

**Product Characteristics**

<b>Color</b>	PURPLE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	BERRY	<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10202-186-30	177 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/22/2014	05/31/2021

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part338	04/22/2014	05/31/2021

**Labeler - 7-Eleven (007347602)**