

**BROAD SPECTRUM SPF 50 SUNSCREEN PREFERRED PLUS PHARMACY- avobenzone, homosalate, octisalate, octocrylene, oxybenzone lotion**  
**Kinray Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Drug Facts**

**Active ingredients**

Avobenzone 3.0%, Homosalate 13.0%, Octisalate 5.0%, Octocrylene 7.0%, Oxybenzone 4.0%

**Uses**

Helps prevent sunburn.

**Warnings**

**For external use only. Do not use** on damaged or broken skin. **When using this product** keep out of eyes. Rinse with water to remove. **Stop use and ask a doctor** if rash occurs.

**Directions**

Apply liberally 15 minutes before sun exposure. Reapply: after 80 minutes of swimming or sweating, immediately after towel drying, at least every 2 hours.

**Sun Protection Measures:** spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: limit time in the sun, specially from 10am - 2pm, wear long-sleeve shirts, pants, hats, and sunglasses.

Children under 6 months: ask a doctor.

**Inactive ingredients**

Aluminum Starch Octenylsuccinate, Benzyl Alcohol, Carbomer, Dimethicone, Disodium EDTA, Fragrance, Methylparaben, Polyglceryl-3 Distearate, Propylparaben, Sorbitan Isostearate, Sorbitol, Stearic Acid, Tocopherol, Triethanolamine, VP/Eicosene Copolymer, Water.

**Purpose**

Sunscreen.

**Keep out of reach of children.**


If swallowed, get medical help or contact a Poison Control Center right away.

**Preferred Plus Pharmacy**

**Broad Spectrum SPF 50**

**Moisturizing Sunscreen Lotion**

**Water Resistant (80 Minutes)**



**Broad Spectrum SPF 50  
Moisturizing  
Sunscreen  
LOTION**



**Water Resistant (80 Minutes)  
UVA/UVB Protection  
Hypoallergenic  
8 FL OZ (237 mL)**

**Drug Facts**

Active ingredients	Purpose
Avobenzone 3.0%	Sunscreen
Homosalate 13.0%	Sunscreen
Octisalate 5.0%	Sunscreen
Octocrylene 7.0%	Sunscreen
Oxybenzone 4.0%	Sunscreen

**Uses** • helps prevent sunburn

**Warnings**  
For external use only  
Do not use on damaged or broken skin  
When using this product keep out of eyes. Rinse with water to remove.  
Stop use and ask a doctor if rash occurs  
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • apply liberally 15 minutes before sun exposure  
• reapply: • after 80 minutes of swimming or sweating  
• immediately after towel drying • at least every 2 hours  
• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:  
• limit time in the sun, especially from 10 a.m. – 2 p.m.  
• wear long-sleeve shirts, pants, hats, and sunglasses  
• children under 6 months: Ask a doctor

**Inactive ingredients** Aluminum Starch Octenylsuccinate, Benzyl Alcohol, Carbomer, Dimethicone, Disodium EDTA, Fragrance, Methylparaben, Polyglyceryl-3 Distearate, Propylparaben, Sorbitan Isostearate, Sorbitol, Stearic Acid, Tocopherol, Triethanolamine, VP/Eicosene Copolymer, Water.

**Other information** • protect this product from excessive heat and direct sun • may stain fabrics.

**ALL KINRAY INC. PRODUCTS ARE SATISFACTION GUARANTEED OR YOUR MONEY BACK FROM RETAILER WHERE PURCHASED.**

Distributed by: KINRAY INC.  
152-95 Tenth Avenue  
Whitestone, NY 11357

© 2011 Kinray Inc. All Rights Reserved. PREFERRED PLUS, PREFERRED PLUS +++ and the PREFERRED PLUS logo are trademarks and/or registered trademarks of Kinray Inc. All other marks are property of their respective owners.

7 27510 00128 9

**BROAD SPECTRUM SPF 50 SUNSCREEN PREFERRED PLUS PHARMACY**

avobenzone, homosalate, octisalate, octocrylene, oxybenzone lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:61715-029
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	13 g in 100 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	7 g in 100 mL

OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)		OXYBENZONE	4 g in 100 mL	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>				<b>Strength</b>
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)				
BENZYL ALCOHOL (UNII: LKG8494WBH)				
CARBOMER 940 (UNII: 4Q93RCW27E)				
DIMETHICONE (UNII: 92RU3N3Y1O)				
EDETATE DISODIUM (UNII: 7FLD91C86K)				
METHYLPARABEN (UNII: A2I8C7HI9T)				
POLYGLYCERYL-3 DISTEARATE (UNII: Z11LK470XV)				
PROPYLPARABEN (UNII: Z8IX2SC1OH)				
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)				
SORBITOL (UNII: 506T60A25R)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
TOCOPHEROL (UNII: R0ZB2556P8)				
TRIETHANOLAMINE BENZOATE (UNII: M3EN4GC19W)				
WATER (UNII: 059QF0K00R)				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61715-029-08	237 mL in 1 BOTTLE, PLASTIC		
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part352	03/15/2013		

**Labeler** - Kinray Inc. (012574513)