

**NEOSPORIN PAIN ITCH SCAR- bacitracin zinc, neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride ointment**  
**Johnson & Johnson Consumer Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Neosporin Plus Pain Itch Scar First Ointment**

**Drug Facts**

<b>Active ingredients (in each gram)</b>	<b>Purpose</b>
Bacitracin 500 units	First aid antibiotic
Neomycin 3.5 mg	First aid antibiotic
Polymyxin B 10,000 units	First aid antibiotic
Pramoxine HCl 10 mg	External analgesic

**Uses**

first aid to help prevent infection and for temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

**Warnings**

**For external use only.**

**Do not use**

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- you need to use longer than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison

Control Center right away.

### **Directions**

- adults and children 2 years of age and older:
  - clean the affected area
  - apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
  - may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

### **Other information**

- store at 20° to 25°C (68° to 77°F)

### **Inactive ingredients**

Petrolatum, Gossypium Herbaceum (Cotton) Seed Oil, Olea Europaea (Olive) Fruit Oil, Theobroma Cacao (Cocoa) Seed Butter, Tocopheryl Acetate, Sodium Pyruvate

### **Questions?**

call toll-free 800-223-0182 or 215-273-8755 (collect)

Distributed by:

**JOHNSON & JOHNSON CONSUMER INC.**

Skillman, NJ 08558

### **PRINCIPAL DISPLAY PANEL - 28.3 g Tube Carton**

#### **#1 DOCTOR**

RECOMMENDED

#### **BRAND**

NEOSPORIN®

+

#### **PAIN + ITCH + SCAR**

Maximum Strength:  
Infection Protection,  
Pain and Itch Relief

24-Hour Infection  
Protection

Minimizes the  
Appearance  
of Scars

NO STING

OINTMENT

**FIRST AID ANTIBIOTIC/PAIN RELIEVING OINTMENT**

Bacitracin Zinc - Neomycin Sulfate - Polymyxin B Sulfate -  
Pramoxine HCl

**NET WT 1.0 OZ (28.3 g)**

30047877



3 12547 23809 0

The makers of NEOSPORIN® do not make store brand products.

how2recycle.info



# NEOSPORIN®

#1 DOCTOR RECOMMENDED BRAND



## PAIN+ITCH+SCAR

Maximum Strength:  
Infection Protection,  
Pain and Itch Relief

24-Hour Infection  
Protection

Minimizes the  
Appearance  
of Scars

NO STING



OINTMENT

FIRST AID ANTIBIOTIC/PAIN RELIEVING OINTMENT

Bacitracin Zinc - Neomycin Sulfate - Polymyxin B Sulfate -  
Pramoxine HCl

NET WT. 1 OZ (28.3 g)

OINTMENT

+PAIN+ITCH+SCAR

NEOSPORIN®



**NEOSPORIN® + PAIN • ITCH • SCAR**  
Ointment with unique  
**HELIDERM®** Technology  
provides a nourishing  
environment for skin.\*



**Every Cut.  
Every Time.  
Use with  
BAND-AID®  
Brand  
Bandages**



Distributed by:  
**JOHNSON & JOHNSON CONSUMER INC.**  
Skillman, NJ 08558  
© J&J 2020 www.neosporin.com

**Drug Facts**

**Active ingredients (in each gram)**

Bacitracin 500 units ..... First aid antibiotic  
Neomycin 3.5 mg ..... First aid antibiotic  
Polymyxin B 10,000 units ..... First aid antibiotic  
Pramoxine HCl 10 mg ..... External analgesic

**Uses** first aid to help prevent infection and for temporary relief of pain or discomfort in minor: ■ cuts ■ scrapes ■ burns

**Drug Facts (continued)**

**Warnings**

For external use only.  
**Do not use**  
■ if you are allergic to any of the ingredients ■ in the eyes  
■ over large areas of the body

**Ask a doctor before use if you have**  
■ deep or puncture wounds ■ animal bites ■ serious burns

**Drug Facts (continued)**

**Stop use and ask a doctor if**  
■ you need to use longer than 1 week  
■ condition persists or gets worse  
■ symptoms persist for more than 1 week, or clear up and occur again within a few days ■ rash or other allergic reaction develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

■ adults and children 2 years of age and older.  
■ clean the affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily

**Drug Facts (continued)**

■ may be covered with a sterile bandage  
■ children under 2 years of age: ask a doctor

**Other information**

■ Store at 20° to 25°C (68° to 77°F)

**Inactive ingredients** Petrolatum, Gossypium Herbaceum (Cotton) Seed Oil, Olea Europaea (Olive) Fruit Oil, Theobroma Cacao (Cocoa) Seed Butter, Tocopheryl Acetate, Sodium Pyruvate

**Questions?**

call toll-free 800-223-0182 or 215-273-8755 (collect)

\*Formulated with a unique base of cocoa butter, cottonseed oil, olive oil, sodium pyruvate, vitamin E, and white petrolatum.

EXP  
LOT

CODE AREA

**NEOSPORIN PAIN ITCH SCAR**

bacitracin zinc, neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride ointment

**Product Information**

**Product Type**

HUMAN OTC DRUG

**Item Code (Source)**

NDC:69968-0093

Route of Administration TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [iU] in 1 g
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ.07J96K)	POLYMYXIN B	10000 [iU] in 1 g
<b>PRAMOXINE HYDROCHLORIDE</b> (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>LEVANT COTTONSEED OIL</b> (UNII: N5CFT140R8)	
<b>OLIVE OIL</b> (UNII: 6UYK2W1W1E)	
<b>COCOA BUTTER</b> (UNII: 512OYT1CRR)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>SODIUM PYRUVATE</b> (UNII: POD38AIF08)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0093-1	1 in 1 CARTON	01/15/2016	
1		28.3 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:69968-0093-2	1 in 1 CARTON	01/15/2016	
2		14.2 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	01/15/2016	

**Labeler** - Johnson & Johnson Consumer Inc. (118772437)

Revised: 1/2023

Johnson & Johnson Consumer Inc.