

TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment
Topco Associates LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Triple Antibiotic

Drug Facts

<i>Active ingredients (in each gram)</i>	<i>Purpose</i>
Bacitracin zinc USP 400 units	First aid antibiotic
Neomycin sulfate USP 3.5 mg	First aid antibiotic
Polymyxin B sulfate USP 5,000 units	First aid antibiotic

Uses

first aid to help prevent infection in minor:

- cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information

- To open: unscrew cap, pull tab to remove foil seal
- store at 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

Inactive ingredients

cocoa butter, cottonseed oil, olive oil, sodium pyruvate, vitamin E, white petrolatum

Questions?

Call **1-888-423-0139**

DISTRIBUTED BY
TOPCO ASSOCIATES LLC
ELK GROVE VILLAGE, IL 60007

PRINCIPAL DISPLAY PANEL - 28.4 g Tube Carton

TopCare®
health™

ORIGINAL STRENGTH

• OUR PHARMACISTS
RECOMMEND •

Triple Antibiotic Ointment
BACITRACIN ZINC, NEOMYCIN SULFATE & POLYMYXIN B SULFATE
First Aid Antibiotic Ointment

NET WT 1 OZ (28.4 g)

NDC 36800-564-02

COMPARE TO NEOSPORIN®
ACTIVE INGREDIENTS*

First Aid Antibiotic Ointment

Helps Prevent Infection
in Minor Cuts, Scrapes & Burns
Original Strength

LPK-8269-1
0319-1
11



ORIGINAL STRENGTH



Triple Antibiotic Ointment

BACITRACIN ZINC, NEOMYCIN SULFATE & POLYMYXIN B SULFATE
First Aid Antibiotic Ointment

NET WT 1 OZ (28.4 g)

Triple Antibiotic Ointment
BACITRACIN ZINC, NEOMYCIN SULFATE & POLYMYXIN B SULFATE

NDC-36800-93370-02



T51
B50.3
ENG19.13

DISTRIBUTED BY
TOPCO ASSOCIATES LLC
ELK GROVE VILLAGE, IL 60007
©TOPCO TARA0718
QUESTIONS? 1-888-423-0139
topcare@topco.com
www.topcarebrand.com
MADE IN CANADA



Scan here for
more information



This TopCare® product is laboratory tested to guarantee its highest quality. Your total satisfaction is guaranteed.

NO VARNISH/NO AQ
NO COPY/NO COLOR
THIS FLAP FOR LOT #
AND EXP DATE PRINT

All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Neosporin®.

Drug Facts (continued)	Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away.
Directions	• clean the affected area • apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily • may be covered with a sterile bandage
Other information	• Topcare: remove cap, pull tab to remove foil seal • store at 20° to 25°C (68° to 77°F) • see carton or tub cap for lot number and expiration date Inactive ingredients vitamin E, white petrolatum, cetyl alcohol, cetyl palmitate, sodium pyruvate, and parabens
Warnings	For external use only. Do not use • if you are allergic to any of the ingredients • in the eyes • over large areas of the body Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns Stop use and ask a doctor if • you need to use longer than 1 week • condition persists or gets worse • rash or other allergic reaction develops
Uses	Treatment of first aid infection in minor: • cuts • scrapes • burns
Active ingredients (in each gram)	Purpose Bacitracin zinc USP 40 units.....First aid antibiotic Neomycin sulfate USP 3.5 mg.....First aid antibiotic Polymyxin B sulfate USP 5,000 units.....First aid antibiotic
Questions?	Call 1-888-423-0139

Triple Antibiotic Ointment
First Aid Antibiotic Ointment



TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-564
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Bacitracin Zinc (UNII: 89Y4M234ES) (Bacitracin - UNII:58H6RWO52I)	Bacitracin	400 [iU] in 1 g
Neomycin Sulfate (UNII: 057Y626693) (Neomycin - UNII:I16QD7X297)	Neomycin	3.5 mg in 1 g
Polymyxin B Sulfate (UNII: 19371312D4) (Polymyxin B - UNII:J2VZ07J96K)	Polymyxin B	5000 [iU] in 1 g

Inactive Ingredients

Ingredient Name	Strength
cocoa butter (UNII: 512OYT1CRR)	
cottonseed oil (UNII: H3E878020N)	
olive oil (UNII: 6UYK2W1W1E)	
sodium pyruvate (UNII: POD38AIF08)	
.alpha.-tocopherol (UNII: H4N855PNZ1)	
petrolatum (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-564-01	1 in 1 CARTON	11/30/2016	
1		14.2 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:36800-564-02	1 in 1 CARTON	11/30/2016	
2		28.4 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333B	12/15/2015	

Labeler - Topco Associates LLC (006935977)

Revised: 4/2019

Topco Associates LLC