ORAL DEFENSE- cetylpyridinium chloride mouthwash Oral Defense, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Oral Defense Mouth Rinse

Drug Facts

Active Ingredients

Cetylpyridinium Chloride 0.1%

Pupose

Antigingivitus/Anti-Plaque

Uses

- Canker sores
- Dry mouth conditions
- Oral lesions from chemo and radiation therapies
- Diabetes
- Gum irritations and disease
- Lichen Plannus

Warnings

See a dentist if symptoms or conditions persist after regular use.

Keep out of the reach of children

Do not swallow. In case of accidental ingestion, seek medical help or contact a poison control center immediately. Cold weather may cloud this product. Properties are not affected.

Directions

Healthy Mouth

Rinse with 1 capful after brushing your teeth with Oral Defense toothpaste when needed for breath refreshment and to maintain healthy mouth tissue.

Red, Bleeding gums and inflamed mouth

For best and speedy results use with Oral Defense toothpaste. Use 1 capful after brushing with Oral Defense Toothpaste for 1 minute. If the lesions or sores re in one area, hold the capful of rinse in your mouth over the lesion for 1 minute, or if not possible to hold for 1 minute then use twice, 1 capful for 30 seconds each before spitting out. The most critical time of application is at bedtime, when no food or water is to be consumed after use, as the rinse has ingredients that have a long effective residual

throughout the night when healing is best to occur.

Inactive Ingredients


purified water, glycerin, propylene glycol, sorbitol, polysorbate 80, poloxamer 407, mentha piperita (peppermint oil), versene, sodium lauroyl sarcosinate, sodium hydroxide, citric acid, menthol, natamycin, FD and C green #5


Questions or comments

1-800-355-9621

Manufactured Exclusively for Oral Defense, LLC Spokane, WA 99205

Labeling







- Canker sores
- Dry mouth conditions
- Oral lesions from Chemo & Radiation Therapies
- Diabetes
- Gum irritations and Disease
- Lichen Plannus

Kills Bad Breath Bacteria on Contact

Made in the USA 2 fl oz. (60ml)

Drug Facts

Active Ingredient
Cetylpyridinium Chloride 0.1%

Purpose ...Antigingivitus/Anti plaque

Uses • Canker Sores • Dry mouth conditions • Oral lesions fro hemo and Radiation Therapies • Diabetes • Gum irritations an Disease • Lichen Plannus

Warnings

See a dentist if symptoms or condition persists after regular use.

Keep this out of the reach of children. Do not swallow. In case of accidental ingestion, seek medical help or contact a poison control center immediately. Cold weather may cloud this product. Properties are not affected.

Patented Formula 7128898 www.neworaldefense.com

Healthy Mouth ● Rinse with 1 capful after brushing your teeth with Oral Defense toothpaste when needed for breath refreshment and to naintain healthy mouth tissue.

Red, Bleeding gums and Inflamed Mouth • For best and speed Red, Bleeding gums and Inflamed Mouth • For best and speedy results use with Oral Defense toothpasts. Use 1 capful after brushing with Oral Defense toothpasts for 1 minute. If the lesions or sores are in one area, hold the capful of rinse in your mouth over the lesion for 1 minute, or if not possible to hold for 1 minute then use twice, 1 capful for 30 seconds each before spitting out. The most critical time of application is at bedtime, when no food or water is to be consumed after use, as the rinse has ingredients that have a long effective residual through out the night when healing is best to occur.

Do not take in food or drink for 30 minutes after application.

Inactive Ingredients • purified water, glycerin, propylene glycol, sorbitol, polysorbate 80, poloxamer 407, mentha piperita (peppermint oil), versene, sodium lauroyl sarcosinate, sodium hydroxide, citric acid, menthol, natamycin, D&C green #5

Questions or comments? 1-800-355-9621 Manufactured Exclusively for Oral Defense LLC

Spokane, WA 9920

ORAL DEFENSE

cetylpyridinium chloride mouthwash

Product Information

Product Type HUMAN OTC DRUG NDC:52644-001 Item Code (Source)

ORAL Route of Administration

Active Ingredient/Active Moiety

ricave ingredient ricave viscety			
Ingredient Name	Basis of Strength	Strength	
	CETYLPYRIDINIUM CHLORIDE	.47 mL in 474 mL	

Inactive Ingredients Ingredient Name Strength WATER (UNII: 059QF0KO0R) EDETATE DISO DIUM (UNII: 7FLD9 1C86K) POLOXAMER 407 (UNII: TUF2IVW3M2) PROPYLENE GLYCOL (UNII: 6DC9Q167V3) SORBITOL (UNII: 506T60A25R) SACCHARIN SODIUM (UNII: SB8ZUX40TY) GLYCERIN (UNII: PDC6A3C0OX) POLYSORBATE 80 (UNII: 6 OZP39 ZG8 H) NATAMYCIN (UNII: 800C852CPO) SODIUM LAURO YL SARCO SINATE (UNII: 632GS99618) PEPPERMINT OIL (UNII: AV092KU4JH) MENTHOL (UNII: L7T10EIP3A) SODIUM HYDRO XIDE (UNII: 55X04QC32I) CITRIC ACID MONOHYDRATE (UNII: 2968 PHW8 QP)

Product Characteristics

Color	turquoise (Blue/Green)	Score
Shape		Size
Flavor	MINT (Cool mint)	Imprint Code
Contains		

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:52644-001-00	474 mL in 1 BOTTLE, PLASTIC		
2 NDC:52644-001-02	60 mL in 1 BOTTLE, PLASTIC		

Marketing Inform	mation		
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part356	07/26/2010	

Labeler - Oral Defense, LLC (962643164)

Establishment			
Name	Address	ID/FEI	Business Operations
Coastal Products Company		782445688	manufacture (52644-001)

Revised: 5/2012 Oral Defense, LLC