

**MOISTIE TOK PLUS- niacinamide, adenosine cream**  
**Purecell Korea Co., Ltd.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

**Drug Facts**

Niacinamide, Adenosine

Water

Butylene Glycol

Levan

Glycerin

Alcohol

Acetyl Hexapeptide-8

Rice sh-Oligopeptide-1

Boerhavia diffusa Root Extract

Phaseolus Radiatus Extract

Leontopodium Alpinum Callus Culture Extract

Nelumbo Nucifera Callus Culture Extract

Panax Ginseng Root Extract

Sodium Hyaluronate

Caffeine

Allantoin

Panthenol

Ethyl Hexanediol

Cetareth-6 Oliviate

Cetearyl Alcohol

Ceramide NP

Glyceryl Stearate

PEG-100 Stearate

Batyl Alcohol

Cetearyl Glucoside

Polysorbate 60

PEG-60 Hydrogenated Castor Oil

Polyacrylate Crosspolymer-6

Arachidyl Alcohol

Behenyl Alcohol

Arachidyl Glucoside

Caprylyl Glycol

Chlorphenesin

Hydrogenated Lecithin

Sucrose Distearate

PEG-2M

Polysorbate 20

Octyldodeceth-16

Phenoxyethanol

Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer

Mineral Oil

Trideceth-6

Ethylhexylglycerin

1,2-Hexanediol

Lecithin  
Dimethicone  
Fragrance

Skin Protectant - Whitening & Anti-wrinkle

keep out or reach of the children

After cleansing, apply your skin softner.

Apply an appropriate amount TOK PLUS along your face skin's texture.

After 10 to 20 minutes with the TOK PLUS on your face and Finish with your lotion or cream.

1. Do not use in the following cases(Eczema and scalp wounds)

2.Side Effects

1)Due to the use of this druf if rash, irritation, itching and symptopms of hypersnesitivity occur diconinue use and consult your phamacistr or doctor

3.General Precautions

1)If in contact with the eyes, wash out thoroughly with water If the symptoms are servere, seek medical advice immediately

2)This product is for exeternal use only. Do not use for internal use



4.Storage and handling precautions

1)If possible, avoid direct sunlight and store in cool and area of low humidity

2)In order to maintain the quality of the product and avoid misuse

3)Avoid placing the product near fire and store out in reach of children

for external use only



# MOISTIE TOK PLUS

niacinamide, adenosine cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:71609-0001
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NIACINAMIDE (UNII: 25X51I8RD4) (NIACINAMIDE - UNII:25X51I8RD4)	NIACINAMIDE	2 g in 100 mL
ADENOSINE (UNII: K72T3FS567) (ADENOSINE - UNII:K72T3FS567)	ADENOSINE	0.04 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71609-0001-1	10 mL in 1 SYRINGE, PLASTIC; Type 0: Not a Combination Product	10/02/2018	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/02/2018	

**Labeler** - Purecell Korea Co., Ltd. (694667185)

**Registrant** - Purecell Korea Co., Ltd. (694667185)

## Establishment

Name	Address	ID/FEI	Business Operations
Purecell Korea Co., Ltd.		694667185	label(71609-0001) , pack(71609-0001)

## Establishment

Name	Address	ID/FEI	Business Operations
VITA Nature Co., Ltd		694816771	manufacture(71609-0001)

