

**MEDIQUE APAP EXTRA STRENGTH- acetaminophen tablet, film coated**  
**MEDI-FIRST NON-ASPIRIN EXTRA STRENGTH- acetaminophen tablet, film coated**  
**MEDI FIRST PLUS NON-ASPIRIN EXTRA STRENGTH- acetaminophen tablet, film coated**  
**Unifirst First Aid Corporation**

-----  
**Acetaminophen 500 mg**

***Drug Facts***

***Active ingredient (in each tablet)***

Acetaminophen 500 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

temporarily relieves minor aches and pains due to:

- headache
- muscular aches
- minor pain of arthritis
- backache
- the common cold
- toothache
- premenstrual and menstrual cramps

temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

***Allergy alert:***

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

***Do not use***

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have**

- liver disease

**Ask a doctor or pharmacist before use if**

- you are taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts for more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not use more than directed (see overdose warning)**

**Adults and children: (12 years and over)**

- take 2 tablets every 6 hours while symptoms last.
- do not take more than 6 tablets in 24 hours, unless directed by a doctor
- do not use for more than 10 days unless directed by a doctor

**Children under 12 years:** Ask a doctor

**Other information**

- store at room temperature 59°-86°F (15°-30°C)
- tamper-evident sealed packets
- do not use any opened or torn packets

**Inactive ingredients**

corn starch\*, hypromellose\*, polyethylene glycol\*, povidone (K-30)\*, pregelatinized starch\*, purified water\*, sodium starch glycolate, stearic acid\*, titanium dioxide\*

*\*may contain*

**Questions or comments?** 1-800-634-7680

**Medi-First Extra Strength Non Aspirin**

Medi-First®

Extra Strength

Non-Aspirin

Pain Reliever/Fever Reducer

Aches, Fever ● Acetaminophen 500mg

Pull to Open

Compare active ingredient to:

Extra Strength Tylenol®


Registered Trademark of McNeil Consumer Products

This Package is for Households without Young Children.

Tamper Evident Unit Dose Packets

100 Tablets

(50 x 2)



**Medi First Plus Extra Strength Non-Aspirin**

Medi First®

Plus

Extra Strength

Non-Aspirin

Acetaminophen 500 mg

Pull To Open

This Package is For Households Without Young Children.

Pain Reliever/Fever Reducer

Compare Active ingredient to:

Extra Strength Tylenol®

Registered Trademark of McNeil Consumer

Tamper Evident Unit Dose Packets

100 Tablets

(50 x 2's)

**Drug Facts**  
**Active ingredient (in each tablet)** **Purpose**  
 Acetaminophen 500 mg Pain reliever/fever reducer

**Uses**  
 Temporarily relieves minor aches and pains due to:  
 ■ headache ■ muscular aches ■ minor pain of arthritis ■ backache  
 ■ the common cold ■ toothache ■ menstrual and menstrual cramps  
 Temporarily reduces fever.

**Warnings**  
**User warning:** This product contains acetaminophen. Severe liver damage may occur if you take:  
 ■ more than 4,000 mg in 24 hours, which is the maximum daily amount  
 ■ with other drugs containing acetaminophen  
 ■ 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:  
 ■ skin redness ■ blisters ■ rash  
 If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**  
 ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
 ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have:  
 ■ liver disease (continued on opposite panel)

**Retain carton for complete product information**

**MEDI FIRST Plus Extra Strength Non-Aspirin**  
 Acetaminophen 500 mg  
 Pull To Open  
 THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN  
 Pain Reliever/Fever Reducer  
 Compare active ingredient to:  
 Extra Strength Tylenol®  
 Registered Trademark of McNeil Consumer  
 Tamper Evident Unit Dose Packets

**Drug Facts (continued)**  
**Ask a doctor or pharmacist before use if** ■ you are taking the blood thinning drug warfarin

**Stop use and ask a doctor if**  
 ■ pain gets worse or lasts for more than 10 days ■ fever gets worse or lasts more than 3 days  
 ■ new symptoms occur ■ redness or swelling is present  
 These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**  
 ■ do not use more than directed (see overdose warning)

**Adults and children:** ■ take 2 tablets every 6 hours while symptoms last  
 (12 years and over) ■ do not take more than 8 tablets in 24 hours, unless directed by a doctor  
 ■ do not use for more than 10 days unless directed by a doctor

**Children under 12 years:** Ask a doctor

**Other information**  
 ■ store at room temperature 59°-86°F (15°-30°C)  
 ■ tamper-evident sealed packets  
 ■ do not use any opened or torn packets

**Drug Facts (continued)**  
**Inactive ingredients**  
 corn starch, hydroxytoluene, polyethylene glycol, povidone (K-30), pregelatinized starch, purified water, sodium starch glycolate, stearic acid, titanium dioxide

\*may contain

**Questions or comments?** 1-800-634-7680

Barcode: 47682 90433 3  
 Boarder #99433  
 Manufactured for Medique Products  
 Fort Myers, FL 33967 USA  
 1-800-634-7680  
 www.medicueproducts.com

## Medique Extra Strength APAP

Medique®

Extra Strength

APAP

Non-Aspirin Tablets

This Package is For Households Without Young Children

Pain Reliever/Fever Reducer ● Acetaminophen 500mg

Compare active ingredient to Tylenol®

Registered McNeil Consumer Products

Tamper Evident Unit Dose Packets

**Drug Facts (continued)**  
**Directions**  
 ■ do not use more than directed (see overdose warning)

**Adults and children:** ■ take 2 tablets every 6 hours while symptoms last  
 (12 years and over) ■ do not take more than 8 tablets in 24 hours, unless directed by a doctor  
 ■ do not use for more than 10 days unless directed by a doctor

**Children under 12 years:** Ask a doctor

**Other information**  
 ■ store at room temperature 59°-86°F (15°-30°C)  
 ■ tamper-evident sealed packets  
 ■ do not use any opened or torn packets

**Inactive ingredients**  
 corn starch, hydroxytoluene, polyethylene glycol, povidone (K-30), pregelatinized starch, purified water, sodium starch glycolate, stearic acid, titanium dioxide

\*may contain

**Questions or comments?** 1-800-634-7680

**Drug Facts**  
**Active ingredient (in each tablet)** **Purpose**  
 Acetaminophen 500 mg Pain reliever/fever reducer

**Uses**  
 Temporarily relieves minor aches and pains due to:  
 ■ headache ■ muscular aches ■ minor pain of arthritis ■ backache  
 ■ the common cold ■ toothache ■ menstrual and menstrual cramps  
 Temporarily reduces fever.

**Warnings**  
**User warning:** This product contains acetaminophen. Severe liver damage may occur if you take:  
 ■ more than 4,000 mg in 24 hours, which is the maximum daily amount  
 ■ with other drugs containing acetaminophen  
 ■ 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:  
 ■ skin redness ■ blisters ■ rash  
 If a skin reaction occurs, stop use and seek medical help right away.

(continued on inside panel)

**Retain carton for complete product information**

**Medique® Extra Strength APAP Non-Aspirin Tablets**  
 THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN  
 Pain Reliever/Fever Reducer • Acetaminophen 500 mg  
 24 Tablets (12 x 2)  
 Compare active ingredient to Tylenol®  
 Registered Trademark of McNeil Consumer Products  
 Tamper Evident Unit Dose Packets

**Drug Facts (continued)**  
**Do not use**  
 ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
 ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if you have** ■ liver disease

**If you are taking the blood thinning drug warfarin**

**Stop use and ask a doctor if**  
 ■ pain gets worse or lasts for more than 10 days  
 ■ fever gets worse or lasts more than 3 days  
 ■ new symptoms occur  
 ■ redness or swelling is present  
 These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Barcode: 47682 17564  
 Boarder #17564  
 Manufactured for Medique Products  
 Fort Myers, FL 33967  
 1-800-634-7680  
 www.medicueproducts.com

## MEDIQUE APAP EXTRA STRENGTH

acetaminophen tablet, film coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:47682-175
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
---	---------------	--------

### Inactive Ingredients

Ingredient Name	Strength
<b>POLYETHYLENE GLYCOL</b> (UNII: 3WJQ0SDW1A)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

### Product Characteristics

<b>Color</b>	white (white)	<b>Score</b>	no score
<b>Shape</b>	ROUND (ROUND)	<b>Size</b>	12mm
<b>Flavor</b>		<b>Imprint Code</b>	AZ;235
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-175-99	2 in 1 PACKET; Type 0: Not a Combination Product	12/30/2008	
2	NDC:47682-175-13	250 in 1 BOX	12/30/2008	
2		2 in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:47682-175-33	50 in 1 BOX	12/30/2008	
3		2 in 1 PACKET; Type 0: Not a Combination Product		
4	NDC:47682-175-48	125 in 1 BOX	12/30/2008	
4		2 in 1 PACKET; Type 0: Not a Combination Product		
5	NDC:47682-175-64	12 in 1 BOX	12/30/2008	
5		2 in 1 PACKET; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	12/30/2008	

**MEDI-FIRST NON-ASPIRIN EXTRA STRENGTH**

acetaminophen tablet, film coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:47682-804
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

### Inactive Ingredients

Ingredient Name	Strength
HYPROMELLOSES (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

### Product Characteristics

<b>Color</b>	white (white)	<b>Score</b>	no score
<b>Shape</b>	ROUND (ROUND)	<b>Size</b>	12mm
<b>Flavor</b>		<b>Imprint Code</b>	AZ;235
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-804-33	50 in 1 BOX	12/30/2008	
1		2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-804-48	125 in 1 BOX	12/30/2008	
2		2 in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:47682-804-13	250 in 1 BOX	12/30/2008	
3		2 in 1 PACKET; Type 0: Not a Combination Product		
4	NDC:47682-804-99	2 in 1 PACKET; Type 0: Not a Combination Product	12/30/2008	
5	NDC:47682-804-50	25 in 1 BOX	12/30/2008	
5		2 in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	12/30/2008	

## MEDI FIRST PLUS NON-ASPIRIN EXTRA STRENGTH

acetaminophen tablet, film coated

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-904
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

### Inactive Ingredients

Ingredient Name	Strength
HYPROMELLOSES (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

### Product Characteristics

Color	white (white)	Score	no score
Shape	ROUND (ROUND)	Size	12mm
Flavor		Imprint Code	AZ;235
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-904-33	50 in 1 BOX	12/30/2008	
1		2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-904-48	125 in 1 BOX	12/30/2008	

2	2 in 1 PACKET; Type 0: Not a Combination Product		
<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	12/30/2008	

**Labeler** - Unifirst First Aid Corporation (832947092)

Revised: 3/2024

Unifirst First Aid Corporation