

**CAL-PHOS 2 WITH POTASSIUM- cal-phos 2 with potassium injection injection, solution  
Clipper**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**Cal-Phos #2 With Potassium Injection**

**COMPOSITION:**

Each 500 mL of sterile aqueous solution contains:

- Calcium ..... 10.8 g  
(as calcium borogluconate, equivalent to calcium gluconate 23.2%)
- Potassium ..... 8.0 g  
(as potassium chloride)
- Phosphorus ..... 2.5 g  
(as sodium hypophosphite.H<sub>2</sub>O)
- Magnesium ..... 1.6 g  
(as magnesium borogluconate)
- Dextrose.H<sub>2</sub>O ..... 75.0 g

**Milliequivalents per liter**

**Cations**

- Calcium ..... 1,080 mEq/L
- Potassium ..... 410 mEq/L
- Magnesium ..... 261 mEq/L
- Sodium ..... 161 mEq/L

**Anions**

- Borogluconate ..... 1,341 mEq/L
- Chloride ..... 410 mEq/L
- Hypophosphite ..... 161 mEq/L

**INDICATIONS:**

For use as an aid in the treatment of hypocalcemia (parturient paresis, milk fever), hypomagnesemia (grass tetany), and other conditions associated with calcium, magnesium, phosphorus and potassium deficiencies in cattle.

**CONTRAINDICATIONS:**

Do not administer this product to animals showing signs of cardiac distress.

**PRECAUTIONS:**

Administration should be made slowly and with care to avoid adverse effects such

as heart block or shock. Perivascular or subcutaneous deposition of hypertonic solutions may result in severe inflammation at the injection site.

**CAUTION:**

This product contains no preservatives.  
Use entire contents when first opened. Discard any unused solution.

**DOSAGE AND ADMINISTRATION:**

Warm solution to body temperature. The usual intravenous dose in cattle is 500 mL per 800 to 1,000 pounds of body weight.

**Store between 15 degrees C and 30 degrees C (59 degrees F and 86 degrees F).**

**FOR ANIMAL USE ONLY**

**CAUTION:**

Federal law restricts this drug to use by or on the order of a licensed veterinarian.

**KEEP OUT OF REACH OF CHILDREN**

**TAKE TIME OBSERVE LABEL DIRECTIONS**

18-805

RMS 92-543 Rev. 03-14

Lot No. Exp. Date

**For Treatment of Milk Fever in Cattle**

**Net Contents: 500 mL**

Manufactured for:  
Clipper Distributing Company, LLC  
St. Joseph, MO 64507

Trademarks are property of  
Clipper Distributing Company, LLC

Manufactured by  
Nova-Tech Inc.  
Grand Island, NE 68801



unapproved drug other		07/01/2015	
-----------------------	--	------------	--

**Labeler** - Clipper (150711039)

**Registrant** - Clipper (150711039)

**Establishment**

Name	Address	ID/FEI	Business Operations
Nova-Tech, Inc.		196078976	manufacture

**Establishment**

Name	Address	ID/FEI	Business Operations
Zhejiang Ruibang Laboratories		544807456	api manufacture

**Establishment**

Name	Address	ID/FEI	Business Operations
K+S KALI GmbH		507531213	api manufacture

**Establishment**

Name	Address	ID/FEI	Business Operations
Jost Chemical Co.		147882294	api manufacture

**Establishment**

Name	Address	ID/FEI	Business Operations
Purac Biochem B.V.		405232687	api manufacture