MENSTRUAL RELIEF MAXIMUM STRENGTH- acetaminophen, caffeine and pyrilamine maleate tablet, film coated DOLGENCORP, LLC

Maximum Strength Menstrual Relief

Active ingredients (in each caplet)

Acetaminophen 500 mg Caffeine 60 mg Pyrilamine maleate 15 mg

Purpose

Pain reliever Diuretic Antihistamine

Uses

for the temporary relief of these symptoms associated with menstrual periods:

- bloating
- headache
- water-weight gain
- cramps
- backache
- fatigue
- muscle aches

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- difficulty in urination due to enlargement of the prostate gland
- liver disease
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- avoid alcoholic beverages
- excitability may occur, especially in children
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- you may get drowsy
- limit the use of caffeine-containing medications, foods, or beverages while taking this
 product because too much caffeine may cause nervousness, irritability,
 sleeplessness, and, occasionally, rapid heartbeat. The recommended dose of this
 product contains about as much caffeine as a cup of coffee.

Stop use and ask a doctor if

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than the recommended dose
- adults and children 12 years and over:
 - take 2 caplets with water
 - repeat every 6 hours, as needed

- do not exceed 6 caplets per day
- children under 12 years: ask a doctor

Other information

- see end flap for expiration date and lot number
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients

corn starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

Questions or comments?

1-888-309-9030

Principal Display Panel

DG[™] | health

Compare to active ingredients of Midol[®] Complete*

Maximum Strength **Menstrual Relief Acetaminophen** • Caffeine • Pyrilamine Maleate Pain Reliever/Diuretic/Antihistamine

Multi-Symptom Relief of:

- Cramps Bloating
- Fatigue Backache
- Headache

40 Caplets

Actual Caplet Size

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Midol[®] Complete. 50844 REV0517H39010

DISTRIBUTED BY DOLGENCORP, LLC 100 MISSION RIDGE GOODLETTSVILLE, TN 37072

100% Satisfaction Guaranteed!



DG Health 44-390

-										
Pr	oduct Info	rmation								
Pro	oduct Type		HUMAN OTC	DRUG	Item Code (Source) ND			NDC:559	DC:55910-390	
Ro	ute of Admin	istration	ORAL							
Ac	tive Ingred	lient/Active	e Moiety							
		Ing	redient Nar	ne			Basis of	Strength	Strengt	
4C E	TAMINOPHEN	(UNII: 362091	TL9D) (ACETAM	INOPHEN - UN	II:362O9IT	L9D)	ACETAMINO	PHEN	500 mg	
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E) CAFFEINE								60 mg		
PYF	RILAMINE MAL	EATE (UNII: R3	5D29L3ZA) (PY	RILAMINE - UN	II:HPE3170	09TL)	PYRILAMINE	MALEATE	15 mg	
Ina	active Ingre	edients								
			Ingredi	ent Name				S	trength	
ST/	ARCH, CORN (L	JNII: 08232NY3	SJ)							
CRO	OSCARMELLOS	SE SODIUM (U	INII: M280L1HH	48)						
CRO	OSPOVIDONE,	UNSPECIFIED) (UNII: 257830	E561)						
	PROMELLOSE,			9V3WO)						
	GNESIUM STE									
	ROCRYSTALL			32D61U)						
					۸)					
	LYETHYLENE (VIDONE, UNSP			-	4)					
	ICON DIOXIDE									
	ACETIN (UNII:)		, - <u>-</u> j. ,							
	oduct Char			-						
Color			vhite	Score			no score 17mm			
Shape			DVAL							
Flavor Contains				Imprint Co	de			44;390		
COI	ntains									
Pa	ckaging									
	ltem Code	F	ackage De	scription Marketing Start Date			Marketing End Date			
	NDC:55910- 390-10	1 in 1 CARTO	N _E, PLASTIC; Ty	ne (). Not a		04/29/2002				
			L, FLASTIC; TY	pe u. Not a						

		ion						
Marketing Application I Category			Number or Monograph Citation			Marketing Start Date	Marketing End Date	
OTC Monograph Drug				(04/29/2002			
Labeler - DOLGE	NCORP, LLC	(06833	31990)					
Establishmen	t							
Name		Ad	Address		/FEI	Business	Operations	
NK International, Inc.			0383		64	pack(55910-390)		
Establishmen	L							
		_						
Name	Ad	dress ID/FE			<i>с</i> ,	Business Oper		
LNK International, Inc.			83286783	a/ ma	nufactur	e(55910-390) , pack(55	910-390)	
Establishmen	t							
Name		Address		ID/FEI		Business	Operations	
LNK International, Inc.				8328678	94	manufacture(55910	-390)	
Establishmen	t							
Name		Address		ID/FEI		Business	Operations	
LNK International, Inc.				967626305		pack(55910-390)		
Establishmen	t							
Name		b۵	dress	סו	/FEI	Business	Operations	

Revised: 10/2023

DOLGENCORP, LLC