

**NBE- zinc gluconate and zinc acetate spray, metered  
Dynamic Pharmaceuticals Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**cold relief  
oral spray  
MINT FLAVOR**

***Drug Facts***

<b><i>Active Ingredients</i></b>	<b><i>Purpose</i></b>
Zincum Aceticum 2X	Reduces duration and severity of the common cold
Zincum Gluconicum 1X	

**Uses**

- Reduces duration of the common cold
- Reduces severity of cold symptoms:
  - Sneezing
  - Sore Throat
  - Stuffy Nose
  - Coughing
  - Congestion

**Warnings**

***For oral use only, not for use in nasal pathways.***

**When using this product**

- Avoid contact with eyes. In case of accidental contact with eyes, flush with water and immediately seek professional help.
- Stop use and ask doctor if
- Side effects occur. You may report side effects to FDA at **1-800-FDA-1088**.

Rite Aid® Pharmacy Cold Relief Oral Mist was formulated to shorten the duration of the common cold and may not be effective for flu or allergies.

**Stop use and ask a doctor** if symptoms persist or if accompanied by fever.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

**Directions**

- For best results, use at the first sign of a cold and continue to use for an additional 48 hours after symptoms subside.
- Adults and children 3 years of age and older:
  - Remove protective over-cap.
  - Spray 4 - 5 times into mouth at the onset of symptoms.
  - Spray on inside of cheeks, roof of mouth and gums. Retain for 15 seconds. Swallow.
  - Repeat every three hours until symptoms are gone.

- To avoid minor stomach upset, do not take on an empty stomach.
- Do not eat or drink for 15 minutes after use. Do not eat or drink citrus fruits or juices for 30 minutes before or after use. Otherwise, drink plenty of fluids.
- Children under 3 years of age:
  - Consult a doctor before use.

### **Inactive Ingredients**

Glycerin, Peppermint Flavor, Potassium Sorbate, Purified Water, Sucralose

**DISTRIBUTED BY: RITE AID  
30 HUNTER LANE, CAMP HILL, PA 17011**

### **PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton**

**RITE  
AID®  
PHARMACY**

**\*Compare to the active ingredients  
in Zicam® Oral Mist Cold Remedy**

**cold relief  
oral spray**

zincum aceticum, zincum gluconicum

MINT FLAVOR

**shortens the duration and  
severity of the common cold**

**use at the first sign  
of a cold**

**non-drowsy**

**no metallic aftertaste**

**HOMEOPATHIC**

**1.0 FL OZ/30mL**



## cold relief oral spray

zincum aceticum, zincum gluconicum

2.6875 FL OZ MINT FLAVOR

---



## cold relief oral spray

zincum aceticum, zincum gluconicum

MINT FLAVOR

great tasting mint flavor  
no known drug interactions  
non-drowsy  
non-habit forming  
**HOMEOPATHIC**





\*Compare to the active ingredients in Zicam® Oral Mist Cold Remedy

## cold relief oral spray

zincum aceticum, zincum gluconicum

MINT FLAVOR

shortens the duration and severity of the common cold  
use at the first sign of a cold  
non-drowsy  
no metallic aftertaste  
**HOMEOPATHIC**



**1.0 FL OZ/30mL**



## cold relief oral spray

zincum aceticum, zincum gluconicum

MINT FLAVOR

Reduces the severity of common cold symptoms:  
• Stuffy nose • Sneezing • Sore throat  
• Coughing • Congestion

*Safety Sealed. Do not use if tamper-evident seal around the bottle is broken or missing.*

*Store at room temperature 15°C-29°C (59°F-84°F)*

*\*This product is not manufactured or distributed by Zicam® LLC, a wholly owned subsidiary of Matrixx Initiatives, Inc.*

DISTRIBUTED BY: RITE AID  
30 HUNTER LANE, CAMP HILL, PA 17011



IF YOU'RE NOT SATISFIED, WE'LL HAPPILY REFUND YOUR MONEY.

**Drug Facts**

Active Ingredients	Purpose
Zincum Aceticum 2X Zincum Gluconicum 1X	Reduces duration and severity of the common cold

**Uses**

- Reduces duration of the common cold
- Reduces severity of cold symptoms: • Sneezing
- Sore Throat • Stuffy Nose • Coughing • Congestion

**Warnings**

**For oral use only, not for use in nasal pathways.**

**When using this product**

- Avoid contact with eyes. In case of accidental contact with eyes, flush with water and immediately seek professional help.
- Stop use and ask doctor if
- Side effects occur. You may report side effects to FDA at **1-800-FDA-1088**.

Rite Aid® Pharmacy Cold Relief Oral Mist was formulated to shorten the duration of the common cold and may not be effective for flu or allergies.

**Stop use and ask a doctor** if symptoms persist or if accompanied by fever.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

**Directions**

- For best results, use at the first sign of a cold and continue to use for an additional 48 hours after symptoms subside.
- Adults and children 3 years of age and older:
  - Remove protective over-cap,
  - Spray 4 - 5 times into mouth at the onset of symptoms.
  - Spray on inside of cheeks, roof of mouth and gums. Retain for 15 seconds. Swallow.
  - Repeat every three hours until symptoms are gone.
  - To avoid minor stomach upset, do not take on an empty stomach.
- Do not eat or drink for 15 minutes after use. Do not eat or drink citrus fruits or juices for 30 minutes before or after use. Otherwise, drink plenty of fluids.
- Children under 3 years of age:
  - Consult a doctor before use.

**Inactive Ingredients** Glycerin, Peppermint Flavor, Potassium Sorbate, Purified Water, Sucralose

## NBE

zinc gluconate and zinc acetate spray, metered

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:64762-871
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC GLUCONATE (UNII: U6WSN5SQ1Z) (ZINC - UNII:J41CSQ7QDS)	ZINC GLUCONATE	12.26 mg in 1 mL
ZINC ACETATE (UNII: FM5526K07A) (ZINC - UNII:J41CSQ7QDS)	ZINC ACETATE	0.46 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
Glycerin (UNII: PDC6A3C0OX)	
Potassium Sorbate (UNII: 1VPU26JZZ4)	
Water (UNII: 059QF0K00R)	
Sucralose (UNII: 96K6UQ3ZD4)	

**Product Characteristics**

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	PEPPERMINT	<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:64762-871-30	1 in 1 CARTON		
1		30 mL in 1 BOTTLE, PUMP		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part347	09/30/2010	

**Labeler** - Dynamic Pharmaceuticals Inc. (617660712)**Establishment**

Name	Address	ID/FEI	Business Operations
Dynamic Pharmaceuticals Inc.		617660712	MANUFACTURE

Revised: 8/2010

Dynamic Pharmaceuticals Inc.