# GLYTONE ACNE TREATMENT- salicylic acid lotion Pierre Fabre USA Inc.

-----

#### **GLYTONE Acne Treatment Lotion**

#### **Drug Facts**

#### **Active Ingredients**

Salicylic Acid 1 %

#### Purpose

Acne Treatment

#### Use

For the treatment of acne.

- Dries and clears acne blemishes and allows skin to heal.
- Penetrates pores to eliminate most acne blemishes, blackheads, and whiteheads.
- Helps prevent the development of new acne blemishes, blackheads, and whiteheads.

### Warnings

### For external use only

For external use only.

### When using this product

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- avoid contact with the eyes. If eye contact occurs, flush thoroughly with water.

### Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- Cleanse the skin thoroughly before applying medication.
- Cover the affected area(s) with a thin layer one to three times daily, or as directed by your physician.
- Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two to three times daily or as directed by your physician.

 If bothersome dryness or peeling occurs, reduce application to once a day or every other day.

#### Other Information

Store at room temperature of 68-77° F (20-25° C).

#### Inactive Ingredients

Water, C12-15 Alkyl Benzoate, Cetearyl Alcohol, Ethoxydiglycol, Propylene Glycol, Glyceryl Laurate, PEG-100 Stearate, Cyclopentasiloxane, Cetearyl Glucoside, Behenyl Alcohol, Bisabolol, Carnosine, Hydrogenated Lecithin, Oryza Sativa (Rice) Bran Extract, Xanthan Gum, Sodium Hydroxide, Polysilicone-11, Disodium EDTA, Methylparaben, Ethylparaben, Butylparaben, Dimethylacrylamide/Acrylic Acid/Polystyrene Ethyl Methacrylate Copolymer, Propylparaben, Isobutylparaben, Phenoxyethanol

#### **Principal Display Panel**



Acne Treatment Lotion

1.0% Salicylic Acid

NON-IRRITATING FORMULA

NET WT. 56.7 g / 2 OZ.

#### **GLYTONE ACNE TREATMENT**

salicylic acid lotion

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:64760-709

**Route of Administration** TOPICAL

#### **Active Ingredient/Active Moiety**

· · · · · · · · · · · · · · · · · · ·					
Ingredient Name	<b>Basis of Strength</b>	Strength			
SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ)	SALICYLIC ACID	1 g in 100 g			

Ingredient Name	Strength
BIS-ETHOXYDIGLYCOL SUCCINATE (UNII: YGQ120RH3I)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
WATER (UNII: 059QF0KO0R)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
GLYCERYL LAURATE (UNII: Y98611C087)	
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)	
CARNOSINE (UNII: 8HO6PVN24W)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
RICE BRAN (UNII: R60QEP13IC)	
XANTHAN GUM (UNII: TTV12P4NEE)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
ETHYLPARABEN (UNII: 14255EXE39)	
BUTYLPARABEN (UNII: 3QPI1U3FV8)	
ACRYLIC ACID (UNII: J94PBK7X8S)	
ISOBUTYLPARABEN (UNII: 0QQJ25X58G)	
PEG-100 STEARATE (UNII: YD01N1999R)	
DOCOSANOL (UNII: 9G10E216XY)	
CYCLOMETHICONE 5 (UNII: 0THT5PCIOR)	
LEVOMENOL (UNII: 24WE03BX2T)	

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:64760-709- 01	1 in 1 CARTON	10/20/2017		
1		56.7 g in 1 TUBE; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M006	10/20/2017	06/16/2024	

## Labeler - Pierre Fabre USA Inc. (117196928)

Revised: 1/2024 Pierre Fabre USA Inc.