

POISON IVY AND OAK RELIEF- anacardium occidentale, clematis erecta, croton tiglium, cypridium pubescens, echinacea purpurea, erechites hieracifolia, graphites grindelia, histaminum hydrochloricum, mezereum, rhus toxicodendron, urtica urens liquid King Bio Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Poison Ivy and Oak Relief™

Drug Facts

HPUS active ingredients: Anacardium occidentale, Clematis erecta, Croton tiglium, Cypridium pubescens, Echinacea purpurea, Erechites hieracifolia, Graphites, Grindelia, Histaminum hydrochloricum, Mezereum, Rhus toxicodendron, Urtica urens. Equal volumes of each ingredient in 10X, 30X, 100X, 1M, LM1, LM2, LM3, potencies.

Uses for temporary relief of skin irritations related to poison ivy, poison oak, poison sumac, detergents, cosmetics, or other irritants: minor swelling, itching, burning sensation, rashes, skin eruptions with oozing.

Inactive Ingredients:

Bio-Energetically Enhanced™ pure water, citric acid and potassium sorbate.

Warnings

- **Stop use and ask your doctor** if symptoms persist or worsen.
- **If pregnant or breast-feeding**, take only on advice of a healthcare professional.
- **Keep out of reach of children.**

Directions

- Initially, depress pump until primed.
- Spray one dose directly into mouth.
- **Adults 12 and up: 3 sprays 3 times per day.**
- **Children 2-12: 2 sprays 3 times per day.**
- **Children 2 mo-2yr: 1 spray 3 times per day.**

Tamper resistant for your protection. Use only if seal is intact. This product has not been independently tested.

Uses for temporary relief of skin irritations related to poison ivy, poison oak, poison sumac, detergents, cosmetics, or other irritants:

- minor swelling
- itching
- burning sensation
- rashes
- skin eruptions with oozing

Drug Facts (continued)

Warnings

■ **Stop use and ask your doctor** if symptoms persist or worsen. ■ **If pregnant or breast-feeding**, take only on advice of a healthcare professional. ■ **Keep out of reach of children.**

Directions

■ Initially, depress pump until primed.
■ Spray one dose directly into mouth.

Adults 12 and up	3 sprays 3 times per day
Children 2-12	2 sprays 3 times per day
Children 2 mo.-2 yr.	1 spray 3 times per day

Tamper resistant for your protection. Use only if seal is intact. This product has not been independently tested.

King Bio, Inc. · FDA Reg. #1053442
3 Westside Dr. Asheville, NC 28806 USA
Questions? Call 866.298.2740



Exp. 05/17
Lot # 051314

NDC# 57955-0116-2

SafeCareRx
Poison Ivy & Oak Relief™

Skin

High Potency Homeopathic Formula for Professional Use Only

2 fl oz (59 mL)

Drug Facts

HPUS active ingredients: Anacard occ, Clematis erecta, Croton, Cypridium, Echinacea purp, Erechites, Graphites, Grindelia, Histaminum hydrochloricum, Mezereum, Rhus tox, Urtica ur. Equal volumes of each ingredient in 10X, 30X, 100X, 1M, LM1, LM2, LM3 potencies.

Uses for temporary relief of skin irritations related to poison ivy, poison oak, poison sumac, detergents, cosmetics, or other irritants: minor swelling, itching, burning sensation, rashes, skin eruptions with oozing.

Inactive ingredients: Bio-Energetically Enhanced™ pure water base, citric acid, potassium sorbate. ▶

POISON IVY AND OAK RELIEF

anacardium occidentale, clematis erecta, croton tiglium, cyripedium pubescens, echinacea purpurea, erechites hieracifolia, graphites grindelia, histaminum hydrochloricum, mezereum, rhus toxicodendron, urtica urens liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57955-0116
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ANACARDIUM OCCIDENTALE FRUIT (UNII: 4A10JR4E7E) (ANACARDIUM OCCIDENTALE FRUIT - UNII:4A10JR4E7E)	ANACARDIUM OCCIDENTALE FRUIT	10 [hp_X] in 59 mL
CLEMATIS RECTA FLOWERING TOP (UNII: 396421SP9F) (CLEMATIS RECTA FLOWERING TOP - UNII:396421SP9F)	CLEMATIS RECTA FLOWERING TOP	10 [hp_X] in 59 mL
CROTON TIGLIUM SEED (UNII: 0HK2GZK66E) (CROTON TIGLIUM SEED - UNII:0HK2GZK66E)	CROTON TIGLIUM SEED	10 [hp_X] in 59 mL
CYPRIPEDIUM PARVIFOLUM ROOT (UNII: 21Y9GZ1LZA) (CYPRIPEDIUM PARVIFOLUM ROOT - UNII:21Y9GZ1LZA)	CYPRIPEDIUM PARVIFOLUM ROOT	10 [hp_X] in 59 mL
ECHINACEA PURPUREA (UNII: QI7G114Y98) (ECHINACEA PURPUREA - UNII:QI7G114Y98)	ECHINACEA PURPUREA	10 [hp_X] in 59 mL
ERECHTITES HIERACIIFOLIUS (UNII: 1L6JHK0ORR) (ERECHTITES HIERACIIFOLIUS - UNII:1L6JHK0ORR)	ERECHTITES HIERACIIFOLIUS	10 [hp_X] in 59 mL
GRAPHITE (UNII: 4QQN74LH4O) (GRAPHITE - UNII:4QQN74LH4O)	GRAPHITE	10 [hp_X] in 59 mL
GRINDELIA HIRSUTULA WHOLE (UNII: C08B09D8UJ) (GRINDELIA HIRSUTULA WHOLE - UNII:C08B09D8UJ)	GRINDELIA HIRSUTULA WHOLE	10 [hp_X] in 59 mL
HISTAMINE DIHYDROCHLORIDE (UNII: 3POA0Q644U) (HISTAMINE - UNII:820484N8I3)	HISTAMINE DIHYDROCHLORIDE	10 [hp_X] in 59 mL
DAPHNE MEZEREUM BARK (UNII: X2N6E405GV) (DAPHNE MEZEREUM BARK - UNII:X2N6E405GV)	DAPHNE MEZEREUM BARK	10 [hp_X] in 59 mL
TOXICODENDRON PUBESCENS LEAF (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)	TOXICODENDRON PUBESCENS LEAF	10 [hp_X] in 59 mL
URTICA URENS (UNII: IHN2NQ5OF9) (URTICA URENS - UNII:IHN2NQ5OF9)	URTICA URENS	10 [hp_X] in 59 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57955-0116-2	59 mL in 1 BOTTLE, SPRAY		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/27/2014	

Labeler - King Bio Inc. (617901350)

Registrant - King Bio Inc. (617901350)

Establishment

Name	Address	ID/FEI	Business Operations
King Bio Inc.		617901350	manufacture(57955-0116)

Revised: 5/2014

King Bio Inc.