

LORATADINE - loratadine tablet
H.J. Harkins Company, Inc.

Perrigo Loratadine Tablets, 10 mg Drug Facts

Active ingredient (in each tablet)

Loratadine 10 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or	ask a doctor

kidney disease

Other information

- do not use if printed foil under cap is broken or missing
- store at 20°-25°C (68°-77°F)

Inactive ingredients

lactose monohydrate, magnesium stearate, povidone, pregelatinized starch

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to Claritin® active ingredient

Loratadine Tablets, 10 mg

Antihistamine

24 Hour

Relief of:

Sneezing

Runny Nose

Itchy, Watery Eyes

Itchy Throat or Nose

Indoor and Outdoor Allergies

Non-Drowsy*

*When taken as directed. See Drug Facts Panel.

Original Prescription Strength

Actual Size

52959-740-10

#XXX

CAUTION: Federal law PROHIBITS the transfer of this drug to anyone other than the person to whom prescribed and prohibits dispensing without a prescription unless OTC. See outsert for add'l RX info KEEP OUT O REACH OF CHILDREN. Store in a cool dry place 68 to 77 degrees F.

LORATADINE 10mg TABLET

Lot #: LTD142OH

#10

Mfg: OHMLABINC

Exp: 12/11

Compare to: Claritin (OTC)

Mfg Allegan, MI

Mfa. NDC: 51660-526-05

Pill ID: White oval tablets

Loc.:


LORATADINE 10mg TABLET
52959-740-10 Qty #10
12/11 Lot LTD142OH
Claritin (OTC) 51660-526-05

LORATADINE 10mg TABLET
52959-740-10 Qty #10
12/11 Lot LTD142OH
Claritin (OTC) 51660-526-05

LORATADINE 10mg TABLET
52959-740-10 Qty #10
12/11 Lot LTD142OH
Claritin (OTC) 51660-526-05

LORATADINE 10mg TABLET
52959-740-10 Qty #10
12/11 Lot LTD142OH
Claritin (OTC) 51660-526-05

Take as directed by your Doctor or
See outsert for usual dosage information



Repack: HJ Harkins Co., Inc. Nipomo, CA 93444
Dispense in tight & child resistant container per USP

Loratadine Tablets, 10 mg Carton

LORATADINE

loratadine tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52959-740(NDC:45802-650)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN)	LORATADINE	10 mg

Inactive Ingredients

Ingredient Name	Strength
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POVIDONE (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	WHITE	Score	no score
Shape	OVAL	Size	8mm
Flavor		Imprint Code	L6 12
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52959-740-10	10 in 1 BOTTLE		
2	NDC:52959-740-14	14 in 1 BOTTLE		
3	NDC:52959-740-15	15 in 1 BOTTLE		
4	NDC:52959-740-20	20 in 1 BOTTLE		
5	NDC:52959-740-30	30 in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076301	10/15/2008	

Labeler - H.J. Harkins Company, Inc. (147681894)

Establishment

Name	Address	ID/FEI	Business Operations
Perrigo New York Inc		078846912	manufacture

Revised: 4/2012

H.J. Harkins Company, Inc.