

**BENZOYL PEROXIDE- benzoyl peroxide liquid**  
**Harris Pharmaceutical, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**BENZOYL PEROXIDE TOPICAL CLEANSER 6%**

**DRUG FACTS**

**Active Ingredient**

6% benzoyl peroxide USP

**Purpose**

Acne medication

**Use**

- For the treatment of acne

**Warnings:**

**For external use only.**

- Avoid contact with eyes, eyelids, lips and mucous membranes.

**Do not use if you**

- have very sensitive skin
- are sensitive to benzoyl peroxide

**When using this product**

- **Avoid unnecessary sun exposure and use a sunscreen.**
- Avoid contact with eyes, lips, and mouth.
- Avoid contact with hair or dyed fabrics, which may be bleached by this product.
- Skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling.
- Irritation may be reduced by using the product less frequently or in a lower concentration.
- Skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
  
- **Stop use and ask a doctor if irritation becomes severe.**

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

**SHAKE WELL.**

- Clean the skin thoroughly before applying this product.
- One to three times daily, wet skin and cover the entire affected area with a thin layer, liberally applying to areas to be cleansed. Massage gently into skin for 10-20 seconds working into a full lather, rinse thoroughly and pat dry.

- Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.
- If bothersome dryness or peeling occurs, reduce application to once a day or every other day.
- **If going outside, apply sunscreen after using this product.**
- Follow directions in the sunscreen labeling.
- If irritation or sensitivity develops stop use of both products and ask a doctor.

### **Other information**

Store at controlled room temperature, 15° - 25°C (59° - 77°F)

### **Inactive Ingredients**

Carbomer interpolymer type A NF, cetyl alcohol NF, disodium oleamido MEA-sulfosuccinate, edetate disodium USP, glycerin USP, glyceryl stearate/PEG-100 stearate, laureth-12, magnesium aluminum silicate NF, propylene glycol USP, purified water USP, sodium coco-sulfate, sodium lauroamphoacetate, and xanthan gum NF.

Manufactured for:

Harris Pharmaceutical, Inc.,  
Fort Myers, Florida 33908

Manufactured by:

Groupe Parima  
Montreal, QC

H4S 1X6 CANADA Rev 06/11

### **PRINCIPAL DISPLAY PANEL - 170.3 g Bottle Label**

**NDC 67405-835-06**

**BENZOYL  
PEROXIDE  
TOPICAL  
CLEANSER  
6%**

**FOR TOPICAL USE**

**Net Weight 6 oz  
(170.3 g)**

**HARRIS**

## DRUG FACTS

**Active Ingredient**      **Purpose**  
6% benzoyl peroxide USP ..... Acne medication

### Use

- For the treatment of acne

### Warnings: For external use only.

- Avoid contact with eyes, eyelids, lips and mucous membranes.

### Do not use if you

- have very sensitive skin
- are sensitive to benzoyl peroxide

### When using this product

- Avoid unnecessary sun exposure and use a sunscreen.
- Avoid contact with eyes, lips, and mouth.
- Avoid contact with hair or dyed fabrics, which may be bleached by this product.
- Skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling.
- Irritation may be reduced by using the product less frequently or in a lower concentration.
- Skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- Stop use and ask a doctor if irritation becomes severe.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Directions: SHAKE WELL.

- Clean the skin thoroughly before applying this product.
- One to three times daily, wet skin and cover the entire affected area with a thin layer, liberally applying to areas to be cleansed. Massage gently into skin for 10-20 seconds working into a full lather, rinse thoroughly and pat dry.

## Drug Facts (continued)


- Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.
- If bothersome dryness or peeling occurs, reduce application to once a day or every other day.
- If going outside, apply sunscreen after using this product.
- Follow directions in the sunscreen labeling.
- If irritation or sensitivity develops stop use of both products and ask a doctor.

### Other information

Store at controlled room temperature, 15° - 30°C (59° - 86°F)

**Inactive Ingredients** Carbomer interpolymers type A NF, cetyl alcohol NF, disodium oleamide MEA-sulfosuccinate, edetate disodium USP, glycerin USP, glyceryl stearate/PEG-100 stearate, laureth-12, magnesium aluminum silicate NF, propylene glycol USP, purified water USP, sodium coco-sulfate, sodium lauroamphoacetate, and xanthan gum NF.

Manufactured for:  
Harris Pharmaceutical, Inc.  
Fort Myers, Florida 33908  
Manufactured by:  
Groupe Parima  
Montreal, QC  
H4S 1X6 CANADA  
Rev 06/11



NDC 67405-835-06

# BENZOYL PEROXIDE TOPICAL CLEANSER



Net Weight 6 oz  
(170.3 g)

# HARRIS

## BENZOYL PEROXIDE

benzoyl peroxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:67405-835
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Benzoyl Peroxide (UNII: W9WZN9A0GM) (Benzoyl Peroxide - UNII:W9WZN9A0GM)	Benzoyl Peroxide	60 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
cetyl alcohol (UNII: 936JST6JCN)	
DISODIUM OLEAMIDO MONOETHANOLAMINE SULFOSUCCINATE (UNII: 5M1101WGSY)	
edetate disodium (UNII: 7FLD91C86K)	
glycerin (UNII: PDC6A3C0OX)	

<b>laureth-12</b> (UNII: OAH19558U1)	
<b>magnesium aluminum silicate</b> (UNII: 6M3P64V0NC)	
<b>propylene glycol</b> (UNII: 6DC9Q167V3)	
<b>water</b> (UNII: 059QF0K00R)	
<b>sodium coco-sulfate</b> (UNII: 3599J29ANH)	
<b>sodium lauroamphoacetate</b> (UNII: SLK428451L)	
<b>xanthan gum</b> (UNII: TTV12P4NEE)	

### Product Characteristics

<b>Color</b>	WHITE (viscous)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67405-835-06	178 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/18/2011	
2	NDC:67405-835-12	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/18/2011	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333D	11/18/2011	

**Labeler** - Harris Pharmaceutical, Inc. (617204370)

### Establishment

Name	Address	ID/FEI	Business Operations
Groupe Parima Montreal		252437850	MANUFACTURE(67405-835)

Revised: 12/2019

Harris Pharmaceutical, Inc.