

ZIMS MAX FREEZE- menthol and lidocaine patch
NATURAL ESSENTIALS, INC.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients

Lidocaine 4%

Menthol USP 1%

Purpose

Topical Analgesic

Topical Analgesic

Use

- For the temporary relief of pain.

Warnings

For external use only

Do not use

- if you are allergic to any ingredient in Zim's Max-Freeze Patches
- if you have had an allergic reaction to aspirin or other salicylate products
- on open wounds, damaged or irritated skin
- in large quantities, particularly on raw surfaces or blistered areas.

Ask a doctor or pharmacist before use if you are

- using blood thinning medications, steroids or non-steroidal anti-inflammatory drugs (NSAIDS)

When using this product

- do not use other topical products
- do not use with heating devices
- avoid contact with eyes or mucous membranes
- do not bandage tightly
- keep away from excessive heat

Stop use and ask a doctor if

- a condition worsens or
- symptoms persist for more than 7 days or
- clear up and occur again within a few days.

If pregnant or breast feeding ask a physician before use.

Keep out of reach of children. If put in the mouth get medical help or contact a poison control center right away.

Directions

Adults/children 12 years and older

- Strip off the polyethylene film and place adhesive patch over affected area
- Change patch 1 or 2 times per day
- Wash hands after applying patch
- Under age 12, consult a physician before use

Other information

Store at room temperature - do not exceed 86° Fahrenheit, 30° Celsius.

Inactive ingredients

Alcohol, Aloe Barbadosensis Leaf Extract, Aluminum Hydroxide, Amica Extract, Borneol, Camphor, EDTA-2Na, Glycerin, Methyl Salicylate, NP-700, PVPP, Tartaric Acid, Titanium Dioxide, Water.

Distributed by Perfects Products, Inc., North Lima, Ohio 44452

(800) 319-2225 • www.ZimsUSA.com

©2016 Perfects Products, Inc.® Made in China

Principal Display Panel - Canister Label

ZIM'S®

MAX-

FREEZE

PATCHES

PAIN RELIEF

LIDOCAINE & MENTHOL

Targeted pain relief
in an individually wrapped,
easy to apply patch.

M

6 PATCHES

3" X 5" (7.6 x 12.7 cm)

Nature Science

LIDOCAINE & MENTHOL

Drug Facts	
Active ingredients	Purpose
Lidocaine 4%.....	Topical Analgesic
Menthol USP 1%	Topical Analgesic
Use	
■ For the temporary relief of pain.	
Warnings	
For external use only	
Do not use	
■ if you are allergic to any ingredient in Zim's Max-Freeze Patches	
■ if you have had an allergic reaction to aspirin or other salicylate products	
■ on open wounds, damaged or irritated skin	
■ in large quantities, particularly on raw surfaces or blistered areas.	
Ask a doctor or pharmacist before use if you are	
■ using blood thinning medications, steroids or non-steroidal anti-inflammatory drugs (NSAIDs)	
When using this product	
■ do not use other topical products	
■ do not use with heating devices	
■ avoid contact with eyes or mucous membranes	
■ do not bandage tightly	
■ keep away from excessive heat	
Stop use and ask a doctor if	
■ condition worsens or	
■ symptoms persist for more than 7 days or clear up and occur again within a few days.	
If pregnant or breast feeding ask a physician before use.	
Keep out of reach of children. If put in the mouth, get medical help or contact a poison control center right away.	
Directions Adults/children 12 years and older	
■ Strip off the polyethylene film and place adhesive patch over affected area	
■ Change patch 1 or 2 times per day	
■ Wash hands after applying patch	
■ Under age 12, consult a physician before use	
Other information Store at room temperature – do not exceed 86° Fahrenheit, 30° Celsius.	
Inactive ingredients Alcohol, Aloe Barbadensis Leaf Extract, Aluminum Hydroxide, Arnica Extract, Borneol, Camphor, EDTA-2Na, Glycerin, Methyl Salicylate, NP-700, PVPP, Tartaric Acid, Titanium Dioxide, Water.	

ZIM'S[®] MAX FREEZE PATCHES



PAIN RELIEF

LIDOCAINE & MENTHOL

Targeted pain relief
in an individually wrapped,
easy to apply patch.



6 PATCHES

3" x 5" (7.6 x 12.7 cm)



- INDIVIDUALLY WRAPPED.
- EASY TO APPLY.
- FLEXES WITH EVERY MOVE.

AVAILABLE PATCH SIZES

XL 3 PATCHES:
SIZE 4" x 8" (10.2 x 20.3 cm)
BACK & LARGE AREAS

L 4 PATCHES:
SIZE 4" x 5.5" (10.2 x 14 cm)
KNEE & ELBOW

M 6 PATCHES:
SIZE 3" x 5" (7.6 x 12.7 cm)
ARM & NECK
SMALL AREAS

NDC 66902-213-06



Distributed by Perfecta Products, Inc.
North Lima, Ohio 44452
(800) 319-2225 • www.ZimsUSA.com
©2016 Perfecta Products, Inc.®
Made in China
Assembled in USA

LOT #:
Expiration Date

5mm Seam Overlap

5mm Clear Area - No Graphics

Principal Display Panel - Patch Label

ZIM'S[®]
MAX
FREEZE
PATCHES

MUSCLE & JOINT[®]

Description: Zim's Max-Freeze Patch

Size: Medium

Lot#: 160301

Expiration Date: 3/5/19

MEDIUM NDC #66902-213-06

Drug Facts	
Active Ingredients	Purpose
Lidocaine 4%.....	Topical Analgesic
Menthol USP 1%.....	Topical Analgesic
Use	
■ For the temporary relief of pain.	
Warnings	
For external use only	
Do not use	
■ if you are allergic to any ingredient in Zim's Max-Freeze Patches	
■ if you have had an allergic reaction to aspirin or other salicylate products	
■ on open wounds, damaged or irritated skin	
■ in large quantities, particularly on raw surfaces or blistered areas.	
Ask a doctor or pharmacist before use if you are	
■ using blood thinning medications, steroids or non-steroidal anti-inflammatory drugs (NSAIDs)	
When using this product	
■ do not use other topical products	
■ do not use with heating devices	
■ avoid contact with eyes or mucous membranes	
■ do not bandage tightly	
■ keep away from excessive heat	
Stop use and ask a doctor if	
■ condition worsens or	
■ symptoms persist for more than 7 days or	
■ clear up and occur again within a few days.	
If pregnant or breast feeding ask a physician before use	
Keep out of reach of children. If put in the mouth, get medical help or contact a poison control center right away.	
Directions Adults/children 12 years and older	
■ Strip off the polyethylene film and place adhesive patch over affected area	
■ Change patch 1 or 2 times per day	
■ Wash hands after applying patch	
■ Under age 12, consult a physician before use	
Other information Store at room temperature – do not exceed 90° Fahrenheit, 32° Celsius.	
Inactive ingredients Alcohol, Aloe Barbadosas Leaf Extract, Aluminum Hydroxide, Arnica Extract, Borneol, Camphor, EDTA-2Na, Glycerin, Methyl Salicylate, NP-700, PVPP, Tartaric Acid, Titanium Dioxide, Water	
Distributed by Perfecta Products, Inc., North Lima, Ohio 44152 (800) 319-2225 • www.ZimsUSA.com ©2016 Perfecta Products, Inc.® Made in China	

ZIM'S[®]
MAX-
FREEZE
PATCHES
MUSCLE & JOINT*

Description: Zim's Max-Freeze Patch
Size : Medium

Lot # : 160301
Expiration Date: 3/5/19

Principal Display Panel - Canister Label

ZIM'S[®]
MAX-
FREEZE
PATCHES

PAIN RELIEF

LIDOCAINE & MENTHOL

Targeted pain relief
in an individually wrapped,
easy to apply patch.

L

4 PATCHES

4" X 5.5" (10.2 x 14 cm)

Nature Science

LIDOCAINE & MENTHOL

Drug Facts	
Active ingredients	Purpose
Lidocaine 4%.....	Topical Analgesic
Menthol USP 1%.....	Topical Analgesic
Use	
■ For the temporary relief of pain.	
Warnings	
For external use only	
Do not use	
■ If you are allergic to any ingredient in Zim's Max-Freeze Patches	
■ If you have had an allergic reaction to aspirin or other salicylate products	
■ on open wounds, damaged or irritated skin	
■ in large quantities, particularly on raw surfaces or blistered areas.	
Ask a doctor or pharmacist before use if you are	
■ using blood thinning medications, steroids or non-steroidal anti-inflammatory drugs (NSAIDs)	
When using this product	
■ do not use other topical products	
■ do not use with heating devices	
■ avoid contact with eyes or mucous membranes	
■ do not bandage tightly	
■ keep away from excessive heat	
Stop use and ask a doctor if	
■ condition worsens or	
■ symptoms persist for more than 7 days or clear up and occur again within a few days.	
If pregnant or breast feeding ask a physician before use.	
Keep out of reach of children. If put in the mouth, get medical help or contact a poison control center right away.	
Directions Adults/children 12 years and older	
■ Strip off the polyethylene film and place adhesive patch over affected area	
■ Change patch 1 or 2 times per day	
■ Wash hands after applying patch	
■ Under age 12, consult a physician before use	
Other information Store at room temperature – do not exceed 86° Fahrenheit, 30° Celsius.	
Inactive ingredients Alcohol, Aloe Barbadosensis Leaf Extract, Aluminum Hydroxide, Arnica Extract, Borneol, Camphor, EDTA-2Na, Glycerin, Methyl Salicylate, NP-700, PVPP, Tartaric Acid, Titanium Dioxide, Water.	

ZIM'S[®] MAX FREEZE PATCHES



PAIN RELIEF

LIDOCAINE & MENTHOL

Targeted pain relief in an individually wrapped, easy to apply patch.



4 PATCHES
4" x 5.5" (10.2 x 14 cm)



- INDIVIDUALLY WRAPPED.
- EASY TO APPLY.
- FLEXES WITH EVERY MOVE.

AVAILABLE PATCH SIZES

XL 3 PATCHES:
SIZE 4" x 8" (10.2 x 20.3 cm)
BACK & LARGE AREAS

L 4 PATCHES:
SIZE 4" x 5.5" (10.2 x 14 cm)
KNEE & ELBOW

M 6 PATCHES:
SIZE 3" x 5" (7.6 x 12.7 cm)
ARM & NECK
SMALL AREAS



Distributed by Perfecta Products, Inc.
North Lima, Ohio 44452
(800) 319-2225 • www.ZimsUSA.com
©2016 Perfecta Products, Inc.®
Made in China
Assembled in USA

LOT #:
Expiration Date

5mm Seam Overlap

5mm Clear Area - No Graphics

Principal Display Panel - Patch Label

ZIM'S[®]
MAX
FREEZE
PATCHES

MUSCLE & JOINT[®]

Description: Zim's Max-Freeze Patch

Size: Large

Lot#: 160305

Expiration Date: 3/15/19

LARGE NDC #6602-213-04

Drug Facts

Active Ingredients

Lidocaine 4%
Menthol USP 1%

Purpose

Topical Analgesic
Topical Analgesic

Use

■ For the temporary relief of pain.

Warnings

For external use only

Do not use

- if you are allergic to any ingredient in Zim's Max-Freeze Patches
- if you have had an allergic reaction to aspirin or other salicylate products
- on open wounds, damaged or irritated skin
- in large quantities, particularly on raw surfaces or blistered areas.

Ask a doctor or pharmacist before use if you are

- using blood thinning medications, steroids or non-steroidal anti-inflammatory drugs (NSAIDs)

When using this product

- do not use other topical products
- do not use with heating devices
- avoid contact with eyes or mucous membranes
- do not bandage tightly
- keep away from excessive heat

Stop use and ask a doctor if

- condition worsens or
- symptoms persist for more than 7 days or
- clear up and occur again within a few days.

If pregnant or breast feeding ask a physician before use.

Keep out of reach of children. If put in the mouth, get medical help or contact a poison control center right away.

Directions Adults/children 12 years and older

- Strip off the polyethylene film and place adhesive patch over affected area
- Change patch 1 or 2 times per day
- Wash hands after applying patch
- Under age 12, consult a physician before use

Other information Store at room temperature – do not exceed 86° Fahrenheit, 30° Celsius.

Inactive ingredients Alcohol, Aloe Barbadosis Leaf Extract, Aluminum Hydroxide, Arnica Extract, Borneol, Camphor, EDTA-2Na, Glycerin, Methyl Salicylate, NP-700, PVPP, Tartaric Acid, Titanium Dioxide, Water.

Distributed by Perfecta Products, Inc., North Lima, Ohio 44452

(800) 319-2225 • www.ZimsUSA.com

©2016 Perfecta Products, Inc.® Made in China

ZIM'S[®]
MAX-
FREEZE
PATCHES

MUSCLE & JOINT*

Description: Zim's Max-Freeze Patch

Size : Large

Lot # : 160305

Expiration Date: 3/15/19

Principal Display Panel - Canister Label

ZIM'S[®]
MAX-
FREEZE
PATCHES

PAIN RELIEF

LIDOCAINE & MENTHOL

Targeted pain relief
in an individually wrapped,
easy to apply patch.

XL

3 PATCHES

4" X 8" (10.2 x 20.3 cm)

Nature Science

LIDOCAINE & MENTHOL

Drug Facts	
Active ingredients	Purpose
Lidocaine 4%.....	Topical Analgesic
Menthol USP 1%	Topical Analgesic
Use	
■ For the temporary relief of pain.	
Warnings	
For external use only	
Do not use	
■ if you are allergic to any ingredient in Zim's Max-Freeze Patches	
■ if you have had an allergic reaction to aspirin or other salicylate products	
■ on open wounds, damaged or irritated skin	
■ in large quantities, particularly on raw surfaces or blistered areas.	
Ask a doctor or pharmacist before use if you are	
■ using blood thinning medications, steroids or non-steroidal anti-inflammatory drugs (NSAIDS)	
When using this product	
■ do not use other topical products	
■ do not use with heating devices	
■ avoid contact with eyes or mucous membranes	
■ do not bandage tightly	
■ keep away from excessive heat	
Stop use and ask a doctor if	
■ condition worsens or	
■ symptoms persist for more than 7 days or clear up and occur again within a few days.	
If pregnant or breast feeding ask a physician before use. Keep out of reach of children. If put in the mouth, get medical help or contact a poison control center right away.	
Directions Adults/children 12 years and older	
■ Strip off the polyethylene film and place adhesive patch over affected area	
■ Change patch 1 or 2 times per day	
■ Wash hands after applying patch	
■ Under age 12, consult a physician before use	
Other information Store at room temperature – do not exceed 86° Fahrenheit, 30° Celsius.	
Inactive ingredients Alcohol, Aloe Barbadensis Leaf Extract, Aluminum Hydroxide, Arnica Extract, Borneol, Camphor, EDTA-2Na, Glycerin, Methyl Salicylate, NP-700, PVPP, Tartaric Acid, Titanium Dioxide, Water.	

ZIM'S[®] MAX FREEZE PATCHES



PAIN RELIEF

LIDOCAINE & MENTHOL

Targeted pain relief in an individually wrapped, easy to apply patch.

XL

3 PATCHES
4" x 8" (10.2 x 20.3 cm)



- INDIVIDUALLY WRAPPED.
- EASY TO APPLY.
- FLEXES WITH EVERY MOVE.

AVAILABLE PATCH SIZES

XL 3 PATCHES:
SIZE 4" x 8" (10.2 x 20.3 cm)
BACK & LARGE AREAS

L 4 PATCHES:
SIZE 4" x 5.5" (10.2 x 14 cm)
KNEE & ELBOW

M 6 PATCHES:
SIZE 3" x 5" (7.6 x 12.7 cm)
ARM & NECK
SMALL AREAS

NDC 66902-213-03



Distributed by Perfecta Products, Inc.
North Lima, Ohio 44452
(800) 319-2225 • www.ZimsUSA.com
©2016 Perfecta Products, Inc.®
Made in China
Assembled in USA

LOT #:
Expiration Date

5mm Seam Overlap

5mm Clear Area - No Graphics

Principal Display Panel - Patch Label

ZIM'S[®]
MAX
FREEZE
PATCHES

MUSCLE & JOINT[®]

Description: Zim's Max-Freeze Patch

Size: Extra Large

Lot#: 160310

Expiration Date: 3/25/19

EXTRA LARGE NDC #66902-213-03

Drug Facts

Active ingredients	Purpose
Lidocaine 4%.....	Topical Analgesic
Menthol USP 1%	Topical Analgesic

Use

- For the temporary relief of pain.

Warnings

For external use only

Do not use

- if you are allergic to any ingredient in Zim's Max-Freeze Patches
- if you have had an allergic reaction to aspirin or other salicylate products
- on open wounds, damaged or irritated skin
- in large quantities, particularly on raw surfaces or blistered areas.

Ask a doctor or pharmacist before use if you are

- using blood thinning medications, steroids or non-steroidal anti-inflammatory drugs (NSAIDS)

When using this product

- do not use other topical products
- do not use with heating devices
- avoid contact with eyes or mucous membranes
- do not bandage tightly
- keep away from excessive heat

Stop use and ask a doctor if

- condition worsens or
- symptoms persist for more than 7 days or
- clear up and occur again within a few days.

If pregnant or breast feeding ask a physician before use.

Keep out of reach of children. If put in the mouth, get medical help or contact a poison control center right away.

Directions Adults/children 12 years and older

- Strip off the polyethylene film and place adhesive patch over affected area
- Change patch 1 or 2 times per day
- Wash hands after applying patch
- Under age 12, consult a physician before use

Other information Store at room temperature – do not exceed 86° Fahrenheit, 30° Celsius.

Inactive ingredients Alcohol, Aloe Barbadosensis Leaf Extract, Aluminum Hydroxide, Arnica Extract, Borneol, Camphor, EDTA-2Na, Glycerin, Methyl Salicylate, NP-700, PVPP, Tartaric Acid, Titanium Dioxide, Water.

Distributed by Perfecta Products, Inc., North Lima, Ohio 44452
(800) 319-2225 • www.ZimsUSA.com
©2016 Perfecta Products, Inc.® Made in China

MUSCLE & JOINT*

Description: Zim's Max-Freeze Patch
Size : Extra Large

Lot # : 160310
Expiration Date: 3/25/19

ZIMS MAX FREEZE

menthol and lidocaine patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66902-213
Route of Administration	TRANSDERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	10 mg
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALCOHOL (UNII: 3K9958V90M)	
ARNICA MONTANA (UNII: O80TY208ZW)	
BORNEOL (UNII: M89NIB437X)	
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
COPOVIDONE K25-31 (UNII: D9C330MD8B)	
TARTARIC ACID (UNII: W48881119H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0K00R)	
MENTHYL SALICYLATE, (+/-)- (UNII: 43XOA705ZD)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66902-213-06	6 in 1 CANISTER		
1		1 in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:66902-213-04	4 in 1 CANISTER		
2		1 in 1 PATCH; Type 0: Not a Combination Product		
3	NDC:66902-213-03	3 in 1 CANISTER		
3		1 in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	01/01/2016	

Labeler - NATURAL ESSENTIALS, INC. (947484713)

Establishment

Name	Address	ID/FEI	Business Operations
NATURAL ESSENTIALS, INC.		947484713	MANUFACTURE(66902-213) , REPACK(66902-213)

Revised: 3/2016

NATURAL ESSENTIALS, INC.