

**CAREALL ASPIRIN- aspirin tablet, coated**  
**New World Imports, Inc**

-----  
**DRUG FACTS**

**Active Ingredient**

Aspirin 81mg (NSAID\*)

\*nonsteroidal anti-inflammatory drug

**Purpose**

Pain Reliever

**Keep out of Reach of Children**

**Keep out of reach of Children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Uses**

For the temporary relief of minor aches and pain or as recommended by your doctor.  
**Because of its delayed action, this product will not provide fast relief of headaches or other symptoms needing immediate relief.**

**Warnings**

**Reye's Syndrome:**Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert:**Aspirin may cause a severe allergic reaction which may included

- hives
- facial swelling
- asthma (wheezing)
- shock

**Stomach Bleeding Warning:** this product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:

- Are age 60 or older
- Have had stomach ulcers or bleeding problems
- Take a blood thinning (anticoagulant) or steroid drug
- Take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- Have 3 or more alcoholic drinks every day while using this product

- Take more or for a longer time than directed

**Do not use** if you are allergic to aspirin or any other pain reliever / fever reducer

**Ask a doctor before use if:**

- Stomach bleeding warning applies to you
- You have a history of stomach problems, such as heartburn
- You have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- You have asthma
- You have taken a diuretic

**Ask a doctor or pharmacist before use if** you are taking a prescription drug for:

- diabetes
- gout
- arthritis

**Stop use and ask a doctor if:**

- An allergic reaction occurs. Seek medical help right away
- You experience any of the following signs of stomach bleeding: feel faint, vomit blood, have bloody or black stools, have stomach pain that does not get better
- Redness or swelling is present
- Ringing in the ears or loss of hearing occurs
- Pain gets worse or lasts more than 10 days

**If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless specifically directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.**

**Directions**

Drink a full glass of water with each dose

**Adults and children 12 years and over:** take 4 to 8 tablets every 4 hours not to exceed 48 tablets in 24 hours unless directed by a doctor.

**Children under 12 years of age:** consult a doctor

**Inactive Ingredients**

colloidal silicon dioxide, corn starch, crospovidone, D C yellow 10 aluminum lake, FD C yellow 6 aluminum lake, hypromellose, methacrylic acid copolymer, microcrystalline cellulose, stearic acid, talc, titanium dioxide, triethyl ceitrate

NDC 51824-077-01

CAREALL®

Compare to active ingredient in Bayer® Low Dose Aspirin\*\*

# Aspirin

For Adults  
Pain Reliever (NSAID)

81mg Delayed Release

► Low Strength Aspirin Regimen

Talk to your doctor or other healthcare provider before using this product for your heart

120 Enteric Coated Tablets

**DO NOT USE IF IMPRINTED SEAL UNDER SAFETY CAP IS BROKEN OR MISSING**

## Drug Facts

### Active ingredient (in each tablet)

Aspirin 81mg (NSAID)\* ..... Pain reliever nonsteroidal anti-inflammatory drug

**Uses** for the temporary relief of minor aches and pains or as recommended by your doctor. **Because of its delayed action, this product will not provide fast relief of headaches or other symptoms needing immediate relief.**

### Warnings

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert:** Aspirin may cause a severe allergic reaction which may include: ■ hives ■ facial swelling ■ asthma (wheezing) ■ shock

**Drug facts continued on inside panel**  
Distributed By: CareAll Products, 160 Athens Way, Nashville, TN 37228  
www.careallproducts.com



Lot  
Exp  
SEE HERE

UNVARNISHED

## Drug Facts (continued)

**Stomach bleeding warning:** This product contains an NSAID which may cause severe stomach bleeding. The chance is higher if you: ■ are age 60 or older ■ have had stomach ulcers or bleeding problems ■ take a blood thinning (anticoagulant) or steroid drug ■ take other drugs containing prescription or non prescription NSAIDs (aspirin, ibuprofen, naproxen, or others) ■ have 3 or more alcoholic drinks every day while using this product ■ take more or for a longer time than directed

**Do not use** ■ if you have ever had an allergic reaction to any other pain reliever/fever reducer

**Ask a doctor before use if** ■ stomach bleeding warning applies to you ■ you have a history of stomach problems, such as heartburn ■ you have high blood pressure, heart disease, liver cirrhosis, or kidney disease ■ you are taking a diuretic ■ you have asthma

**Ask a doctor or pharmacist before use if you are taking a prescription drug for** ■ gout ■ diabetes ■ arthritis

**Stop use and ask a doctor if** ■ an allergic reaction occurs. Seek medical help right away. ■ you experience any of the following signs of stomach bleeding:

- vomit blood ■ have bloody or black stools ■ have stomach pain that does not get better ■ feel faint
- pain gets worse or lasts more than 10 days ■ redness or swelling is present ■ new symptoms occur ■ ringing in the ears or loss of hearing occurs

**If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless specifically directed to do so by a doctor because it**

## Drug Facts (continued)

may cause problems in the unborn child or complications during delivery. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

### Directions

- drink a full glass of water with each dose
- **adults and children 12 years and over:** take 4 to 8 tablets every 4 hours not to exceed 48 tablets in 24 hours unless directed by a doctor
- **children under 12 years of age:** consult a doctor

### Other information

■ store at room temperature 20°–25°C (68°–77°F)  
■ you may report side effects to 1-888-952-0050 Mon-Fri 9AM – 5PM EST

### Inactive ingredients

colloidal silicon dioxide, corn starch, croscopolone, D&C yellow #10 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, methacrylic acid copolymer, microcrystalline cellulose, stearic acid, talc, titanium dioxide, triethyl citrate

\*\*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Bayer® Low Dose Aspirin.

## CAREALL ASPIRIN

aspirin tablet, coated

### Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:51824-077

Route of Administration

ORAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
Aspirin (UNII: R16CO5Y76E) (Aspirin - UNII:R16CO5Y76E)	Aspirin	81 mg

**Inactive Ingredients**

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)	
METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) (UNII: 74G4R6TH13)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
Titanium Dioxide (UNII: 15FIX9V2JP)	
Triethyl Citrate (UNII: 8Z96QXD6UM)	
talc (UNII: 7SEV7J4R1U)	
STARCH, CORN (UNII: O8232NY3SJ)	
CROSPVIDONE (UNII: 2S7830E561)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

**Product Characteristics**

Color	yellow (yellow)	Score	no score
Shape	ROUND (round convex)	Size	7mm
Flavor		Imprint Code	A
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51824-077-01	120 in 1 BOTTLE; Type 0: Not a Combination Product	06/01/2020	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	06/01/2020	

**Labeler** - New World Imports, Inc (075372276)