

CHILDRENS ACETAMINOPHEN DYE FREE GRAPE- acetaminophen suspension
FSA Store Inc. (Caring Mills)

Drug Facts

Active ingredient (in each 5 mL)

Acetaminophen 160 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily reduces fever
- temporarily relieves minor aches and pains due to:
 - the common cold
 - flu
 - headache
 - sore throat
 - toothache

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes:

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or non-prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this

product

Ask a doctor before use if your child has

liver disease.

Ask a doctor or pharmacist before use if your child is

taking the blood thinning drug warfarin.

When using this product,

do not exceed recommended dose (see Overdose warning)

Stop use and ask a doctor if

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

Keep out of reach of children.

Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical even if you do not notice any signs or symptoms.

Directions

- **this product does not contain directions or complete warnings for adult use**
- **do not take more than directed (see Overdose warning)**
- **shake well before using**
- mL = milliliter
- use only the enclosed dosing cup designed for use with this product. Do not use any other dosing device.
- if needed, repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours
- do not give more than 5 days unless directed by a doctor
- find the right dose on chart below. If possible, use weight to dose; otherwise, use age.

Weight (lb)	Age (year)	Dose (mL)*
under 24	under 2	ask a doctor
24-35	2-3	5 mL
36-47	4-5	7.5 mL
48-59	6-8	10 mL
60-71	9-10	12.5 mL

72-95	11	15 mL
-------	----	-------

*or as directed by a doctor

Other information

- **each 5 mL contains:**sodium 2 mg
- store between 20-25°C (68-77°F)
- do not refrigerate
- see bottom panel for lot number and expiration date

Inactive ingredients

butylparaben, carboxymethylcellulose sodium, citric acid, flavors, glycerin, high fructose corn syrup, microcrystalline cellulose, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose, xanthan gum

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

**Compare to the active ingredient in Children's Tylenol® Oral Suspension

For Ages 2-11 years

Children's Fever Reducer

Acetaminophen 160 mg per 5 mL

Pain Reliever/Fever Reducer

Oral Suspension

Grape Flavor

Dye-Free

Alcohol-free

Aspirin-free

Ibuprofen-free

FL OZ (mL)

Dosage Cup Provided

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

**This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Children's Tylenol® Oral Suspension.

Manufactured for: FSA Store Inc.

5473 BLAIR ROAD

SUITE 100

PMB 24308

DALLAS, TX 75231

Package Label

<p>Drug Facts (continued)</p> <ul style="list-style-type: none">use only the enclosed dosing cup designed for use with this product. Do not use any other dosing device.if needed, repeat dose every 4 hours while symptoms lastdo not give more than 5 times in 24 hoursdo not give more than 5 days unless directed by a doctorfind the right dose on chart below. If possible, use weight to dose; otherwise, use age. <table border="1"><thead><tr><th>Weight (lb)</th><th>Age (year)</th><th>Dose (mL)*</th></tr></thead><tbody><tr><td>under 24</td><td>under 2 years</td><td>ask a doctor</td></tr><tr><td>24-35</td><td>2-3 years</td><td>5 mL</td></tr><tr><td>36-47</td><td>4-5 years</td><td>7.5 mL</td></tr><tr><td>48-59</td><td>6-8 years</td><td>10 mL</td></tr><tr><td>60-71</td><td>9-10 years</td><td>12.5 mL</td></tr><tr><td>72-85</td><td>11 years</td><td>15 mL</td></tr></tbody></table> <p>*or as directed by a doctor</p> <p>Other information</p> <ul style="list-style-type: none">each 5 mL contains: sodium 2 mgstore between 20-25°C (68-77°F)do not refrigeratesee bottom panel for lot number and expiration date <p>Inactive ingredients butylparaben, carboxymethylcellulose sodium, citric acid, flavors, glycerin, high fructose corn syrup, microcrystalline cellulose, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose, xanthan gum</p> <p>Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST</p> <p><small>**This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Children's Tylenol® Oral Suspension.</small></p> <p><small>TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.</small></p> <p>Manufactured for FSA Store Inc. 5473 BLAIR ROAD SUITE 100 PMB 24308 DALLAS, TX 75231</p>	Weight (lb)	Age (year)	Dose (mL)*	under 24	under 2 years	ask a doctor	24-35	2-3 years	5 mL	36-47	4-5 years	7.5 mL	48-59	6-8 years	10 mL	60-71	9-10 years	12.5 mL	72-85	11 years	15 mL	<p>NDC 81522-285-04</p> <p>**Compare to the active ingredient in Children's Tylenol® Oral Suspension</p> <p>caring mill™</p> <p>For Ages 2-11 Years Children's Fever Reducer</p> <p>Acetaminophen 160 mg per 5 mL Pain Reliever/ Fever Reducer Oral Suspension</p> <p>Grape Flavor</p> <p>Dye-free</p>  <p>Alcohol-free Aspirin-free Ibuprofen-free</p> <p>4 FL OZ (118 mL)</p>	<p>NDC 81522-285-04</p> <p>**Compare to the active ingredient in Children's Tylenol® Oral Suspension</p> <p>caring mill™</p> <p>For Ages 2-11 Years Children's Fever Reducer</p> <p>Acetaminophen 160 mg per 5 mL Pain Reliever/ Fever Reducer Oral Suspension</p> <p>Grape Flavor</p> <p>Dye-free</p>  <p>Alcohol-free Aspirin-free Ibuprofen-free</p> <p>4 FL OZ (118 mL)</p>	<p>Drug Facts</p> <table border="1"><thead><tr><th>Active ingredient (in each 5 mL)</th><th>Purpose</th></tr></thead><tbody><tr><td>Acetaminophen 160 mg</td><td>Pain reliever/fever reducer</td></tr></tbody></table> <p>Uses</p> <ul style="list-style-type: none">temporarily reduces fevertemporarily relieves minor aches and pains due to:<ul style="list-style-type: none">the common coldflusore throattoothache <p>Warnings</p> <p>Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes:<ul style="list-style-type: none">more than 5 doses in 24 hours, which is the maximum daily amountwith other drugs containing acetaminophen</p> <p>Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:<ul style="list-style-type: none">skin reddeningblistersrashIf a skin reaction occurs, stop use and seek medical help right away.</p> <p>Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.</p> <p>Do not use</p> <ul style="list-style-type: none">with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.if your child is allergic to acetaminophen or any of the inactive ingredients in this product <p>Ask a doctor before use if your child has liver disease.</p> <p>Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin.</p> <p>When using this product, do not exceed recommended dose (see Overdose warning).</p> <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none">new symptoms occurredness or swelling is presentpain gets worse or lasts more than 5 daysfever gets worse or lasts more than 3 days These could be signs of a serious condition. <p>Keep out of reach of children.</p> <p>Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical even if you do not notice any signs or symptoms.</p> <p>Directions</p> <ul style="list-style-type: none">this product does not contain directions or complete warnings for adult usedo not take more than directed (see Overdose warning)shake well before usingmL = milliliter	Active ingredient (in each 5 mL)	Purpose	Acetaminophen 160 mg	Pain reliever/fever reducer
Weight (lb)	Age (year)	Dose (mL)*																										
under 24	under 2 years	ask a doctor																										
24-35	2-3 years	5 mL																										
36-47	4-5 years	7.5 mL																										
48-59	6-8 years	10 mL																										
60-71	9-10 years	12.5 mL																										
72-85	11 years	15 mL																										
Active ingredient (in each 5 mL)	Purpose																											
Acetaminophen 160 mg	Pain reliever/fever reducer																											



PLD-B234D FC009045

Lot No.:
Exp. Date:

CARING MILL Children's Fever Reducer Grape Flavor

CHILDRENS ACETAMINOPHEN DYE FREE GRAPE

acetaminophen suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:81522-285
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
BUTYLPARABEN (UNII: 3QPI1U3FV8)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
GLYCERIN (UNII: PDC6A3C0OX)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81522-285-04	1 in 1 CARTON	04/18/2022	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/18/2022	

Revised: 2/2024

FSA Store Inc. (Caring Mills)