

TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment
Safetec of America, Inc.

61010-4400-2, Triple Antibiotic

Active ingredients

(in each gram)

Bacitracin Zinc (400 units Bacitracin)

Neomycin sulfate (3.5 mg Neomycin)

Polymyxin B Sulfate (Polymyxin B 5000 units)

Purpose

First aid antibiotic

Uses

first aid to help prevent infection in minor cuts, scrapes and burns

Warnings

For external use only

Do not use

- internally
- in eyes
- over large areas of the body or on puncture wounds, animal bites or serious burns
- for more than 1 week unless directed by a doctor
- if you are allergic to any of the ingredients

Stop use and ask a doctor if

- a rash or allergic reaction develops
- condition worsens or persists

Keep out of reach of children

If ingested, contact a Poison Control Center right away.

Directions

- clean affected area
- apply a small amount 1 to 3 times daily
- may cover with a sterile bandage

Inactive ingredient

petrolatum

Principal Display Panel - 28 g Tube Label

Safetec[®]

***Triple
Antibiotic
Ointment***

**First Aid
Infection Protection**

**To Help Prevent Infection
in Minor Cuts, Scrapes,
and Burns**

Net Wt. 1 oz. (28.4g)



Triple Antibiotic Ointment

First Aid Infection Protection

To Help Prevent Infection in Minor Cuts, Scrapes, and Burns

Net Wt. 1 oz. (28.4g)

Reorder No. 53207B
NDC 61010-4400-2

Manufactured by Safetec of America, Inc.
Buffalo, NY 14215 | 1-800-456-7077

Drug Facts

Active ingredients
(in each gram) **Purpose**
Bacitracin Zinc
(400 units Bacitracin)
Neomycin sulfate
(3.5 mg Neomycin)
Polymyxin B Sulfate
(Polymyxin B 5000 units)
..... First aid antibiotic

Uses first aid to help prevent infection in minor cuts, scrapes and burns

Warnings

For external use only

Do not use ■ internally ■ in eyes ■ over large areas of the body or on puncture wounds, animal bites or serious burns ■ for more than 1 week unless directed by a doctor ■ if you are allergic to any of the ingredients

Stop use and ask a doctor if ■ a rash or allergic reaction develops ■ condition worsens or persists

Keep out of reach of children
If ingested, contact a Poison Control Center right away.

Directions ■ clean affected area ■ apply a small amount 1 to 3 times daily ■ may cover with a sterile bandage

Inactive ingredient
petrolatum

TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61010-4400
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN ZINC	400 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61010-4400-2	28 g in 1 TUBE; Type 0: Not a Combination Product	07/25/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	07/25/2022	

Labeler - Safetec of America, Inc. (874965262)

Establishment

Name	Address	ID/FEI	Business Operations
Safetec of America, Inc.		874965262	manufacture(61010-4400)

Revised: 2/2024

Safetec of America, Inc.